

## DAFTAR PUSTAKA

- Ansari, A. A., & Kamil, M. (2021). Effect of print speed and extrusion temperature on properties of 3D printed PLA using fused deposition modeling process. *Materials Today: Proceedings*, 45, 5462–5468. <https://doi.org/10.1016/j.matpr.2021.02.137>
- Armijo, P. R., Markin, N. W., Nguyen, S., Ho, D. H., Horseman, T. S., Lisco, S. J., & Schiller, A. M. (2021). 3D printing of face shields to meet the immediate need for PPE in an anesthesiology department during the COVID-19 pandemic. *American Journal of Infection Control*, 49(3), 302–308. <https://doi.org/10.1016/j.ajic.2020.07.037>
- Buj-Corral, I., Bagheri, A., Domínguez-Fernández, A., & Casado-López, R. (2019). Influence of infill and nozzle diameter on porosity of FDM printed parts with rectilinear grid pattern. *Procedia Manufacturing*, 41, 288–295. <https://doi.org/10.1016/j.promfg.2019.09.011>
- Claresta, L. J., & Purwoko, Y. (2017). Pengaruh Konsumsi Cokelat Terhadap Tingkat Kecemasan Mahasiswa Fakultas Kedokteran Praujian. *Diponegoro Medical Journal (Jurnal Kedokteran Diponegoro)*, 6(2), 737–747.
- del Pilar Noriega E., M., Rauwendaal, C., del Pilar Noriega E., M., & Rauwendaal, C. (2019). Troubleshooting the Extrusion Process. In *Troubleshooting the Extrusion Process* (Third Edit). Carl Hanser Verlag GmbH & Co. KG. <https://doi.org/10.3139/9781569907764.fm>
- Derossi, A., Paolillo, M., Caporizzi, R., & Severini, C. (2020). Extending the 3D food printing tests at high speed. Material deposition and effect of non-printing movements on the final quality of printed structures. *Journal of Food Engineering*, 275(December 2019). <https://doi.org/10.1016/j.jfoodeng.2019.109865>
- Diañez, I., Gallegos, C., Brito-de la Fuente, E., Martínez, I., Valencia, C., Sánchez,

- M. C., Diaz, M. J., & Franco, J. M. (2019). 3D printing in situ gelification of  $\kappa$ -carrageenan solutions: Effect of printing variables on the rheological response. *Food Hydrocolloids*, 87(August 2018), 321–330. <https://doi.org/10.1016/j.foodhyd.2018.08.010>
- Kim, H. W., Bae, H., & Park, H. J. (2017). Classification of the printability of selected food for 3D printing: Development of an assessment method using hydrocolloids as reference material. *Journal of Food Engineering*, 215, 23–32. <https://doi.org/10.1016/j.jfoodeng.2017.07.017>
- Kim, H. W., Lee, I. J., Park, S. M., Lee, J. H., Nguyen, M. H., & Park, H. J. (2019). Effect of hydrocolloid addition on dimensional stability in post-processing of 3D printable cookie dough. *Lwt*, 101(November 2018), 69–75. <https://doi.org/10.1016/j.lwt.2018.11.019>
- Lanaro, M., Forrestal, D. P., Scheurer, S., Slinger, D. J., Liao, S., Powell, S. K., & Woodruff, M. A. (2017). 3D printing complex chocolate objects: Platform design, optimization and evaluation. *Journal of Food Engineering*, 215, 13–22. <https://doi.org/10.1016/j.jfoodeng.2017.06.029>
- Lee, J. Y., An, J., & Chua, C. K. (2017). Fundamentals and applications of 3D printing for novel materials. *Applied Materials Today*, 7, 120–133. <https://doi.org/10.1016/j.apmt.2017.02.004>
- Lille, M., Nurmela, A., Nordlund, E., Metsä-Kortelainen, S., & Sozer, N. (2018). Applicability of protein and fiber-rich food materials in extrusion-based 3D printing. *Journal of Food Engineering*, 220, 20–27. <https://doi.org/10.1016/j.jfoodeng.2017.04.034>
- Mantihal, S., Prakash, S., Godoi, F. C., & Bhandari, B. (2017). Optimization of chocolate 3D printing by correlating thermal and flow properties with 3D structure modeling. *Innovative Food Science and Emerging Technologies*, 44(May), 21–29. <https://doi.org/10.1016/j.ifset.2017.09.012>
- Mantihal, S., Prakash, S., Godoi, F. C., & Bhandari, B. (2019). Effect of additives

on thermal, rheological and tribological properties of 3D printed dark chocolate. *Food Research International*, 119(October 2018), 161–169.  
<https://doi.org/10.1016/j.foodres.2019.01.056>

Mohanavel, V., Ashraff Ali, K. S., Ranganathan, K., Allen Jeffrey, J., Ravikumar, M. M., & Rajkumar, S. (2021). The roles and applications of additive manufacturing in the aerospace and automobile sector. *Materials Today: Proceedings*, xxxx. <https://doi.org/10.1016/j.matpr.2021.04.596>

Percoco, G., Arleo, L., Stano, G., & Bottiglione, F. (2021). Analytical model to predict the extrusion force as a function of the layer height, in extrusion based 3D printing. *Additive Manufacturing*, 38(October 2020), 101791.  
<https://doi.org/10.1016/j.addma.2020.101791>

Pitayachaval, P., Sanklong, N., & Thongrak, A. (2018). A Review of 3D Food Printing Technology. *MATEC Web of Conferences*, 213, 1–5.  
<https://doi.org/10.1051/mateconf/201821301012>

Rando, P., & Ramaioli, M. (2021). Food 3D printing: Effect of heat transfer on print stability of chocolate. *Journal of Food Engineering*, 294(November 2020), 110415. <https://doi.org/10.1016/j.jfoodeng.2020.110415>

Repetier. (2016). *Repetier Firmware*. 1–20.  
<https://www.repetier.com/documentation/repetier-firmware/>

Romero, P. E., Arribas-Barrios, J., Rodriguez-Alabanda, O., González-Merino, R., & Guerrero-Vaca, G. (2021). Manufacture of polyurethane foam parts for automotive industry using FDM 3D printed molds. *CIRP Journal of Manufacturing Science and Technology*, 32, 396–404.  
<https://doi.org/10.1016/j.cirpj.2021.01.019>

Severini, C., Derossi, A., & Azzollini, D. (2016). Variables affecting the printability of foods: Preliminary tests on cereal-based products. *Innovative Food Science and Emerging Technologies*, 38, 281–291.  
<https://doi.org/10.1016/j.ifset.2016.10.001>

- Wu, W., Wang, Z., Ding, S., & Song, A. (2021). Effect research of cement block on paste flow for 3D cement printing based on an improved lattice Boltzmann method. *Construction and Building Materials*, 277, 122272. <https://doi.org/10.1016/j.conbuildmat.2021.122272>
- Yang, F., Zhang, M., Bhandari, B., & Liu, Y. (2018). Investigation on lemon juice gel as food material for 3D printing and optimization of printing parameters. *LWT - Food Science and Technology*, 87, 67–76. <https://doi.org/10.1016/j.lwt.2017.08.054>