

DAFTAR PUSTAKA

- Balai Pengkajian Teknologi Pertanian (BPTP) Jambi. 2014. *Karakteristik Lahan untuk Pertanian Padi Gogo*. BPTP JAMBI.
- Balai Pengkajian Teknologi Pertanian (BPTP) Jawa Barat. 2010. *Hama Wereng Coklat (*Nilaparvata lugens* Stal) dan Pengendaliannya*. BPTP Jawa Barat.
- Baldwin, R. A. 2009. Use Of Maximum Entropy Modeling In Wildlife Research. *Entropy*, 11(4), 854-866
- BBPadi. 2016. *Tiga Fase Pertumbuhan Padi*. Diakses Internet. Diakses 28 Juli 2021. [https://bbpadi.litbang.pertanian.go.id/index.php/info-berita/tahukah-anda/tiga-fase-pertumbuhan-padi#:~:text=Pada%20pertanaman%20padi%20terdapat%20tiga,\(90%2D120%20hari\).](https://bbpadi.litbang.pertanian.go.id/index.php/info-berita/tahukah-anda/tiga-fase-pertumbuhan-padi#:~:text=Pada%20pertanaman%20padi%20terdapat%20tiga,(90%2D120%20hari).)
- BPS Kabupaten Ciamis. 2018. *Kabupaten Pangandaran dalam Angka 2018*. BPS Kabupaten Ciamis.
- Cyber Extention Pertanian. 2019. *Pengelolaan Air Tanaman Padi*. Internet. Diakses 28 Juli 2021 <http://cybex.pertanian.go.id/mobile/artikel/70905/PENGELOLAAN-AIR-TANAMAN-PADI-/>
- Dasuka, Yenny Paras et al. 2016. *Analisis Sebaran Jenis Vegetasi Hutan Alami Menggunakan Sistem Penginderaan Jauh (Studi Kasus: Jalur Pendakian Wekas dan Selo)*. Jurnal Geodesi UNDIP 2016. Volume 5, Nomor 2, Tahun 2016, (ISSN : 2337-845X)
- Dianawati, Meksy dan Endjang Sudjinto. 2015. *Kajian Berbagai Varietas Unggul Terhadap Serangan Wereng Batang Cokelat dan Produksi Padi Di Lahan Sawah Kabupaten Garut, Jawa Barat*. PROS SEM NAS MASY BIODIV INDON. Volume 1, Nomor 4, Juli 2015. DOI: 10.13057/psnmbi/m010437
- Direktorat Perlindungan Tanaman. 2002. *Pedoman Rekomendasi Pengendalian Hama Terpadu*. Jakarta: Direktorat Jenderal Bina Produksi Tanaman Pangan.
- Elith, Jane dan Leathwick, J.R. 2009. *Species Distribution Models: Ecological Explanation and Predictions Across Space and Time*. Annual Review of

Ecology, Evolution and Systematics.
10.1146/annurev.ecolsys.110308.120159.

Elith, Jane *et al.* 2010. *A Statistical Explanation of MaxEnt for Ecologist*. Blackwell Publishing Ltd. Diversity and Distributions, A journal of Conservation Biogeography.

ESA. Tanpa tahun. *User Guide Introduction: Sentinel-2 MSI*. Internet. Diakses 10 Januari 2019. <https://sentinel.esa.int/web/sentinel/user-guides/sentinel-2-msi/processing-levels/level-2>.

European Space Agency. 2012. *Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services*. ESA Communication. European Space Agency.

Estes, J.E. 1992. *Remote Sensing and GIS Integration: Research Needs, Status and Trends*. ITC Journals 1992-1. pp: 2 – 10

Fand *et al.* 2020. *Invasion Risk of the South American Tomato Pinworm Tuta Absoluta (Meyrick) (Lepidoptera: Gelechiidae) in India: Predictions Based on MaxEnt Ecological Niche Modelling*. *International Journal of Tropical Insect Science* (2020) 40:561–571.

Flint, Mary Louise dan Bosch. 1990. *Pengendalian Hama terpadu: sebuah pengantar*. Terjemahan oleh Kartini Indah K. dan John Priyadi. Yogyakarta: Kanisius.

Fourcade, Y., Engler, J. O., Rödder, D., Secondi, J. 2014. Mapping species distributions with MAXENT using a geographically biased sample of presence data: a performance assessment of methods for correcting sampling bias.

Garaudy *et al.*, 2011. *Perancangan Sistem Monitoring Kelembaban dan Temperatur Menggunakan Komunikasi Zigbee 2,4 Ghz*. Faculty of Engineering: Department of Electrical Engineering. UNDIP.

Ghobadifar, Faranak *et al.* 2014. *Detection of BPH (brown planthopper) sheath blight in rice farming using multispectral remote sensing*. Tandfonline.com. *Geomatics, Natural Hazards and Risk*, 7:1, 237-247.

ISSN: 1947-5705 (Print) 1947-5713 (Online).

DOI:10.1080/19475705.2014.885468.

Ghobadifar, Faranak; Aimru, Wayayok; Jebur, Mustafa Neamah. 2015. *Development of an early warning system for brown planthopper (BPH) (*Nilaparvata lugens*) in rice farming using multispectral remote sensing*. SpringerLink. Precision Agric (2016) 17:377–391. DOI 10.1007/s11119-015-9422-9.

GIS Konsorsium Aceh Nias.. 2007. *Modul Pelatihan Arc GIS Tingkat Dasar*. BRR NAD-Nias. Banda Aceh.

Haryadi, Irawan. 2019. *Fungsi dan Gejala Kekurangan Unsur Hara pada Tanaman Padi*. Internet. Diakses 10 September 2021. <http://cybex.pertanian.go.id/mobile/artikel/81529/FUNGSI-DAN-GEJALA-KEKURANGAN-UNSUR-HARA-PADA-TANAMAN-PADI-OLEH--IRWAN-HARYADI/>

Hoffer, R.M. (1978) *Biological and Physical Considerations in Applying Computer-Aided Analysis Techniques to Remote Sensor Data*. dalam Swain, P.H. and Davis, S.M. (Eds.), *Remote Sensing: The Quantitative Approach*. McGraw- Hill Book Company. New Yor 227-289

Huang, Wenjiang et al. 2012. *Crop Disease and Pest Monitoring by Remote Sensing, Remote Sensing - Applications, Dr. Boris Escalante (Ed.)*. ISBN: 978-953-51-0651-7.

Koshal, Avdhesh Kumar. 2010. *Analysis of Pest Detection in Cropping Systems of Indo Gangetic Plains Through Remote Sensing and GIS*. Department of Biotechnology. S.V.P.U.A.&T., Modipuram, Meerut. Prog. Agric. 10 (1): 47 – 51 (2010).

Kumbula et al., 2019. *Using Sentinel-2 Multispectral Images to Map the Occurrence of the Cossid Moth (*Coryphodema tristis*) in Eucalyptus Nitens Plantations of Mpumalanga, South Africa*. Remote Sens. 2019, 11, 278; doi:10.3390/rs11030278.

Lillesand, T.M dan R.W. Kiefer. 1993. *Penginderaan Jauh Elektromagnetik untuk Sumber Daya Bumi*. Terjemahan, Universitas Gadjah Mada. Yogyakarta.

- Liu, Xiang-Dong and Sun, Qi-Hua. 2016. *Early Assessment of the Yield Loss in Rice Due to the Brown Planthopper Using a Hyperspectral Remote Sensing Method*. Tandfonline.com. INTERNATIONAL JOURNAL OF PEST MANAGEMENT, 2016. VOL. 62, NO. 3, 205 – 213. DOI: 10.1080/09670874.2016.1174791.
- Morrow, Cory et al. 2013. *A Practical Guide to MaxEnt for Modeling Species Distributions: What it does, and Why Inputs and Settings Matter*. Ecography 36: 001–012, 2013. DOI: 10.1111/j.1600-0587.2013.07872.x
- Muchlis, Muchamad. 1999. *Integrasi Parsial Penginderaan Jauh dan Sistem Informasi Geografis dalam Pembangunan Masukan Model AGNPS*. Tesis. Program Studi Agroklimatologi: Institut Pertanian Bogor: Bogor.
- Muzdalifah, Aji Uhfatun. 2019. *Kajian Indeks Vegetasi pada Tanaman Kota Semarang dengan Pemanfaatan Citra Landsat*. Tesis. Program Studi Magister Ilmu Lingkungan: Sekolah Pasca Sarjana. Universitas Diponegoro: Semarang
- Phillips, S. J., Anderson, R. P., Schapire, R. E. 2006. *Maximum Entropy Modeling of Species Geographic Distributions*. Ecological Modelling 190:231-259.
- Prahasta, Eddy. 2002. *Konsep – konsep Dasar Sistem Informasi Geografis*. Bandung: Informatika
- Prasannakumar, N.R. et al. 2013. *Spectral Signatures of Rice Crop Damaged by Brown Planthopper Under Field and Glass House Conditions*. CurrentBiotica.com. Current Biotica 7(3): 124-133, 2013. ISSN 0973-4031.
- Prasannakumar, N. R; Chander, Subhash; Sahoo, R. N. 2013. *Characterization of brown planthopper damage on rice crops through hyperspectral remote sensing under field conditions*. SpringerLink. Phytoparasitica (2014) 42:387–395. DOI 10.1007/s12600-013-0375-0.
- Purnamasari et al. 2014. *Desain Terasering pada Lereng Sungai Gajah Putih Surakarta*. e-Jurnal MATRIKS TEKNIK SIPIL Vol. 2 No. 1/Maret 2014/155

- Purwono dan Purnamawati, H. 2007. *Budidaya 8 Jenis Tanaman Pangan Unggul*. Penebar Swadaya, Jakarta.
- Qin, Zhihao and Zhanf, Minghua. 2005. *Detection of rice sheath blight for in-season disease management using multispectral remote sensing*. International Journal of Applied Earth Observation and Geoinformation 7 (2005) 115–128. DOI:10.1016/j.jag.2005.03.004.
- Refaeilzadeh P., Tang L., Liu H. .2009. *Cross-Validation*. Dalam : LIU L., ÖZSU M.T. (eds) Encyclopedia of Database Systems. Springer, Boston, MA. https://doi.org.ezproxy.ugm.ac.id/10.1007/978-0-387-39940-9_565
- Rusman, Dedi. 2016. *Prediksi Kehadiran Badak Sumatera (Dicerorhinus sumatrensis) dan Analisis Struktur Lanskap Habitatnya di Taman Nasional Bukit Barisan Selatan*. Program Pascasarjana Ilmu Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Susilo, Eko. 2017. *ESA Sukses Meluncurkan Generasi Satelit Sentinel-2B*. Internet. Diakses 10 Januari 2019. <http://bpol.litbang.kkp.go.id/27-berita-penelitian/215-esa-sukses-meluncurkan-generasi-satelit-sentinel-2b-2>.
- Sutanto. 2013. *Metode Penelitian Penginderaan Jauh*. Yogyakarta: Penerbit Ombak.
- Syahri dan R.U. Somantri. 2016. *Penggunaan Varietas Unggul Tahan Hama dan Penyakit Mendukung Peningkatan Produksi Padi Nasional*. Jurnal Litbang Pertanian. 35 (1): 25-36.
- Tim Neurafarm. 2020. *Mengenal Masa Pertumbuhan Padi*. Internet. Diakses 28 Juli 2021. <https://www.neurafarm.com/blog/InfoTania/Budidaya%20Tanaman/mengenal-masa-pertumbuhan-padi>
- Tim Pengendalian Hama Wereng Coklat. 1986. *Pengendalian Hama Terpadu Wereng Coklat pada Tanaman Padi*. Jakarta: Direktorat Jenderal Pertanian Tanaman Pangan.
- Trisnaningsih dan Kurniawati, Nia. 2015. *Hubungan Iklim Terhadap Populasi Hama dan Musuh Alami pada Varietas Padi Unggul Baru*. PROS SEM NAS MASY BIODIV INDON. Volume 1, Nomor 6, September 2015,

Halaman: 1508-1511. ISSN: 2407-8050. DOI:
10.13057/psnmbi/m010643.

Urbani et al. 2017. *Using Maximum Entropy Modeling (MaxEnt) to Predict Future Trends in The Distribution of High Altitude Endemic Insects in Response to Climate Change. Bulletin of Insectology* 70 (2): 189-200, 2017.

Vinothkumar, V. et al. 2016. *Hyperspectral Radiometry for Detection and Estimation of Infestation Caused by Major Sucking Pests in Brinjal*. Department of Remote Sensing and GIS, TNAU, Coimbatore. Madras Agric. J., 103 (7-9): 242-249, September 2016.

Wang, Xiaoli et al. 2017. *Automatic Detection of Rice Disease Using Near Infrared Spectra Technologies*. SpringerLink. J Indian Soc Remote Sens (October 2017) 45(5):785–794. DOI 10.1007/s12524-016-0638-6.

West, A.M. et al., 2016. *Field Validation of An Invasive Species Maxent Model*. ScienceDirect. Ecological Informatics 36 (2016): 126 – 134. <http://dx.doi.org/10.1016/j.ecoinf.2016.11.001>

Wilson, J.P. 1996. *GIS-based Land Surface/Subsurface Modeling: New Potential for New Model?. The Third International Convergence on GIS and Environmental Modeling*. Jan 20-25, 1996. Santa Fe, New Mexico

Yang, Chwen-Ming et al. 2007. *Changes in Spectral Characteristics of Rice Canopy Infested with Brown Planthopper and Leafhopper*. Crop Science Society of America. Crop Sci. 47:329–335 (2007). DOI:10.2135/cropsci2006.05.0335.

Yu, H.2009. *Bootstrap*. dalam: LIU L., ÖZSU M.T. (eds) Encyclopedia of Database Systems. Springer, Boston, MA. https://doi.org.ezproxy.ugm.ac.id/10.1007/978-0-387-39940-9_566

Zakiyan, Muhammad Ghulaman. 2011. *Analisis Serangan Hama Wereng Coklat (*Nilaparvata lugens*) pada Tanaman Padi Menggunakan Data Satelit Terra Modis di Kabupaten Indramayu*. Fakultas Matematika dan Ilmu Pengetahuan Alam, IPB. Bogor

- Zarzecki Michał, Pasierbiński Andrzej. 2009. Zastosowanie GIS I teledetekcji w Badaniach Szaty Roślinnej. “Wiadomości Botaniczne” (Vol. 53, iss. 3/4, s.53-56)
- Zhang, Hao et al. 2011. *Estimation of Rice Neck Blasts Severity Using Spectral Reflectance Based on BP-Neural Network*. SpringerLink. Acta Physiol Plant (2011) 33:2461–2466. DOI 10.1007/s11738-011-0790-0.
- Zhang-Yu, Liu et al. 2007. *Characterizing and Estimating Rice Brown Spot Disease Severity Using Stepwise Regression, Principal Component Regression and Partial Least-square Regression*. Zju.edu.cn/jzus; SpringerLink. J Zhejiang Univ Sci B 2007 8(10):738-744. ISSN 1673-1581 (Print); ISSN 1862-1783 (Online). DOI:10.1631/jzus.2007.B0738.