

DAFTAR PUSTAKA

- Anggara, F., Muchitawati, G., dan Moore, T.A., 2021, Spatial Variability in Macro- and Microtextures of A Tropical Intermontane Peatland: Preliminary Investigation into The Kutai Lake Peat System, East Kalimantan, Indonesia: IJOG, p. 680–691.
- Anggayana, K., Rahmad, B., Hede, A.N.H., dan Widayat, A.H., 2014, Limnic condition in ombrotrophic peat type as the origin of Muara Wahau coal, Kutei basin, Indonesia: Journal of the Geological Society of India, v. 83, p. 555–562, doi:10.1007/s12594-014-0083-5.
- Austen, D.E.G., Ingram, D.J.E., Given, P.H., Binder, C.R., Hill, L.W., dan American, N., 1966, Electron Spin Resonance Study of Pure Macerals: , p. 344–362.
- Cameron, C.C., Esterle, J.S., dan Palmer, C.A., 1989, The geology, botany and chemistry of selected peat-forming environments from temperate and tropical latitudes: International Journal of Coal Geology, v. 12, p. 105–156, doi:10.1016/0166-5162(89)90049-9.
- Chokkalingam, U., 2005, Fire , Livelihoods , and Environmental Change in the Middle: v. 10.
- Cohen, A.D., dan Andrejko, M.J., 1983, Premaceral Contents of Peats Correlated With “Proximate and Ultimate Analyses”.: ACS Division of Fuel Chemistry, Preprints, v. 28, p. 125–130.
- Cortes, J.E., Mejía-Molina, A., Vargas, C.A., dan Cortes, S.I., 2019, High-resolution molecular stratigraphy of Oligocene–Miocene sequence of Tumaco-1-ST-P well, Tumaco forearc Basin, Colombia: Springer International Publishing, doi:10.1007/s13202-019-0660-7.
- Demchuk, T., dan Moore, T.A., 1993, Palynofloral and organic characteristics of a Miocene bog-forest, Kalimantan, Indonesia: Organic Geochemistry, v. 20, p. 119–134, doi:10.1016/0146-6380(93)90032-7.
- Diessel, C.F.K., 2010, International Journal of Coal Geology The stratigraphic distribution of inertinite: International Journal of Coal Geology, v. 81, p. 251–268, doi:10.1016/j.coal.2009.04.004.
- Diessel, C.F.K., Heidelberg, B., York, N., Tokyo, L.P., dan Barcelona, H.K., 1992, Coal Bearing Depositional Systems:

- Dommain, R., Couwenberg, J., dan Joosten, H., 2011, Development and carbon sequestration of tropical peat domes in south-east Asia : links to post-glacial sea-level changes and Holocene climate variability: *Quaternary Science Reviews*, v. 30, p. 999–1010, doi:10.1016/j.quascirev.2011.01.018.
- Esterle, J.S., dan Ferm, J.C., 1990, On the use of modern tropical domed peats as analogues for petrographic variation in Carboniferous coal beds: *International Journal of Coal Geology*, v. 16, p. 131–136, doi:10.1016/0166-5162(90)90019-U.
- Farnham, R.S., dan Finney, H.R., 1965, Classification and Properties of Organic Soils: *Advances in Agronomy*, v. 17, p. 115–162.
- Flores, 2014, Coalification, Gasification, and Gas Storage:, doi:10.1016/B978-0-12-396972-9.00004-5.
- Friederich, M.C., Moore, T.A., dan Flores, R.M., 2016, A regional review and new insights into SE Asian Cenozoic coal-bearing sediments: Why does Indonesia have such extensive coal deposits? *International Journal of Coal Geology*, v. 166, p. 2–35, doi:10.1016/j.coal.2016.06.013.
- Glasspool, I., 2003, Palaeoecology of selected South African export coals from the Vryheid Formation , with emphasis on the role of heterosporous lycopods and wildfire derived inertinite q: v. 82, p. 959–970, doi:10.1016/S0016-2361(02)00403-9.
- Glasspool, I.J., dan Scott, A.C., 2010, Phanerozoic concentrations of atmospheric oxygen reconstructed from sedimentary charcoal: *Nature Geoscience*, v. 3, p. 627–630, doi:10.1038/ngeo923.
- Gönnér, C., Schwarz, S., Budiono, K., dan Soeyitno, A., 2014, Waterbird population dynamics in the Middle Mahakam Wetlands of East Kalimantan over 23 years: *Kukila*, v. 17, p. 20–41.
- Guo, Y., dan Bustin, R.M., 1998, FTIR spectroscopy and reflectance of modern charcoals and fungal decayed woods : implications for studies of inertinite in coals:
- Hagelskamp, H.H.B., 1988, On the origin of low-reflecting inertinites coals from the Highveld Coalfield , South Africa: v. 67, p. 307–313.
- Hidayat, H., 2011, Flood frequency mapping of the middle Mahakam lowland area

using satellite radar: *Hydrology and Earth System Sciences Discussions*, v. 8, p. 11519–11552, doi:10.5194/hessd-8-11519-2011.

Hope, G., Chokkalingam, U., dan Anwar, S., 2005, The stratigraphy and fire history of the Kutai Peatlands, Kalimantan, Indonesia: *Quaternary Research*, v. 64, p. 407–417, doi:10.1016/j.yqres.2005.08.009.

Hower, J.C. et al., 2011a, *International Journal of Coal Geology* Notes on the origin of inertinite macerals in coal: Evidence for fungal and arthropod transformations of degraded macerals: *International Journal of Coal Geology*, v. 86, p. 231–240, doi:10.1016/j.coal.2011.02.005.

Hower, J.C., Keefe, J.M.K.O., Eble, C.F., Volk, T.J., Richardson, A.R., Satterwhite, A.B., Hatch, R.S., dan Kostova, I.J., 2011b, *International Journal of Coal Geology* Notes on the origin of inertinite macerals in coals: Funginite associations with cutinite and suberinite: *International Journal of Coal Geology*, v. 85, p. 186–190, doi:10.1016/j.coal.2010.11.008.

Hower, J.C., Keefe, J.M.K.O., Wagner, N.J., Hower, J.C., dan Wagner, N.J., 2013, An investigation of Wulantuga coal (Cretaceous, Inner Mongolia) macerals: Paleopathology of faunal and fungal invasions into wood and the recognizable clues for their activity: *International Journal of Coal Geology*, doi:10.1016/j.coal.2013.04.005.

Hower, J.C., Keefe, J.M.K.O., Watt, M.A., Pratt, T.J., Eble, C.F., Stucker, J.D., Richardson, A.R., dan Kostova, I.J., 2009, *International Journal of Coal Geology* Notes on the origin of inertinite macerals in coals: Observations on the importance of fungi in the origin of macrinite: *International Journal of Coal Geology*, v. 80, p. 135–143, doi:10.1016/j.coal.2009.08.006.

Hunt, J.W., dan Smyth, M., 1989, Origin of inertinite-rich coals of Australian cratonic basins: v. 11, p. 23–46.

ICCP, 1994, The new inertinite classification (ICCP System 1994): v. 80, p. 459–471.

Jackson, C.R., Liew, K.C., dan Yule, C.M., 2009, Structural and functional changes with depth in microbial communities in a tropical Malaysian peat swamp forest: *Microbial Ecology*, v. 57, p. 402–412, doi:10.1007/s00248-008-9409-4.

- Jones, timothy, 1991, Fossil charcoal, its recognition and palaeoatmospheric significance: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 7, p. 39–50.
- de Jong, E.B.P., Ragas, A.M.J., Nootboom, G., dan Mursidi, M., 2015, Changing Water Quality in the Middle Mahakam Lakes: Water Quality Trends in a Context of Rapid Deforestation, Mining and Palm Oil Plantation Development in Indonesia's Middle Mahakam Wetlands: *Wetlands*, v. 35, p. 733–744, doi:10.1007/s13157-015-0665-z.
- Keefe, J.M.K.O. et al., 2013, International Journal of Coal Geology On the fundamental difference between coal rank and coal type: *International Journal of Coal Geology*, v. 118, p. 58–87, doi:10.1016/j.coal.2013.08.007.
- López-Días, V., Urbańczyk, J., Blanco, C.G., and Borrego, G., 2016, Maceral composition and molecular markers of two condensed Middle Holocene peat profiles in N Spain: *International Journal of Coal Geology*, v. 168, p. 55–70, doi:10.1016/j.coal.2016.09.009.
- Lyons, P.C., 2000, Funginite and secretinite — two new macerals of the inertinite maceral group: , p. 95–98.
- Lyons, P.C., Hatcher, P.G., dan Brown, F.W., 1986, Secretinite : a proposed new maceral of the inertinite maceral group: v. 65, p. 1094–1098.
- McCabe, P., 1984, *Depositional Environments of Coal and Coal-bearing Strata*., doi:10.1002/9781444303810.
- Moore, P.D., 1995, Biological processes controlling the development of modern peat-forming ecosystems: *International Journal of Coal Geology*, v. 28, p. 99–110, doi:10.1016/0166-5162(95)00015-1.
- Moore, T.A., dan Hilbert, R.E., 1992, Petrographic and anatomical characteristics of plant material from two peat deposits of Holocene and Miocene age, Kalimantan, Indonesia: *Review of Palaeobotany and Palynology*, v. 72, p. 199–227, doi:10.1016/0034-6667(92)90027-E.
- Moore, T.A., dan Shearer, J.C., 2003, Peat/coal type and depositional environment - Are they related? *International Journal of Coal Geology*, v. 56, p. 233–252, doi:10.1016/S0166-5162(03)00114-9.
- Moore, T.A., Shearer, J.C., dan Miller, S.L., 1996, Fungal origin of oxidised plant

material in the Palangkaraya peat deposit, Kalimantan Tengah, Indonesia: Implications for “inertinite” formation in coal: *International Journal of Coal Geology*, v. 30, p. 1–23, doi:10.1016/0166-5162(95)00040-2.

Moroeng, O.M., Wagner, N.J., Brand, D.J., dan Roberts, R.J., 2018a, *International Journal of Coal Geology A Nuclear Magnetic Resonance study: Implications for coal formation in the Witbank Coal field, South Africa: International Journal of Coal Geology*, v. 188, p. 145–155, doi:10.1016/j.coal.2018.02.010.

Moroeng, O.M., Wagner, N.J., Hall, G., dan Roberts, R.J., 2018b, *Organic Geochemistry Using $\delta^{15}N$ and $\delta^{13}C$ and nitrogen functionalities to support a fire origin for certain inertinite macerals in a No. 4 Seam Upper Witbank coal, South Africa: Organic Geochemistry*, v. 126, p. 23–32, doi:10.1016/j.orggeochem.2018.10.007.

Nugroho, S.P., 2015, *Analisis Luas Hutan dan Lahan Terbakar di Indonesia 2015.*

Ott, H.L., 1987, *The Kutei basin - a unique structural history.*, doi:10.29118/ipa.247.307.316.

Richardson, A.R., Eble, C.F., Hower, J.C., dan Keefe, J.M.K.O., 2012, *International Journal of Coal Geology A critical re-examination of the petrology of the No. 5 Block coal in eastern Kentucky with special attention to the origin of inertinite macerals in the splint lithotypes: International Journal of Coal Geology*, v. 98, p. 41–49, doi:10.1016/j.coal.2012.04.003.

ruiz suarez, Crelling, J.C., 2009, *Applied Coal Petrology: The Role of Petrology in Coal Utilization: Elsevier B.V.*, 388 p., doi:10.1016/j.coal.2011.10.012.

Killops dan Killops, 2005, *Introduction to Organic Geochemistry*, 2nd: Oxford: Blackwell Science Ltd., doi:10.1016/j.baae.2015.01.003.

Samuel, L., 1965, *Stratigraphy and Sedimentation in The Kutai Basin, Kalimantan: Proceedings Indonesian Petroleum Association.*

Satyana, A., dan Biantoro, E., 1995, *Proceedings of the International Symposium on Sequence Stratigraphy in SE Asia*, p. 354–361.

Scott, A.C., 2002, *Coal petrology and the origin of coal macerals : a way ahead?*

v. 50, p. 119–134.

Scott, A.C., 1989, Observations on the nature and origin of fusain: v. 12, p. 443–475.

Scott, A.C., dan Collinson, M.E., 2020, International Journal of Coal Geology A note on the charring of spores and implications for coal petrographic analysis and maceral nomenclature: International Journal of Coal Geology, v. 219, p. 103361, doi:10.1016/j.coal.2019.103361.

Scott, A.C., dan Glasspool, I.J., 2007, Observations and experiments on the origin and formation of inertinite group macerals: v. 70, p. 53–66, doi:10.1016/j.coal.2006.02.009.

Septantia, A., Anggara, F., dan Setianto, A., 2017, Akumulasi Karbon Pada Lahan Gambut Daerah Muara Siran, Kalimantan Timur: Proceeding, Seminar Nasional Kebumihan Ke-10, p. 1689–1699.

Taylor, G.H., Liu, S.Y., dan Diessel, C.F.K., 1989, The cold-climate origin of inertinite-rich Gondwana coals: v. 11, p. 1–22.

Teichmuller, M., 1989, The genesis of coal from the viewpoint of coal petrology: v. 12, p. 1–87.

Wüst, R.A.J., Bustin, R.M., dan Lavkulich, L.M., 2003, New classification systems for tropical organic-rich deposits based on studies of the Tasek Bera Basin, Malaysia: Catena, v. 53, p. 133–163, doi:10.1016/S0341-8162(03)00022-5.