

## DAFTAR PUSTAKA

- Atmoko, D.D., Titisari, A.D., dan Idrus, A., 2018, Geochemical Characteristics of Limestone of Wonosari-Punung Formation, Gunungkidul Regency, Yogyakarta, Indonesia: Indonesian Journal on Geoscience, v. 5, p. 179–197, doi:10.17014/ijog.4.1.39-47.
- Avcioğlu, M., Yiğitbaş, E., dan Erginal, A.E., 2016, Beachrock formation on the coast of Gökçeada Island and its relation to the active tectonics of the region, northern Aegean Sea, Turkey: Quaternary International, v. 401, p. 141–152, doi:10.1016/j.quaint.2015.10.108.
- Azizi, S.H.H., Shabestari, G.M., dan Khazaei, A., 2014, Petrography and geochemistry of Paleocene-Eocene limestones in the Ching-dar syncline, eastern Iran: Geoscience Frontiers, v. 5, p. 429–438, doi:10.1016/j.gsf.2013.08.002.
- Bau, M., dan Dulski, P., 1996, Distribution of yttrium and rare-earth elements in the Penge and Kuruman iron-formations, Transvaal Supergroup, South Africa: Precambrian Research, v. 79, p. 37–55, doi:10.1016/0301-9268(95)00087-9.
- Bellanca, A., Claps, M., Erba, E., Masetti, D., Neri, R., Premoli Silva, I., dan Venezia, F., 1996, Orbitally induced limestone/marlstone rhythms in the albian-cenomanian cison section (Venetian region, northern Italy): Sedimentology, calcareous and siliceous plankton distribution, elemental and isotope geochemistry: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 126, p. 227–260, doi:10.1016/S0031-0182(96)00041-7.
- Bimantoro, M.Z., 2019, FASIES DAN DIAGENESIS BEACHROCK DI DAERAH PANTAI SADRANAN DAN SEKITARNYA, KECAMATAN TEPUS, KABUPATEN GUNUNGKIDUL, doi:10.22201/fq.18708404e.2004.3.66178.
- Bolhar, R., Kamber, B.S., Moorbath, S., Fedo, C.M., dan Whitehouse, M.J., 2004, Characterisation of early Archaean chemical sediments by trace element signatures: Earth and Planetary Science Letters, v. 222, p. 43–60, doi:10.1016/j.epsl.2004.02.016.
- Boogs, S.J., 2009, Petrology of Sedimentary Rocks: Cambridge, v. 53, 600 p., <http://publications.lib.chalmers.se/records/fulltext/245180/245180.pdf%0Ahttps://hdl.handle.net/20.500.12380/245180%0Ahttp://dx.doi.org/10.1016/j.jsames.2011.03.003%0Ahttps://doi.org/10.1016/j.gr.2017.08.001%0Ahttp://dx.doi.org/10.1016/j.precamres.2014.12>
- Brahmantyo, B., dan Bandono, 2006, Klasifikasi Bentuk Muka Bumi (Landform)

untuk Pemetaan Geomorfologi pada Skala 1:25.000 dan Aplikasinya untuk Penataan Ruang: *Geoaplika*, v. 1, p. 71–79, doi:10.31227/osf.io/8ah6v.

Chauvel, C., 2020, Long-lived radionuclides: Elsevier, v. 5, 125–133 p.

Daryono, L.R., Nakashima, K., Kawasaki, S., Titisari, A.D., dan Barianto, D.H., 2020, Sediment characteristics of beachrock: A baseline investigation based on microbial induced carbonate precipitation at Krakal-Sadranan Beach, Yogyakarta, Indonesia: *Applied Sciences (Switzerland)*, v. 10, doi:10.3390/app10020520.

Daryono, L.R., Nakashima, K., Kawasaki, S., Titisari, A.D., Barianto, D.H., Suyanto, I., dan Rahmadi, A., 2021, Shoreline mapping based on beachrocks identification in Krakal-Sadranan beach, Yogyakarta, Indonesia: *Bulletin of Engineering Geology and the Environment*, doi:10.1007/s10064-020-02101-5.

Daryono, L.R., Titisari, A.D., Warmada, I.W., dan Kawasaki, S., 2018, Comparative characteristics of cement materials in natural and artificial beachrocks using a petrographic method: *Bulletin of Engineering Geology and the Environment*, v. 78, p. 3943–3958, doi:10.1007/s10064-018-1355-x.

Folk, R.L., 1980, *Petrology of Sedimentary Rock*: Hemphill Publishing Company, 184 p.

Folk, R.L., 1959, Practical Petrographic Classification of Limestones: *AAPG Bulletin*, v. 43, p. 1–38, doi:10.1306/0bda5c36-16bd-11d7-8645000102c1865d.

Guimarães, J.T.F., Cohen, M.C.L., França, M.C., Silva, A.K.T.D., dan Rodrigues, S.F.S., 2013, Mineralogical and geochemical influences on sediment color of Amazon wetlands analyzed by visible spectrophotometry: *Acta Amazonica*, v. 43, p. 331–342, doi:10.1590/s0044-59672013000300009.

Hidayat, M., 2019, **KARAKTERISTIK BEACHROCK DI PANTAI SADRANAN DAN SEKITARNYA, KECAMATAN TEPUS, KABUPATEN GUNUNGKIDUL.**

Hidayat, M., Titisari, A.D., Bimantoro, M.Z., Barianto, D.H., Daryono, L.R., dan Kawasaki, S., 2019, PETROLOGICAL STUDY OF SADRANAN BEACHROCKS, YOGYAKARTA, INDONESIA: The 16th Hokkaido Indonesian Student Association Scientific Meeting Sapporo, March 16th, 2019, v. 3, p. 63–69.

Hopley, D., 2011, *Encyclopedia of Modern Coral Reefs*: Springer, 193–198 p., <http://link.springer.com/10.1007/978-90-481-2639-2>.

Husein, S., Titisari, A., Freski, Y.R., dan Utama, P.P., 2016, *Panduan Ekskursi*

Geologi Regional 2016 Jawa Timur bagian barat , Indonesia:,  
doi:10.13140/RG.2.1.1185.3847.

Longman, M.W., 1980, Carbonate diagenetic textures from nearsurface diagenetic environments: American Association of Petroleum Geologists Bulletin, v. 64, p. 461–487, doi:10.1306/2f918a63-16ce-11d7-8645000102c1865d.

Machhour, L., Philip, J., dan Oudin, J.L., 1994, Formation of laminite deposits in anaerobic-dysaerobic marine environments: Marine Geology, v. 117, p. 287–302, doi:10.1016/0025-3227(94)90021-3.

Madhavaraju, J., dan González-León, C.M., 2012, Depositional conditions and source of rare earth elements in carbonate strata of the Aptian-Albian Mural Formation, Pitaycachi section, northeastern Sonora, Mexico: Revista Mexicana de Ciencias Geológicas, v. 29, p. 478–491.

Madhavaraju, J., dan Lee, Y.I., 2009, Geochemistry of the Dalmiapuram Formation of the Uttatur Group (early cretaceous), Cauvery basin, southeastern India: Implications on provenance and paleo-redox conditions: Revista mexicana de ciencias geológicas, v. 26, p. 389–394.

Nagendra, R., dan Nagarajan, R., 2003, Geochemical studies of Shahabad Limestone (younger Proterozoic), Bhima Basin, Karnataka: Indian Mineralogist, v. 36/37, p. 13–23.

Pourmand, A., Dauphas, N., dan Ireland, T.J., 2012, A novel extraction chromatography and MC-ICP-MS technique for rapid analysis of REE, Sc and Y: Revising CI-chondrite and Post-Archean Australian Shale (PAAS) abundances: Chemical Geology, v. 291, p. 38–54, doi:10.1016/j.chemgeo.2011.08.011.

Rudnick, R.L., dan Gao, S., 2014, Composition of the Continental Crust: Elsevier Ltd., v. 4, 1–51 p., doi:10.1016/B978-0-08-095975-7.00301-6.

Schieber, J., 1988, Redistribution of rare-earth elements during diagenesis of carbonate rocks from the Mid-Proterozoic Newland Formation, Montana, U.S.A.: Chemical Geology, v. 69, p. 111–126, doi:10.1016/0009-2541(88)90163-5.

Scholle, P.A., dan Ulmer-scholle, D.S., 2003, A Color Guide to the Petrography of Carbonate Rocks: Grains, Textures, Porosity, Diagenesis: The American Association of Petroleum Geologists, 461 p.

Surono, Toha, B., dan Sudarno, I., 1992, Peta Geologi Lembar Surakarta-Giritontro, Jawa:

Titisari, A.D., dan Hendrawan, A., 2017, Genesa Batugamping Merah Di Daerah Siung Dan Sekitarnya, Kecamatan Tepus Dan Girisubo, Kabupaten

Gunungkidul: Proceeding Seminar Nasional Kebumian, p. 748–764.

Tostevin, R., Shields, G.A., Tarbuck, G.M., He, T., Clarkson, M.O., dan Wood, R.A., 2016, Effective use of cerium anomalies as a redox proxy in carbonate-dominated marine settings: *Chemical Geology*, v. 438, p. 146–162, doi:10.1016/j.chemgeo.2016.06.027.

Vousdoukas, M.I., Velegrakis, A.F., dan Karambas, T. V., 2009, Morphology and sedimentology of a microtidal beach with beachrocks: Vatera, Lesbos, NE Mediterranean: *Continental Shelf Research*, v. 29, p. 1937–1947, doi:10.1016/j.csr.2009.04.003.

Vousdoukas, M.I., Velegrakis, A.F., dan Plomaritis, T.A., 2007, Beachrock occurrence, characteristics, formation mechanisms and impacts: *Earth-Science Reviews*, v. 85, p. 23–46, doi:10.1016/j.earscirev.2007.07.002.

Wedepohl, K.H., 1978, Manganese: abundance in common sediments and sedimentary rocks: 1–17 p.

Wedepohl, H.K., 1995, The composition of the continental crust: *Geochimica et Cosmochimica Acta*, v. 59, p. 1217–1232, doi:10.1016/0016-7037(95)00038-2.

Wignall, P.B., dan Myers, K.J., 1988, Interpreting benthic oxygen levels in mudrocks: A new approach: *Geology*, v. 16, p. 452–455, doi:10.1130/0091-7613(1988)016<0452:IBOLIM>2.3.CO;2.