

## DAFTAR PUSTAKA

- Dai, Xiaofeng., Cheng, H., Bai, Zhonghu., Li, Jia., 2017. Breast Cancer Cell Line Classification and Its Relevance with Breast Tumor Subtyping. *Journal of Cancer*. 8: 3131-3141.
- Kozakiewicz, A, M, B., Budzik, M, P., Przybylsky, J. 2015. Hypoxia in Breast Cancer. *Pol J Pathol*. 66 (4): 337-346
- Gao, Zhiqi., Luo, G., Ni, Bing., 2017. Progress in mass spectrometry-based proteomic research of tumor hypoxia (Review). *Oncology Reports*. 38 : 676-684
- Belczacka, I., Latosinska, A., Metzger, J., Marx, D., Vlahou, A., et.al., 2017. Proteomics biomarkers for solid tumors: Current status and future prospects. *Mass Spec Rev*. 38:49–78.
- Bernhardt, S., Tönsing, C., Mitra, D., Erdem, N., Decker, K., et.al., 2019. Functional Proteomics of Breast Cancer Metabolism Identifies GLUL as Responder during Hypoxic Adaptation. *J. Proteome Res*. 18 : 1352–1362
- Akram, M., Iqbal, M., Daniyal, M., Khan, Usmat., 2017. Awareness and current knowledge of breast cancer. *Biol Res* 50:33
- Feng, Yixiao., Spezia, M., Huang, S., Yuan, C., Zeng, Z., et.al., 2018. Breast cancer development and progression: Risk factors, cancer stem cells, signaling pathways, genomics, and molecular pathogenesis. *Genes & Disease*. 5: 77-106
- Lundgren, K., Nordenskjold, B., Landberg, G., 2009. Hypoxia, Snail and incomplete epithelial–mesenchymal transition in breast cancer. *British Journal of Cancer*. 101: 1769 – 1781
- Nora, H, Barrak., Maitham, A., Khajah., Yunus,A., Luqman.,2020. Hypoxic environment may enhance migration/penetration of endocrine resistant MCF7-derived breast cancer cells through monolayers of other non-invasive cancer cells in vitro. *Nature. Scientific Reports*. 10:1127
- Mazur, M, G., Pyatchanina, T, V., 2016. The Use Proteomics Technologies in Breast Cancer Research. *Exp Oncol*. 38 : 146-157
- Karpievitch, Y, V., Polpitiya, A, D., Anderson, G, A., Smith, R, D., Dabney, A, R., 2010. Liquid Chromatography Mass Spectrometry-Based Proteomics: Biological and Technological Aspects. *Ann Appl Stat*. 4: 1797–1823
- Hanahan, D., Weinberg, R.A., 2011. Hallmarks of cancer: The next generation. *Cell*. 144: 646–674
- Wigerup, Caroline., Pählman, Sven., Bexell, Daniel., 2016. Therapeutic targeting of hypoxia and hypoxia-inducible factors in cancer. *Pharmacology & Therapeutics*. 164: 152-169
- World Health Organization, 2017. WHO : Breast cancer. WHO
- Gilkes, D., Semenza, G., 2015. Role of hypoxia-inducible factors in breast cancer metastasis. *Futur. Oncol*. 9: 1623–1636



- Park, Jung Eun., Tan, Hon Sen., Datta, Arnab., Lai, Ruenn Chai., Zhang, Huoming., et.al. 2010. Hypoxic Tumor Cell Modulates its Microenvironment to Enhance Angiogenic and Metastatic Potentials by Secretion of Proteins and Exosomes. *Molecular & Cellular Proteomics* 9:1085–1099
- Walbreccq, Geoffroy., Lecha, Odile., Gaigneaux, Anthoula., Fougeras, Miriam R., Philippidou, Demetra., et.al. 2020. Hypoxia-Induced Adaptations of miRNomes and Proteomes in Melanoma Cell and Their Secreted Extracellular Vesicles. *Cancers* 2020, 12, 692
- Sharma, Pooja., Alsharif, Sarah., Fallatah, Arwa., Chung, Byung Min. 2019. Intermediate Filaments as Effectors of Cancer Development and Metastases: a focus on Keratins, Vimentin and Nestin. *Cells* 2019: 8; 497
- Hu, Xinyang., Wu, Rongrong. Shehadeh, Lina A., Zhou, Qing., Jiang, Cizhong., et.al. 2014. Severe hypoxia exerts parallel and cell-specific regulation of gene expression and alternative splicing in human mesenchymal stem cells. *BMC Genomics*, 2014, 15 :303
- Lee, Ji-Won., Bae, Seong-Hui., Jeong, Joo-Won., Kim, Se-Hee., Kim, Kyu-Won. 2003. Hypoxia Inducible Factor (HIF1- $\alpha$ ) : its protein stability and biological functions. *Exp. Mol. Med.* Vol. 36(1), 1-12, 2004
- Na, Ni., Chandel, Navdeep S., Litvan, Juan., Ridge, Karen M. 2010. Mitochondria; Reactive Oxygen species are require for hypoxia-induced degradation of keratin intermediate filaments. *FASEB J.* 2010 Mar; 24(3): 799–809.
- Jafari, Reza., Rahbarghazi, Reza., Ahmadi, Mahdi., Hassanpour, Mehdi., Rezaie, Jafar. 2020. Hypoxic exosomes orchestrate tumorigenesis : molecular mechanisms and therapeutic implications. *J Transl Med*, 2020 :18 : 474
- Weish, Joshua A., Jenkins, Lisa M., Kepley, Julia., Lyons, Gaelyn C., Moore, David., et.al. 2020. High Sensitivity Protein Gel Electrophoresis Label Compatible with Mass Spectrometry. *Biosensors*. 2020; 10,160
- Kim, Jiyoung., Villadsen, Rene. 2020. The Expression patern of epidermal differentiation marker keratin 10 in the normal human breast and breast cancer cells. *JHC*, 68(8) 561-570
- Dupree, Emalyn., Jayathirta, Madhuri., Yorkey, Hannah., Mihasan, Marius., Petre, Brindusa., Darie, Costel C. 2020. A critical review of Bottom-up Proteomics : the good, the bad, and the future of this field. *Proteomics*. 2020, 8:14
- Setyawati, Yunita., Rahmawati, Yeni., Widodo, Irianiwati., Ghozali, Ahmad., Purnomosari, Dewajani. 2018. The Association between Molecular Subtypes of Breast Cancer with Histological Grade and Lymph Node Metastases in Indonesian Woman. *Asian Pac J Cancer Prev.* 2018; 19(5): 1263–1268.
- Jacob, Justin., Coulombe, Pierre., Kwan, Raymond dan Omary, M. Bishr. 2018. Types I and II Keratin Intermediate Filament. *Cold Spring Harb Perspect Biol.* 2018;10:a018275
- Tse, S. W., Tan, C. F., Park, J. E., Gnanasekaran, J., Gupta, N., Low, J. K., Yeoh, K. W., Chng, W. J., Tay, C. Y., McCarthy, N. E., Lim, S. K., & Sze, S. K. (2020).



- Microenvironmental Hypoxia Induces Dynamic Changes in Lung Cancer Synthesis and Secretion of Extracellular Vesicles. *Cancers*, 12(10), 2917. <https://doi.org/10.3390/cancers12102917>
- Lubec, G, Afjehi-Sadat L. 2007. Limitations and pitfalls in protein identification by mass spectrometry. *Chem Rev.* 2007, 107: 3568-3584. 10.1021/cr068213f.
- Rania, S., Hasyem, E., Kamran, B., Afsaneh, L., Kamaljit K. 2017. Breast Cancer targeting peptide binds keratin1 : A New Molecular Marker for targeted drug delivery to breast cancer. *Mol. Pharmaceutics.* 14, 593-604
- Alix-Panabières, Catherine., Vendrell, JP., Slijper, M. *et al.* 2009. Full-length cytokeratin-19 is released by human tumor cells: a potential role in metastatic progression of breast cancer. *Breast Cancer Res.* 11, R39 (2009).
- Zhou, G., Lu, M., Li, D., Gao, B., & Guo, R. (2017). Identification of differentially expressed molecular functions associated with breast cancer using Gibbs sampling. *Oncology Letters*, 14, 7489-7494.
- Green, T. M., Alpaugh, M. L., Barsky, S. H., Rappa, G., & Lorico, A. 2015. Breast Cancer-Derived Extracellular Vesicles: Characterization and Contribution to the Metastatic Phenotype. *BioMed research international*, 2015, 634865.
- Palazzolo, G., Albanese, N. N., DI Cara, G., Gygax, D., Vittorelli, M. L., & Pucci-Minafra, I. (2012). Proteomic analysis of exosome-like vesicles derived from breast cancer cells. *Anticancer research*, 32(3), 847–860.
- Palviainen M, Saraswat M, Varga Z, Kitka D, Neuvonen M, et al. (2020) Extracellular vesicles from human plasma and serum are carriers of extravesicular cargo— Implications for biomarker discovery. *PLOS ONE* 15(8): e0236439.