

DAFTAR PUSTAKA

- Abdelbary, G., Eouani, C., Prinderre, P., Joachim, J., Reynier, J., dan Piccerelle, P., (2005) Determination of the in vitro disintegration profile of rapidly disintegrating tablets and correlation with oral disintegration. *Int. J. Pharm.* 292(1–2), pp. 29–41.
- Adrian, G., Mihai, M. dan Vodnar, D. C., (2019) The Use of Chitosan, Alginate, and Pectin in the Biomedical and Food Sector—Biocompatibility, Bioadhesiveness, and Biodegradability. *Polymers*. 11: 1837-1865.
- Aguilar-Díaz, J. E. Garcia-Montoya, E., Sune-Negre, J. M., Perez-Lozano, P., Minarro, M., dan Tico, J. R., (2012) Predicting orally disintegrating tablets formulations of ibuprofen tablets: An application of the new SeDeM-ODT expert system. *Eur. J. Pharm. Biopharm.* 80(3): 638–648.
- Ahmadi, F., Oveisi, Z., Samani, S. M., dan Amoozgar, Z., (2015) Chitosan Based Hydrogels: Characteristics and Pharmaceutical Applications. *Res. Pharm. Sci.* 10(1): 1-16.
- Alam, M. T., Parvez, N., dan Sharma, P. K., (2014) FDA-Approved Natural Polymers for Fast Dissolving Tablets, *J. Pharm.* 2014:1–6.
- Ali, J., Zgair, A., Hameed, G. S., Garnett, M. C., Roberts, C. J., Burley, J. C., dan Gershkovich, P., (2019) Application of biorelevant saliva-based dissolution for optimisation of orally disintegrating formulations of felodipine, *Int. J. Pharm.* 555(2019): 228–236.
- Allen, L. V., Popovich, N. G., dan Ansel, H. C., (2013) *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*. 10th ed. Baltimore: Lippincott Williams & Wilkins. pp. 106-107, 385.
- Amal, A. S. S., Hussain, S. dan Jalaluddin, M. A., (2015) Preparation of Artificial Saliva Formulation, *ICB-Pharma*. pp. 6–12.
- Aragón, B., Alberto, L., Mejía, J., Meza, L., Edmundo, J., Lara, L., dan Damián, P., (2018) Composites of silver-chitosan nanoparticles : a potential source for new antimicrobial therapies, *Rev. Mex. Cienc. Farm.* 47(4): 7-25.
- Bala, R., Khanna, S. dan Pawar, P., (2012) Polymers in Fast Disintegrating Tablets-a Review. *Asian J. Pharm. Clin. Res.* 5(2): 8-14.
- Bansal, V., Sharma, P. K., Sharma, N., Pal, O. P., dan Malviya, R., (2011) Applications of Chitosan and Chitosan Derivatives in Drug Delivery. *Advan. Biol. Res.* 5(1): 28-37.

- Bardal, S. K., Waechter, J. E., dan Martin, D. S., (2011) *Applied Pharmacology*. St. Louis: Elsevier Saunders. pp. 21.
- Bauhuber, S., Warnke, G., dan Berardi, A., (2021) Disintegrant Selection in Hydrophobic Tablet Formulations. *J. Pharm. Sci.* 110(5): 2028-2037.
- Berg, J. M., Tymoczko, J. L., Gatto, G. J., dan Stryer, L. (2015) *Biochemistry*. 8th ed. New York: W. H. Freeman and Company. pp. 6-8.
- Bhowmik, D., Chiranjib, Krishnakanth, Pankaj, dan Chandira, R. M. (2009) Fast Dissolving Tablet: an Overview. *J. Chem. Pharm.* 1(1): 163-177.
- Bodey, G. P. dan Nance, J., (1972) Amoxicillin: in vitro and pharmacological studies, *Antimicrob. Agents Chemother.* 1(4): 358–362.
- Bush, K. dan Bradford, P. A., (2016) β -Lactams and β -Lactamase Inhibitors: An Overview, *Cold Spring Harb. Perspect. Med.* 6(8):1-22.
- Casadidio, C. Peregrina, D. V., Gigliobianco, M. R., Deng, S., Censi, R., dan Di Martino, P., (2019) Chitin and chitosans: Characteristics, eco-friendly processes, and applications in cosmetic science, *Mar. Drugs*, 17(6): 369-399.
- Center for Drug Evaluation and Research (2008) *Guidance for Industry: Orally Disintegrating Agents*, Washington D.C.: Food and Drug Administration. pp. 1-3.
- Chaerunisaa, A. Y., Sriwidodo, S., dan Abdassah, M., (2020). Microcrystalline Cellulose as Pharmaceutical Excipient. In *Pharmaceutical Formulation Design - Recent Practices*. IntechOpen.
- Cheung, R. C. F., Ng, T. B., Wong, J. H., dan Chan, W. Y., (2015) Chitosan: An update on potential biomedical and pharmaceutical applications, *Mar. Drugs*. 13(8): 5156-5186.
- Dar-Odeh, S. N., Abu-Hammad, A. O., Al-Omiri, K. M., Khraisat, S. A., dan Shehabi, A. A., (2010) Therapeutics and Clinical Risk Management Dovepress Antibiotic prescribing practices by dentists: a review. *Ther. Clin. Risk. Manag.* 6: 301-306.
- Desai, P. M., Liew, C. V. dan Heng, P. W. S., (2016) Review of Disintegrants and the Disintegration Phenomena, *J. Pharm. Sci.* 105(9): 2545–2555.
- Desai, U., Chavan, R., Mhatre, P., dan Chinchole, R., (2012) A Review: Coprocessed excipients, *Int. J. Pharm. Sci. Rev. Res.* 12(2): 95–99.
- Dewhirst, F. E., Chen, T., Izard, J., Paster, B. J., Tanner, A. C. R., Yu, W. H., Lakshmanan, A., dan Wade, W. G., (2010) The human oral microbiome. *J. Bacteriol.* 192(19): 5002–5017.

- Dillasamola, D. A., A., Desri, A., dan Diliarosta, S., (2018) Uji Efek Teratogenik dari Yoghurt Terhadap Fetus Mencit Putih (*Mus musculus*), *JSFK*. 5(1): 28–32.
- Draksiene, G., Venclovaite, B., Pudziuvelyte, L., Ivanauskas, L., Marksa, M., dan Bernatoniene, J. (2021) Natural Polymer Chitosan as Super Disintegrant in Fast Orally Disintegrating Meloxicam Tablets: Formulation and Evaluation. *Pharmaceutics*. 13: 879.
- Esim, O. Savaser, A., Ozkan, C. K., Bayrak, Z., Tas, C., dan Ozkan, Y., (2018) Effect of polymer type on characteristics of buccal tablets using factorial design, *Saudi Pharm. J.* 26(1): 53–63.
- Farshbaf, M., Davaran, S., Zarebkohan, A., Annabi, N., Akbarzadeh, A., dan Salehi, R., (2018) Significant role of cationic polymers in drug delivery systems, *Artif Cells Nanomed. Biotechnol.* 46(8): 1872–1891.
- Food and Drug Administration (2015) Active Pharmaceutical Ingredient Process Inspection. pp. 1-30.
- Gittings, S., Turnbull, N., Henry, B., Roberts, C. J. dan Gershkovich, P., (2015) Characterisation of human saliva as a platform for oral dissolution medium development, *Eur. J. Pharm. Biopharm.* 91: 16–24.
- Gohel, M., Patel, M., Amin, A., Agrawal, R., Dave, R., Bariya, N., (2004) Formulation Design and Optimization of Mouth Dissolve Tablets of Nimesulide Using Vacuum Drying Technique, *AAPS Pharm. Sci. Tech.* 5(3): 1-6.
- Hartesi, B., Sriwidodo, Abdassah, M., Chaerunisaa, A. Y., (2016) Starch as Pharmaceutical Excipient, *Int. J. Pharm. Sci. Res.* 41(2): 59-64.
- Hirani, J. J., Rathod, D. A., dan Vadalía K. R., (2009) Orally disintegrating tablets: A review, *Trop. J. Pharm. Res.* 8(2): 161–172.
- Hitner, H. dan Nagle, B., (2012) *Pharmacology: an Introduction*. 6th ed. New York: McGraw Hill. pp. 19-20.
- Hoashi, Y., Tozuka, Y. dan Takeuchi, H., (2013) Development of a novel and simple method to evaluate disintegration of rapidly disintegrating tablets, *Chem. Pharm. Bull.* 61(9): 962–966.
- Hobbs, D., Karagianis, J., Treuer, T., dan Raskin, J., (2013) An in vitro analysis of disintegration times of different formulations of olanzapine orodispersible tablet: A preliminary report. *Drugs in R and D*. 13(4): 281–288.
- Hooper, P., Lasher, J., Alexander, K. S., dan Baki, G., (2016). A new modified wetting test and an alternative disintegration test for orally disintegrating

- tablets. *J. Pharmaceut. Biomed.*, 120: 391–396.
- Islam, M. S., Aryasomayajula, A. dan Selvaganapathy, P. R., (2017) A review on macroscale and microscale cell lysis methods, *Micromachines*. 8(3): 1-27.
- Jain, C. P. dan Naruka, P. S., (2009) Formulation and Evaluation of Fast Dissolving Tablets of Valsartan, *Int. J. Pharm. Pharm. Sci.* 1(1): 219-226.
- Kassaye, L. dan Genete, G., (2013) Evaluation and comparison of in-vitro dissolution profiles for different brands of amoxicillin capsules, *Afr. Health Sci.* 13(2): 369–375.
- Kaur, S. P., Rao, R. dan Nanda, S., (2011) Amoxicillin: a Broad Spectrum Antibiotic, *Int. J. Pharm. Pharm. Sci.* 3(3):30-37.
- Lewis, M. A. O., (2008) Why we must reduce dental prescription of antibiotics: European Union Antibiotic Awareness Day. *Br. Dent. J.* 205(10): 537–538.
- Lockhart, P. B., Tampi, M. P., Abt, E., Aminoshariae, A., Durkin, M. J., Fouad, A. F., Gopal, P., Hatten, B. W., Kennedy, E., Lang, M. S., Patton, L. L., Paumier, T., Suda, K. J., Pilcher, L., Urquhart, O., O'Brien, K. K., dan Carrasco-Labra, A., (2019) Evidence-based clinical practice guideline on antibiotic use for the urgent management of pulpal- and periapical-related dental pain and intraoral swelling: A report from the American Dental Association, *J. Am. Dent. Assoc.* 150(11): 906-921.
- Lv, S. H., (2016) High-performance superplasticizer based on chitosan, di F. Pacheco-Torgal, V. Ivanov, N. Karak, & H. Jonkers (Eds.) *Biopolymers and Biotech Admixtures for Eco-Efficient Construction Materials*. Cambridge: Woodhead Publishing Limited, pp. 131–150.
- Madhulika, G. S. S. V, Ramya, K. B. dan Kuber, B. R., (2011) A review on natural and synthetic polymers employed in the formulation of oral disintegrating tablets, *J. Drug Deliv. Ther.* 9(2): 652-658.
- Markl, D. dan Zeitler, J. A., (2017) A Review of Disintegration Mechanisms and Measurement Techniques, *Pharm. Res.* 34(5):890–917.
- Marques, M. R. C., Loebenberg, R. dan Almukainzi, M., (2011) Simulated biological fluids with possible application in dissolution testing, *Dissolution Technol.* 18(3): 15–28.
- Mittapalli, R. K., Sha Qhattal, H. S., Lockman, P. R., Yamsani, M. R., (2010) Varying Efficacy of Superdisintegrants in Orally Disintegrating Tablets Among Different Manufacturers, *Pharmazie*. 65(11): 805-810.
- Mohanachandran, P. S., Sindhumol, P. G. dan Kiran, T. S., (2011) Superdisintegrants: An overview, *Int. J. Pharm. Sci. Rev. Res.* 6(1): 105–109.

- Mona, P., Rohini, D., Prabhakar, B. D., Rakesh, P., (2018) Studies on Orally Disintegrating Tablets Prepared by Using Natural and Synthetic Superdisintegrants, *Int. J. Drug. Deliv. Technol.* 8(2): 60-66.
- Musuc, A. M., Anuta, V., Atkinson, I., Sarbu, I., Popa, V. T., Munteanu, C., Mircioiu, C., Ozon, E. A., Nitulescu, G. M., Mitu, M. A., (2021) Formulation of Chewable Tablets Containing Carbamazepine- β -cyclodextrin Inclusion Complex and F-Melt Disintegration Excipient. The Mathematical Modeling of the Release Kinetics of Carbamazepine. *Pharmaceutics*, 13(6), 915-934.
- Nagar, P. Singh, K., Chauhan, I., Verma, M., Yasir, M., Khan, A., Sharma, R., dan Gupta, N., (2011) Orally disintegrating tablets : Formulation, preparation techniques and evaluation, *J. App. Pharm. Sci.* 1(4): 35–45.
- Oberoi, S. S., Dhingra, C., Sharma, G., dan Sardana, D., (2015) Antibiotics in dental practice: How justified are we, *Int. Dent. J.* 65(1): 4–10.
- Olorunsola, E. O., Adedokun, M. O. dan Akpabio, E. I., (2017) Evaluation of Callinectes Chitosan as a Superdisintegrant in Metronidazole Tablet, *Int. J. Pharm. Pharm. Sci.* 9(10):111-118.
- Olorunsola, E. O., Akpan, G. A. dan Adikwu, M. U., (2017) Evaluation of Chitosan-Microcrystalline Cellulose Blends as Direct Compression Excipients, *J. Drug Deliv.* 2017: 1–8.
- Pahwa, R. dan Gupta, N., (2011) Superdisintegrants in the Development of Orally Disintegrating Tablets: a Review, *Int. J. Pharm. Sci. Res.* 2(11): 2767-2780.
- Parfati, N., Rani, K. C., Charles, N., Geovanny, V. (2018) Preparation and Evaluation of Atenolol- β -Cyclodextrin Orally Disintegrating Tablets Using Co-Process Crospovidone-Sodium Starch Glycolate. *Int. J. App. Pharm.*, 2(1): 44–50.
- Parkash, V., Maan, S., Deepika, Yadav, S. K., Hemlata, dan Jogpal, V., (2011) Fast disintegrating tablets: Opportunity in drug delivery system, *J. Adv. Pharm. Technol.* 2(4): 223–235.
- Piñeiro, S., Finnah, P., Sanders, P., dan Cressey, P., (2017) *Amoxicillin*. Food and Agriculture Organization of the United Nations. pp. 1.
- Pytko-Polonczyk, J., Jakubik, A., Przeklasa-Bierowiec, dan Muszynska, (2017) Artificial saliva and its use in biological experiments, *J. Physiol. Pharmacol.* 68(6): 807–813.
- Ramasamy, A., (2014) A review of use of antibiotics in dentistry and recommendations for rational antibiotic usage by dentists, *Int. Arab J. Antimicrob. Agents.* 4(2): 1–15.

- Rasool, B. K. A., Fahmy, S. A. dan Galeel, O. W. A., (2012) Impact of Chitosan as a disintegrant on the bioavailability of furosemide tablets: In vitro evaluation and in vivo simulation of novel formulations, *Pak. J. Pharm. Sci.*, 25(4): 815-822.
- Rawas-Qalaji, M. M., Simons, F. E. R. dan Simons, K. J., (2006) Fast-disintegrating sublingual tablets: Effect of epinephrine load on tablet characteristics, *AAPS PharmSciTech*, 7(2): 1-7.
- Reker, D., Blum, S. M., Steiger, C., Anger, K. E., Sommer, J. M., Fanikos, J., dan Traverso, G., (2019) Inactive ingredients in oral medications', *Sci. Trasl. Med.* 11(483): 1–14.
- Rowe, R. C., Sheskey, P. J., dan Quinn, M. E., (2009). *Handbook of Pharmaceutical Excipients* 6th ed. London: Pharmaceutical Press and American Pharmacists Association. pp. 129, 359, 685, 728.
- Roy, J., (2011) *An Introduction to Pharmaceutical Sciences: Production, Chemistry, Techniques and Technology*. Cambridge: Woodhead Publishing Limited. pp. 235-239.
- Sarun, N. H., (2015) *Pengaruh Konsentrasi Kitosan terhadap Kecepatan Disintegrasi Tablet Amoksisilin*. Yogyakarta: Skripsi Fakultas Kedokteran Gigi. pp. 31, 40.
- Sivadasan, D., Sultan, M. H., Madkhali, O., Javed, S., dan Jabeen, A. (2020) Formulation and In Vitro Evaluation of Orodispersible Tablets of Fexofenadine Hydrochloride. *Trop. J. Pharm. Res.* 19(5): 919-925.
- Syukri, Y., Wibowo, J. T., Herlin, A. (2018) Pemilihan Bahan Pengisi untuk Formulasi Tablet Ekstrak Buah Mahkota Dewa (*Phaleria macrocarpa* Boerl). *Jurnal Sains Farmasi & Klinis*, 5(1): 66-71.
- Szymanska, E. dan Winnicka, K. (2015) Stability of Chitosan—A challenge for Pharmaceutical and Biomedical Applications. *Mar. Drugs*. 13:1819-1846.
- Thambavita, D., Galappatthy, P., Mannapperuma, U., Jayakody, L., Cristofolletti, R., Abrahamsson, B., Groot, D. W., Langguth, P., Mehta, M., Parr, A., Polli, J. E., Shah, V. P., dan Dressman, J., (2017) Biowaiver Monograph for Immediate-Release Solid Oral Dosage Forms: Amoxicillin Trihydrate, *J. Pharm. Sci.* 106(10): 2930–2945.
- The United States Pharmacopoeia (2020) <701> Disintegration, in *The United States Pharmacopeial Convention*, pp. 2–5.
- Tortora, G. J., Funke, B. R. dan Case, C. L., (2010) *Microbiology: an Introduction*. 10th ed. San Fransisco: Pearson Education, Inc. pp. 706-707.

- Wahyuningrum, M. R., dan Probosari, E., (2012). Pengaruh Pemberian Buah Pepaya (*Carica Papaya L.*) terhadap Kadar Trigliserida pada Tikus Sprague Dawley dengan Hiperkolesterolemia. *Journal of Nutrition College*, 2(4), 192–198.
- Worthington, R. J. dan Melander, C., (2013) Overcoming resistance to β -Lactam antibiotics, *J. Org. Chem.* 78(9): 4207–4213.
- Yapar, E. A., (2014) Orally disintegrating tablets: An overview, *J. App. Pharm. Sci.* 4(2):118–125.