

## DAFTAR PUSTAKA

- Ahlkvist, J., 2014. "Formic and Levulinic Acid from Cellulose via Heterogeneous Catalysis", *Swedish Copyright Legislation*
- Aigular, R., Ramirez, J.A., Garrote, G., and Vazquez, M., "Kinetic Study of The Acid Hydrolysis of Sugar Cane Bagasse", 2002, *Journal of Food Engineering*, 55:309-318.
- Alonso, D.M., Wettstein, S.G., Mellmer, M.A., Gurbuz, E.I., Dumesic, J.A., 2013, "Integrated Conversion of Hemicellulose and Sellulose from Lignocellulosic Biomass", *Energy & Environmental Science*, 6(1):76-80.
- Anindyawati, T., 2010, "Potensi Selulase Dalam Mendegradasi Lignoselulosa limbah Pertanian Untuk Pupuk Organik", *Jurnal Selulosa*, Vol 45, No 2.
- Bozell, J.J., Moens, L., Wang, Y., Neuenswander, G.G., Fitzpatrick, S. W., Bilski, R. J., and Jarnefeld, J.L., 2000, "Production of levulinic acid and use as a platform chemical for derived products", *Resources Conservation and Recycling*, 28:227-239.
- Bustos, G., Ramirez, J.A., Garrote, G., and Vazquez, M., "Modeling of Hidrolysis of Sugar Cane Bagasse with Hydrochloric Acid, 2002, *Applied Biochemistry and Biotechnology*, Vol 104.
- BPPT, 2015, "Oulook Energi Indonesia", Jakarta.
- Cha, J.Y and Hanna, M.A., 2002, "Levulinic Acid Production Based on Extrusion and Pressurized Batch Reaction", *Industrial Crops and Products*, 16: p.109-118
- Chen, H.Z., Yu, B., and Jin SY., 2011, "Production of Levulinic Acid from Steam Exploded Rice Straw via Solid Superacid  $\text{S}_2\text{O}_8^{2-}/\text{ZrO}_2\text{-SiO}_2\text{-Sm}_2\text{O}_3$ ", *Bioresource Technology*, 102:3568-70.
- Chen, H., 2014, *Biotechnology of Lignocellulose : "Theory and Practice"*, Chemical Industry Press, Beijing.
- Chong, A.R., Ramirez, J.A., Garrote, G., and Vazquez, M., 2004, "Hydrolysis of Sugar Cane Bagasse Using Nitric Acid : A Kinetic Assessment", *Journal of Food Engineering*, 61:143-152.
- Chun, C., Xiaojian, M., and Peilin, C., 2006, "Kinetics of Levulinic Acid Formation from Glucose Decomposition at High Temperature", *Chinese Journal of Chemical Engineering*, 14(5): 708-712.
- Chun, C., Peilin, C., Xiaojinan, M., 2007, "Levulinic Acid Production from Wheat Straw", *Bioresource Technology*, 98:1448-1453.

- Chun, C., Xiaojian, M., and Peilin, C., 2009, "Kinetic Studies on Wheat Straw Hydrolysis to Levulinic Acid", *Chinese Journal of Chemical Engineering*, 17(5): 835-839.
- Dussan, K., Girisuta, B., Haverty, D., Leahy, J.J., and Hayes, M.H.B., 2013, "Kinetics of Levulinic Acid and Furfural Production from *Miscanthus × Giganteus*", *Bioresource Technology*, 149(2013)216–224.
- Energy Information Administration (EIA), "International Energy Outlook 2017", <https://www.eia.gov/outlooks/ieo> diakses pada tanggal 15 September 2017
- Fang Q, and Hanna M., 2002, "Experimental Studies for Levulinic Acid Production from Whole Kernel Grain Sorghum", *Bioresource Technology*, 81(3):187-92.
- Girisuta, B., Janssen, L.P.B.M., and Heeres, H.J., 2006, "Green Chemical: A Kinetic Study on The Conversion of Glucose to Levulinic Acid", *Chemical Engineering Research and Design*, 84(A5):339-349.
- Girisuta, B., 2007<sup>a</sup>, "Levulinic Acid from Lignocellulosic Biomass", University of Groningen.
- Girisuta, B., Janssen, L.P.B.M., and Heeres, H.J., 2007<sup>b</sup>, "Kinetic Study on The Acid-Catalyzed Hydrolysis of Cellulose to Levulinic Acid", *Industrial & Engineering Chemistry Research*, 46(6)1696–1708.
- Girisuta, B., Danon, B., Manurung, R., Janssen, L.P.B.M., and Heeres, H.J., 2008, "Experimental and Kinetic Studies on The Acid Catalysed Hydrolysis of The Water Hyacinth Plant to Levulinic Acid", *Bioprocess Technology*, 99: 8367-8375.
- Girisuta, B., Dussan, K., Haverty, D., Leahy, J.J., and Hayes, M.H.B., 2013, "A Kinetic Study of Acid Catalysed Hydrolysis of Sugar Cane Bagasse to Levulinic Acid", *Chemical Engineering Journal*, 217:61-70.
- Guilherme, A.A., Dantas, P.V.F., Santos, E.S., Fernandes, F.A.N., and Macedo, G.R., 2015, "Evaluation of Composition, Characterization and Enzymatic Hydrolysis of Pretreated Sugarcane Bagasse", *Brazilian Journal of Chemical Engineering*, Vol.32, No.01, pp 23-33.
- Han, S.J., Yoo, Y.J., and Kang, H.S., 1995, "Characterization of Biofunctional Cellulose and Its Structural Gene", *Journal of Biological Chemistry*, 270: 26012-26019.
- Ibrahim, M., 1998, "Clean Fractionation of Biomass - Steam Explosion and Extraction", Faculty of The Virginia Polytechnic Institute and State University.
- Idris, A.A., Firmanti, A., and Suradi J., 1994, "Produksi Papan Partikel Ampas Tebu (bagasse) Sebagai Bahan Bangunan", *Jurnal Penelitian Permukiman*, 10(25): 2-9.

- Jiang, Y., Wang, X., Cao, Q., Dong, L., Guan, J., and Mu, X., 2015, "Chemical Conversion of Biomass to Green Chemical", *Sustainable Production of Bulk Chemical*, Page 19-49.
- Kosaric, N., 1973, "Dextranase Production from *Penicilium funicilium*", *Biotechnology and Bioengineering*, Vol XV, hal. 729-741.
- Kumar, S., Dheeran, P., Singh, S.P., Mishra, I.M., and Adhikari, D.K., 2015, "Kinetic Studies of Two-Stage Sulphuric Acid Hydrolysis of Sugarcane Bagasse", *Journal Renewable Energy*, 83:850-858.
- Kupiainen, L., Ahola, J., and Tanskanen, J., 2011, "Kinetics of Glucose Decomposition in Formic Acid", *Chemical Engineering Research*, 89(12):2705-13.
- Lai, D.M., Deng, L., Guo, Q.X., Fu, Y., 2011, "Hydrolysis of biomass by magnetic solid acid, *Energy & Environmental Science*", *Energy & Environmental Science*, 4:3552-3557.
- Lee, H. V., Hamid, S.B.A., and Zain, S.K., 2014, "Conversion of Lignocellulosic Biomass to Nanocellulose Structure and Chemical Process", *Scientific World Journal*, Vol 19 pp 1-16.
- Li, C.Z., Zang, Z.H., and Zhao, Z.B.K., 2009, "Direct Conversion of Glucose and Cellulose to 5-Hydroxymethylfurfural in Ionic Liquid Under Microwave Irradiation", *Tetrahedron Letters*, 50:5403-5.
- Perez, J., Munoz-Dorado, J., Rubia, Td., and Martinez, J., 2002, "Biodegradation and Biological Treatments of Cellulose, Hemicellulose and Lignin : An Overview", *International Microbiology*, 5:53-63.
- Morone, A., Apte, M., and Pandey, R.A., 2015, "Levulinic Acid Production from Renewable Waste Resources : Bottlenecks, Potential Remedies, Advancements and Applications", *Renewable and Sustainable Energy Reviews*, 51:548-565.
- Muladi, S., 2013, "Diktat Kuliah Teknologi Kimia Kayu Lanjutan", Fakultas Kehutanan Universitas Mulawarman, Samarinda.
- Nurnawati, E., 2015, "Kajian Enzim Xylanolitik Jamur Tanah dan Aplikasinya sebagai Agen Pemutih Plup", Disertasi: Universitas Gadjah Mada
- Octavia, S., 2008, "Efektivitas Kombinasi Proses Perendaman dengan Amoniak dan Asam pada Pengolahan Awal Biomassa sebagai Bahan Baku Pembuatan Bioetanol", Institute Teknologi Bandung.
- Ritter, S., 2006, "Biorefinery Gets Ready to Deliver the Goods", *Chemical Engineering News*, 84(34):47.

- Sangarunlert, W., Piumsomboon, P., and Ngamprasertstth, S., 2007, "Furfural Production by Acid Hydrolysis and Supercritical Carbon dioxide Extraction from Rice husk", *Korean Journal Chemical Engineering*, Vol.24, No.6.
- Sasaki, 2003, "Fractionation Of Sugarcane Bagasse By Hydrothermal Treatment", *Bioresource Technology*, 86:301–304.
- Setiati, R., Wahyuningrum, D., Siregar, S., and Marhaendrajana, T., "Optimasi Pemisahan Ampas Tebu dengan Menggunakan Natrium Hidroksida", *Jurnal Penelitian dan Pengabdian Masyarakat*, hal 257-264.
- Shen, J. and Wyman, C.E., 2011, "Hydrochloric Acid-Catalyzed Levulinic Acid Formation from Cellulose : Data and Kinetic Model to Maximize Yields", *AIChE Journal*, 58(1): 236-246.
- Simanjuntak, H., 2007, "Analisa Logam Berat Timbal, Besi, Kadmium dan Zinkum dalam Lindi Hitam (Black Liquor) pada Industri Pulp Proses Kraft dengan Menggunakan Metode Spektrofotometri Serapan Atom (SSA)", Universitas Sumatera Utara, Medan.
- Siregar, N., 2010, "Pemanfaatan Abu Pembakaran Ampas Tebu dan Tanah Liat pada Pembuatan Batu Bata", Universitas Sumatra Utara, Medan.
- Sjostrom, S., 1995, "Kimia Kayu : Dasar-dasar dan Penggunaan", Terjemahan Gadjah Mada University Press, Yogyakarta.
- Song, J., Fan, H., Ma, J., and Han, B., 2013, "Coverion of Glucose and Cellulose into Value-Added Production in Water and Ionic Liquids", *Journal Green Chemistry*, 15:2619-35.
- Sun, Y., and Cheng, J., 2002, "Hidrolisis of Lignocellulose Material for Ethanol Production: A review", *Bioresource Technology*, Vol. 83 hal. 1-11.
- Taherzadeh, M. J., and Karimi, K., (2008), "Pretreatment of Lignocellulose Wastes to Improve Ethanol and Biogas Production: A Review", *International Journal of Molecular Sciences*, Vol 9. Pp.1621-1651.
- Upare, P., Yoon, J.W., Kang, H.Y., Hwang, D.W., Hwang, Y.K., and Kung, H.H., 2013, "Chemical Conversion of Biomass Derived Hexose Sugars to Levulinic Acid Over Sulfonic Acid-Functinatzed Grapheme Oxide Catalysts", *Green Chemical*, 15:2935-43.
- Usmana, A.S., and Rianda, N.S., 2012, "Pengaruh Volume Enzim dan Waktu Fermentasi Terhadap Kadar Etanol (Bahan Baku Tandan Kosong Kelapa Sawit dengan Pretreatmen Alkali), *Jurnal Teknik Kimia*, Vol. 18. No.2,
- Weingarten, R., Kim, Y.T., Tompsett, G.A., Fernandez, A., Han, K.S., Hagaman, E.W., Conner Jr., Wm.C., Dumesic, J.A., and Huber G.W., 2013, "Conversion

of Glucose into Levulinic Acid With Solid Metal (IV) Phosphate Catalysts”,  
*Journal of Catalysis*, Vol. 304, pp.123-134.

Widyawati, Niken, L., dan Argo, B., 2014, “Pemanfaatan Microwave Dalam Proses Pretreatment Degradasi Lignin Ampas Tebu (Bagasse) Pada Produksi Bioetanol”, *Jurnal Teknologi Pertanian*, Vol. 15 No. 1. 1-6.

Xiang, Q., Lee., Y.Y., and Torget, R.W., 2004, “Kinetics of Glucose Decomposition During Dilute-Acid Hydrolysis of Lignocellulosic Biomass”.  
*Applied Biochemistry and Biotechnology*, 113-116.

Yan, L., Yang, N., Pang, H., and Liao, B., 2008, “Production of Levulinic Acid from Bagasse and Paddy Straw by Liquefaction in The Presence of Hydrochloric Acid”, *Journal Clean*, 36(2):158-163.