

DAFTAR PUSTAKA

- Abutaha, N., and Al-Mekhlafi, A. f. 2014. Evaluation of the safe use of the larvicidal fraction of *Capparis cartilaginea* Decne. against *Aedes caspius* (Pallas) (Diptera: Culicidae) larvae. *Afr. Entomol.* 22, 838–846.
- Allen, L.V., Popovich, N.G., and Ansel, H.C. 2011. *Pharmaceutical dosage form and drug delivery system*. Baltimore: Lippinsott Willian and Wilkina)
- Al-Mehmadi, R.M., and Al-Khalaf, A.A. 2010. Larvicidal and histological effects of *Melia azedarach* extract on *Culex quinquefasciatus* Say larvae (Diptera: Culicidae). *J. King Saud Univ. Sci.* 22, 77–85.
- Al-Mekhlafi, F.A. 2017 Larvicidal, ovicidal activities and histopathological alterations induced by *Carum copticum* (Apiaceae) extract against *Culex pipiens* (Diptera: Culicidae). *Saudi J. Biol. Sci.* disitasi Agustus 2017
- Ananya, B., and Andrew, J. 2013. Morphology and Morphometry of *Aedes aegypti* Larvae. [Http://Sciencedomain.Org/Abstract/902](http://Sciencedomain.Org/Abstract/902).disitasi Juli 2017
- Aulton, M. and Taylor, 2013. The Design and Manufacture of Medicine in *Aulton's Pharmaceutics*. 4th. ed. Churchil Livingstone
- Backer, C.A., and Van den Brink, B.R.C. 1963. *Flora of Java Groningen*: N.V.P. Noordhoff-groningen.
- Badan POM, R.I. 2013a. *Pedoman Teknologi Formulasi Sediaan Berbasis Ekstrak* Jakarta, Indonesia).
- Badan POM, R.I. 2013b. *Pedoman Cara Pembuatan Simplisia yang Baik*. Jakarta, Indonesia).
- Banker, G.S., Anderson, N.R., and Fonner, D.E. 1990. Granulation and tablet characteristic in Lieberman,. *In Pharmaceutical Dosage Form Tablet* , New York: Marcel Deker Inc.edisi II,volume 1
- Begum, M. 2016. Histo-morphology of the larvae of *Aedes aegypti* (Diptera: culicidae). *J. Biodivers. Conservation Bioresour. Manag.* 2.(1) : 69-73
- Begum, S.M.I., Arumugam, D., Mary, R.R., and Elumalai, K. 2011. Evaluation of larvicidal activity of *Tridax Procumbens* (Asteraceae) leaf extract against the dengue vector, *Aedes aegypti* and *Bancroftian filariasis* Vector, *Culex quinquefasciatus*. *Indian J. Appl. Res.* 4, 664–666.

- Bernick, E.P., Moffett, S.B., and Moffett, D.F. 2007. Organization, ultrastructure, and development of midgut visceral muscle in larval *Aedes aegypti*. *Tissue Cell* 39, 277–292.
- Bhuiyan, M.N.I., Chowdhury, J.U., and Begum, J. 2008. Chemical investigation of the leaf and rhizome essential oils of *Zingiber zerumbet* (L.) Smith from Bangladesh. *Bangladesh J. Pharmacol.* 4, 9–12.
- Bloomquist, J.. 2015. Insecticides: Chemistries and Characteristics Redcliffe,s IPM . Wordl Texbook : Univercity of Minosota 2nd Edition.St Paul MN
- Bolton, S. 1997. *Pharmaceutical Statistics Practical and Clinical Aplications* New York: Marcel Dekker, Inc.
- Brown A.E. 2013. Mode of Action of Insecticides and Related Pest Control Chemical for Production Agriculture, Ornamentals, and Turf , Pesticide Information Leaflet. Univercity of Maryland Extension.<http://pesticides/umd.edu>. disitasi April 2014
- Bucker, A., Falcão-Bücker, N.C., Nunez, C.V., Pinheiro, C.C. de S., and Tadei, W.P. 2013. Evaluation of larvicidal activity and brine shrimp toxicity of rhizome extracts of *Zingiber zerumbet* (L.) Smith. *Rev. Soc. Bras. Med. Trop.* 46, 377–380.
- Casida, J.E. 1980. Pyrethrum flowers and pyrethroid insecticides. *Environ. Health Perspect.* 34, 189–202.
- Casida, J.E., and Quistad, G.B. 1998. Golden age of insecticide research: past, present, or future? *Annu. Rev. Entomol.* 43, 1–16.
- Chapman, R.F., 1998. *The Insects : Structur and Function*, Edisi ke 4, Chambridge UK : Chambridge Univercity Press.
- Chien, T.Y., Chen, L.G., Lee, C.J., Lee, F.Y., and Wang, C.C. 2008. Anti-inflammatory constituents of *Zingiber zerumbet*. *Food Chem.* 110, 584–589.
- Chowdary K.P.R and Nagabhushanan M.V. 2010. Studies on solid dispersion of mefenamic acid in superdesintegrant primojel alone and with PVP. *Rasayan. J. Chem.* 3(2): 281-286.
- Clements, A. 1992. *The Biology of mosquitoes : development, nutrion and reproduction* Netherland: Springer.
- Costa, M.S., Pinheiro, D.O., Serrão, J.E., and Pereira, M.J.B. 2012. Morphological changes in the midgut of *Aedes aegypti* L. (Diptera: Culicidae) larvae following exposure to an *Annona coriacea* (Magnoliales: Annonaceae) extract. *Neotrop. Entomol.* 41, 311–314.
- DepKes, R.. 2005. *Farmakope Indonesia*, Edisi IV (Jakarta, Indonesia).

- Edge, S.Kibbe A and Kussendrager K. 2005. Lactose in Rowe R.C., Sheskey J.P, and Weller, J.P., *Handbook of Pharmaceutical Excipients*. 5th ed. The Pharmaceutical Press London
- Elumalai, D., Hemalatha, P., and Kaleena, P.K. 2015. Larvicidal activity and GC–MS analysis of *Leucas aspera* against *Aedes aegypti*, *Anopheles stephensi* and *Culex quinquefasciatus*. *J. Saudi Soc. Agric. Sci.* 16, 306–313.
- Finney 1971. *Probit Analysis; A Statistical treatment of sigmoid response curve*, 3 rd.ed. Cambridge. University Press, London, United Kingdom. 68-72
- Foster, W.A., and Walker, E.D. 2002. *Medical and Vetenary Entomology* Edited by Garry Mullen and Lance Durden. London: Academic Press.203-233
- Gandahusada, S., Ilahude, H.D., and Pribadi, W. 2000. *Parasitologi Kedokteran*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Geris, R., Ribeiro, P., brandão, M., Helena Garcia Da Silva, H., and Garcia Da Silva, I. 2012. Bioactive natural products as potential candidates to control *Aedes aegypti*, the vector of dengue. *In Studies in Natural Products Chemistry*, pp. 277–376.
- Govindarajan, M., Ramya, A., and Sivakumar, R. 2014. Mosquito larvicidal properties of *Mirabilis jalapa* (Nyctaginaceae) against *Anopheles stephensi*, *Aedes aegypti* & *Culex quinquefasciatus* (Diptera: Culicidae). *Indian J. Med. Res.* 140, 438–440.
- Gulan, D.J. dan Cranston, P.S. 2005. *The Insects : An outline of entomology*. UK: Blackwell Publishing Ltd
- Hadi, M., Tarwodjo, U., and Rahardian, R. 2009. *Biologi Insekta Entomologi* . Yogyakarta Graha Ilmu.
- Harborne, J.B. 1987. *Metode Fitokimia Penuntun Cara Modern Mengekstraksi*. Bandung Penerbit ITB.
- Heng, P.W.S. and Liew, C.V. 2008 Surfactants and Colors in Tablets in Augsburg, L.L and Hoag S.W (ed) , *Pharmaceutical Dosage Form*, third ed. Vol.3. Informa Health care, London, p: 269-261
- Hashemi, S.R., Zulkifli, I., and Bejo, H. M. 2008. Acute toxicity study and phytochemical screening of selected herbal aqueous extract in broiler chickens *Inter. J. Pharmacolog.* 4(5), 352–360.
- Hermes, W. 2006. *Medical entomology*. United of America: The Macmillan Company. 77-85

- Huddaya, A., and Jayanti, H. 2012. *Pengelompokan pestisida berdasarkan cara kerjanya (mode of action)*. Lembang Bandung Barata: Yayasan Bina Tani Sejahtera.7-10
- Jang, D.S., Han, A.-R., Park, G., Jhon, G.-J., and Seo, E.-K. 2004. Flavonoids and aromatic compounds from the rhizomes of *Zingiber zerumbet*. *Arch. Pharm. Res.* 27, 386–389.
- Jaya, S., Chowdary, K.P.R. and Rao, P.R. 2012. Effect of superdesintegrant and solubilizers on the dissolution rate and dissolution efficiency of ritonafir tablets. *Int. Res.J.Pharm.App.Sci.* 2(5):224-229
- Jiraungkoorskul, K., and Jiraungkoorskul, W. 2015. Larvicidal and Histopathological Effects of *Cassia siamea* Leaf Extract against *Culex quinquefasciatus*. *Trop. Life Sci. Res.* 26, 15–25.
- Kala, N.P., Shaikh, M.T., Shastri, D.H., and Shelat, P.K. 2014. A review on liquisolid systems. *J. Drug Deliv. Ther.* 4, 25–31.
- Kjanijou M, Jiraungkoorskul K, Kosai P and Jiraungkoorskul W. 2012. Effect of *Murraya paniculata* leaf extract against *Culex quinquefasciatus* larva. *Asian Journal of Biological Sciences* 5(4): 201–208
- Klowden, M.J., 2007. *Physiology system in insects*. Edisi ke 2. Burlington USA: Academic Press Elsivier
- Komariah, Pratita S., dan Malaka, T. 2010. Pengendalian vektor. *J .Kesehatan Bina Husada*, 6(1). 34-43
- Kringer,R.2010. *Handbook of pesticide toxicology*. California:Academic Press.,120-132
- Kumar, S., Warikoo, R., and Wahab, N. 2010. Larvicidal potential of ethanolic extracts of dried fruits of three species of peppercorns against different instars of an Indian strain of dengue fever mosquito, *Aedes aegypti* L. (Diptera: Culicidae). *Parasitol. Res.* 107, 901–907.
- Kurniawan, D.N., and Sulaiman, T.N.S. 2009. *Teknologi Sediaan Farmasi* Yogyakarta: Graha Ilmu.
- Lako, J., Trenerry, V.C., Wahlqvist, M., Wattanapenpaiboon, N., Sotheeswaran, S., and Premier, R. 2007. Phytochemical flavonols, carotenoids and the antioxidant properties of a wide selection of Fijian fruit, vegetables and other readily available foods. *Food Chem.* 101, 1727–1741.
- Lame Y, Nchiwan E, Pierre D.Y.S, Esimone C.O. 2014.*Int. J.of Mosq.Res.* 1(4) : 25-29

- Liebermann, H.A., and Lachman, L. 1990. *The Pharmaceutical dosage form tablet* New York: Marcel Decker Inc..
- Mann, R.S., and Kaufman, P.E. 2016. Natural product pesticides: their development, delivery and use against insect vectors. *Mini Review in Organic Chemistry* .vol 9 (2) 185-202
- Marques, A.M., and Kaplan, M.A.C. 2015. Active metabolites of the genus *Piper* against *Aedes aegypti*: natural alternative sources for dengue vector control. *Univ. Sci.* 20, 61–82.
- McGavin, G.C., 2001. *Essential entomology : An order by order introduction*. New York : Oxford Univercity Press
- Moreton, R.C. 2008 Disintegrants in Tableting in Augsburger, L.L and Hoag S.W (ed) , *Pharmaceutical Dosage Form*, third ed. Vol.3. Informa Health care, London, p:217-250
- Mulla, M.S., and Su, T. 1999. Activity and biological effects of neem products against arthropods of medical and veterinary importance. *J. Am. Mosq. Control Assoc.* 15, 133–152.
- Murini, T., Wahyuningsih, M.S.H., Satoto, T.B.T. 2014. Eksplorasi beberapa tanaman yang berpotensi sebagai larvisida *Aedes aegypti* (Diptera : Culicidae) dalam *Prosiding Peluang dan Tantangan Obat Tradisional dalam Pelayanan Kesehatan Formal*. Bagian Farmakologi dan Terapi Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta
- Murini, T., Wahyuningsih, M.S.H Satoto, T.B.T., Fudholi A. 2017. Aktivitas Larvisida Ekstrak Terpurifikasi Rimpang *Zingiber zerumbet*(L) Smith terhadap Larva *Aedes aegypti*. *Jurnal Kedokteran Brawijaya*. 29 (4) :293-298
- Murini, T., Wahyuningsih, M.S.H., Satoto, T.B.T., Fudholi A., and Hanafi M. 2018. Isolation And Identification Of Naturally Occurring Larvicidal Compound Isolated From *Zingiber Zerumbet* (L). J.E. Smith Rhizome. *Asean J.Pharm Clin Res.* vol.11(2): 189-193
- Narciso, J.O.A., Soares, R.O. de A., Reis dos Santos Mallet, J., Guimarães, A.É., de Oliveira Chaves, M.C., Barbosa-Filho, J.M., and Maleck, M. 2014. Burchellin: study of bioactivity against *Aedes aegypti*. *Parasit. Vectors* 7, 172.
- Nash, R. 2003. *Pharmaceutical process validation*. Marcel Dekker, New York.
- Ngatijan 1990. *Metode Laboratorium dalam Toksikologi*. Bagian Farmakologi dan Toksikologi Fakultas Kedokteran. Universitas Gadjah Mada. Yogyakarta

- Patel, B.B., and Shah, C.N. 2016. Recent research on liquisolid technology for solubility enhancement- A review. *Int. J. Adv. Pharm.* 5, 01–07.
- Pavananundt P, Jiraungkoorskul K, Kosai P and Jiraungkoorskul W. 2013. Larvicidal properties of *Cassia siamea* leaf against *Aedes aegypti* larvae. *International Journal of Modern Agriculture* 2(1): 1–8.
- Peng, Y. and Augsburger, L.L. 2008. Knowledge-based Systems and Other AI Applications for Tableting in Augsburger, L.L and Hoag S.W (eds) , *Pharmaceutical Dosage Form*, third ed. Vol.3. Informa Health care, London p: 137-150
- Permenkes 2014. *Persyaratan Mutu Obat Tradisional* nomor 12. Kepala Badan POM R.I, Jakarta , Indonesia
- Promsiri, S., Naksathit, A., Kruatrachue, M., and Thavara, U. 2006. Evaluations of larvicidal activity of medicinal plant extracts to *Aedes aegypti* (Diptera: Culicidae) and other effects on a non target fish. *Insect Sci.* 13, 179–188.
- Rahaman, T., Fardous, J., Perveen, F., and Sultana, S. 2013. Capacity of Non Ionic and Ionic Surfactants for Solubilisation of Paracetamol. *Bangladesh Pharm. J.* 16, 77–80.
- Rahuman, A.A., Gopalakrishnan, G., Venkatesan, P., and Geetha, K. 2008. Larvicidal activity of some *Euphorbiaceae* plant extracts against *Aedes aegypti* and *Culex quinquefasciatus* (Diptera: Culicidae). *Parasitol. Res.* 102, 867–873.
- Raini, M., 2007. toksikologi pestisida dan penanganan akibat keracunan pestisida. *Media Litbang Kesehatan*, 17(3), 10-18
- Rajasekaran, A., and Duraikannan, G. 2012. Larvicidal activity of plant extracts on *Aedes Aegypti* L. *Asian Pac. J. Trop. Biomed.* 2, S1578–S1582.
- Rattan, R.S. 2010. Mechanism of action of insecticidal secondary metabolites of plant origin. *Crop Prot.* 29, 913–920
- Ruddy S, Matuszewska B, Grim Y. 1999. Design and characterization of a surfactant-enriched tablet formulation for oral delivery of a poorly water-soluble immunosuppressive agent. *Int J. Pharm.* 182(2):173–6.
- Roel, A.R., Dourado, D.M., Matias, R., Porto, K.R.A., Bednaski, A.V., and Costa, R.B. da 2010. The effect of sub-lethal doses of *Azadirachta indica* (Meliaceae) oil on the midgut of *Spodoptera frugiperda* (Lepidoptera, Noctuidae). *Rev. Bras. Entomol.* 54, 505–510.

- Rueda, L.M., Patel, K.J., Axtell, R.C., and Stinner, R.E. 1990. Temperature-dependent development and survival rates of *Culex quinquefasciatus* and *Aedes aegypti* (Diptera: Culicidae). *J. Med. Entomol.* 27, 892–898.
- Saifudin, A., Rahayu, V., and Teruna, H.. 2011. *Standardisasi bahan obat alam* Edisi pertama. Yogyakarta: Graha Ilmu.
- Saifudin 2014. *Senyawa alam metabolit sekunder teori, konsep dan teknik pemurnian*. Edisi.pertama. cetakan 1. Yogyakarta: Graha Ilmu
- Salvador-Neto O ,Gomes S.A , Soares A.R , da Silva MachadoF.L , Samuels R.I, da Fonseca R.N, Souza-Menezes J , da Cunha Moraes J.L , Campos E, Flávia Borges Mury F.B, and Silva J.R. 2016. Larvicidal Potential of the Sesquiterpene Halogenated (+) - Obtusol, Isolated from the Alga *Laurencia dendroidea* J. Agardh (*Ceramiales: Rhodomelaceae*), against the Dengue Vector Mosquito *Aedes aegypti* (Linnaeus) (Diptera: Culicidae). *Mar.Drugs.* 14(20);1-14
- Scudeler, E.L., Padovani, C.R., and Santos, D.C.D. 2014. Effects of neem oil (*Azadirachta indica* A. Juss) on the replacement of the midgut epithelium in the lacewing *Ceraeochrysa claveri* during larval-pupal metamorphosis. *Acta Histochem.* 116, 771–780.
- Sherma, J. 2010 Planar chromatography. *Anal. Chem.* 82, 4895–4910.
- Sigit, H.S., and Hadi, U.K. 2006. *Hama pemukiman Indonesia, pengenalan, biologi dan Pengendalian*. Bogor, Unit Kajian Pengendalian Hama Pemukiman, Fakultas Kedokteran Hewan. IPB, 32-34
- Singh, C.B., Chanu, S.B., Kh, L., Swapana, N., Cantrell, C., and Ross, S.A. 2014. Chemical composition and biological activity of the essential oil of rhizome of *Zingiber zerumbet* (L.) Smith. *J. Pharmacog and Phyto.* 3, 130–133.
- Singh J, Jayaswal S. Effect of surfactants on the permeation of larazepam from its tablet formulations through rabbit jejunal sac.1986 *Pharmazie* ; 41(6):435–6.
- Sirait, M. 2007. *Penuntun fitokimia dalam farmasi*.Penerbit ITB Bandung..
- Sudarsono, Didik, G., Wahyuono, S., Donatus, I.A.D., 2002. *Tumbuhan Obat II Hasil Penelitian, Sifat-sifat dan penggunaannya* Yogyakarta: PSOT-UGM.
- Sutiningsih, D., Mustofa, Satoto, T.B.T., and Martono, E. 2017. Inhibitory effects of Bruceine a biolarvicide on growth and development of *Aedes aegypti* and larvae *J.Entomol.* ISSN 1812-5670
- Triplehorn, C.A.and Johnson, N.F. 2005. *Borrer and DeLong's Introduction to the Study of Insect.* Edisi 7.USA : Brooks/Thomson Cole.

- Voight, R. 1995. Buku Pelajaran Teknologi Farmasi. 1995. Diterjemahkan oleh Noerono S., Edisi V. Yogyakarta: Gadjah Mada University Press,
- WHO 2005. *Guidelines for laboratory and field testing of mosquito larvicides*. World Health Organization, Communicable Disease Control, Prevention, and Eradication, WHO Pesticide Evaluation Scheme).
- WHO 2009. *Dengue, Guidelines for diagnosis, treatment, prevention and control*. Geneva, World Health Organization. www.who.int/tdr/publication/document/dengue-diagnosis.pdf. dikutip Januari 2017
- Wink, M. 2000. Interference of alkaloids with neuroreceptors and ion channels. *In Studies in Natural Products Chemistry*, Atta-ur-Rahman, ed. Elsevier, pp. 3–122.
- Yob, N.J., Jofry, S.M., Affandi, M.M.R.M.M., Teh, L.K., Salleh, M.Z., and Zakaria, Z.A. 2011. *Zingiber zerumbet* (L.) Smith: A review of Its ethnomedicinal, chemical, and pharmacological uses, *Evidence-Based Complementary and Alternative Medicine*. Hindawi Publishing Corporation
- Yu, F., Harada, H., Yamasaki, K., Okamoto, S., Hirase, S., Tanaka, Y., Misawa, N., and Utsumi, R. 2008. Isolation and functional characterization of a beta-eudesmol synthase, a new sesquiterpene synthase from *Zingiber zerumbet* Smith. *FEBS Lett.* 582, 565–572.
- Yu, K.-X., Wong, C.-L., Ahmad, R., and Jantan, I. 2015. Larvicidal activity, inhibition effect on development, histopathological alteration and morphological aberration induced by seaweed extracts in *Aedes aegypti* (Diptera: Culicidae). *Asian Pac. J. Trop. Med.* 8, 1006–1012.
- Yu, S.J., 2008. *The toxicology and Biochemistry of insecticides*, Boca Raton, FL: CRC Press, 276-289