

DAFTAR PUSTAKA

- Agustika, D.K. & Triyana, K., 2016, Application of principal component analysis and discrete wavelet transform in electronic nose for herbal drinks classification, *AIP Conf. Proc.*, 1755, July, 1–7.
- Arroyo, T., Lozano, J., Cabellos, J.M., Gil-Diaz, M., Santos, J.P. & Horrillo, C., 2009, Evaluation of wine aromatic compounds by a sensory human panel and an electronic nose, *J. Agric. Food Chem.*, 57, 24, 11543–11549.
- Bhavsar, H. & Amit Ganatra, 2016, Radial Basis Polynomial Kernel (RBPk): A Generalized Kernel for Support Vector Machine, *Int. J. Comput. Sci. Inf. Secur.*, 14, April, 296–315.
- Bourrounet, B., Talou, T. & Gaset, A., 1995, Application of a multi-gas-sensor device in the meat industry for boar-taint detection, *Sensors Actuators B. Chem.*, 27, 1–3, 250–254.
- Chen, J., Zhang, M., Xu, B., Sun, J. & Mujumdar, A.S., 2020, Artificial intelligence assisted technologies for controlling the drying of fruits and vegetables using physical fields: A review, *Trends Food Sci. Technol.*, 105, May, 251–260.
- Chen, Q., Zhao, J., Chen, Z., Lin, H. & Zhao, D.A., 2011, Discrimination of green tea quality using the electronic nose technique and the human panel test, comparison of linear and nonlinear classification tools, *Sensors Actuators, B Chem.*, 159, 1, 294–300.
- Daphna Havkin-Frenkel, 2010, *Handbook of Vanilla Science and Technology*, Devos, O., Ruckebusch, C., Durand, A., Duponchel, L. & Huvenne, J.P., 2009, Support vector machines (SVM) in near infrared (NIR) spectroscopy: Focus on parameters optimization and model interpretation, *Chemom. Intell. Lab. Syst.*, 96, 1, 27–33.
- Ditjenbun Pertanian, 2013, *Statistik Perkebunan Indonesia 2012-2014. Tanaman Rempah dan Penyegar*,
- Gallage, N.J. & Møller, B.L., 2015, Vanillin-bioconversion and bioengineering of the most popular plant flavor and its de novo biosynthesis in the vanilla orchid, *Mol. Plant*, 8, 1, 40–57.
- Gardner, J.W., Shurmer, H. V. & Tan, T.T., 1992, Application of an electronic nose to the discrimination of coffees, *Sensors Actuators B. Chem.*, 6, 1–3, 71–75.
- van de Goor, R., van Hooren, M., Dingemans, A.M., Kremer, B. & Kross, K., 2018, Training and Validating a Portable Electronic Nose for Lung Cancer Screening, *J. Thorac. Oncol.*, 13, 5, 676–681.
- Hariom, B.N., Shyamala, M.P. & Bhat, K.K., 2006, Vanilla flavor evaluation by sensory and electronic nose techniques, *J. Sens. Stud.*, 21, 2, 228–239.
- Hastie, T., Tibshirani, R., James, G. & Witten, D., 2006, *An Introduction to Statistical Learning, Springer Texts*,
- Hidayat, S.N., 2015, *Aplikasi Sistem Larik Sensor Gas untuk Identifikasi Profil Aroma Tempe Selama Proses Fermentasi*. Universitas Gadjah Mada Yogyakarta.
- Hidayat, S.N., 2018, *User Guide TOR-C App*, Yogyakarta.
- Hidayat, S.N., Nuringtyas, T.R. & Triyana, K., 2018, Electronic Nose Coupled with Chemometrics for Monitoring of Tempeh Fermentation Process, *Proc. -*

- 2018 4th Int. Conf. Sci. Technol. ICST 2018, 0–5.
- Hidayat, S.N., Rusman, A., Julian, T., Triyana, K., Veloso, A.C.A. & Peres, A.M., 2019, Electronic nose coupled with linear and nonlinear supervised learning methods for rapid discriminating quality grades of superior java cocoa beans, *Int. J. Intell. Eng. Syst.*, 12, 6, 167–176.
- Hidayat, S.N., Triyana, K., Fauzan, I., Julian, T., Lelono, D., Yusuf, Y., Ngadiman, N., Veloso, A.C.A. & Peres, A.M., 2019, The electronic nose coupled with chemometric tools for discriminating the quality of black tea samples in situ, *Chemosensors*, 7, 3, .
- Jha, S.N., 2010, *Nondestructive evaluation of food quality: Theory and practice*, Jo, D., Kim, G.R., Yeo, S.H., Jeong, Y.J., Noh, B.S. & Kwon, J.H., 2013, Analysis of aroma compounds of commercial cider vinegars with different acidities using SPME/GC-MS, electronic nose, and sensory evaluation, *Food Sci. Biotechnol.*, 22, 6, 1559–1565.
- Kaur, B. & Chakraborty, D., 2013, Biotechnological and molecular approaches for vanillin production: A review, *Appl. Biochem. Biotechnol.*, 169, 4, 1353–1372.
- Kombo, K.O., Hidayat, S.N., Triyana, K., Julian, T. & Kusmaatmaja, A., 2019, Electronic Nose Coupled with Support Vector Machines for Rapid Discrimination of Black Tea According to the Quality Levels, *Proc. Int. Conf. Electr. Eng. Informatics*, 2019-July, 306–309.
- Loutfi, A., Coradeschi, S., Mani, G.K., Shankar, P. & Rayappan, J.B.B., 2015, Electronic noses for food quality: A review, *J. Food Eng.*, 144, 103–111.
- Majchrzak, T., Wojnowski, W., Dymerski, T., Gębicki, J. & Namieśnik, J., 2018, Electronic noses in classification and quality control of edible oils: A review, *Food Chem.*, 246, June 2017, 192–201.
- Nakamoto, T., Fukunishi, K. & Moriizumi, T., 1990, Identification capability of odor sensor using quartz-resonator array and neural-network pattern recognition, *Sensors Actuators B. Chem.*, 1, 1–6, 473–476.
- Ni.com, 2019, What Is Data Acquisition ?, 7–8.
- Pardo, M. & Sberveglieri, G., 2005, Classification of electronic nose data with support vector machines, *Sensors Actuators, B Chem.*, 107, 2, 730–737.
- Pedregosa, F., Grisel, O., Weiss, R., Passos, A., Brucher, M., Varoquax, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P. & Weiss, R., Dubourg, V. and Brucher, M., 2011, Scikit-learn: Machine Learning in Python, *J. Mach. Learn. Res.*, .
- Persaud, K. & Dodd, G., 1982, Analysis of discrimination mechanisms in the mammalian olfactory system using a model nose, *Nature*, 299, 5881, 352–355.
- Priefert, H., Rabenhorst, J. & Steinbüchel, A., 2001, Biotechnological production of vanillin, *Appl. Microbiol. Biotechnol.*, 56, 3–4, 296–314.
- Putra, J.W.G., 2019, Pengenalan Konsep Pembelajaran Mesin dan Deep Learning, *Comput. Linguist. Nat. Lang. Process. Lab.*, 4, 1–235.
- Rana, R., Mathur, a, Jain, C.K., Sharma, S.K. & Mathur, G., 2013, Microbial Production of Vanillin, *Int. J. Biotechnol. Bioeng. Res.*, 4, 3, 227–234.
- Singh, P., Khan, S., Pandey, S.S., Singh, M., Banerjee, S., Kitamura, Y. & Rahman, L. ur, 2015, Vanillin production in metabolically engineered *Beta vulgaris* hairy roots through heterologous expression of *Pseudomonas*

- fluorescens HCHL gene, *Ind. Crops Prod.*, 74, 839–848.
- Tesfaye, W., Morales, M.L., Benítez, B., García-Parrilla, M.C. & Troncoso, A.M., 2004, Evolution of wine vinegar composition during accelerated aging with oak chips, *Anal. Chim. Acta*, 513, 1, 239–245.
- Triyana, K., Taukhid Subekti, M., Aji, P., Nur Hidayat, S. & Rohman, A., 2015, Development of Electronic Nose with Low-Cost Dynamic Headspace for Classifying Vegetable Oils and Animal Fats, *Appl. Mech. Mater.*, 771, 50–54.
- Vladimir N. Vapnik, 1998, *Statistical Learning Theory*,
- Wojnowski, W., Majchrzak, T., Dymerski, T., Gębicki, J. & Namieśnik, J., 2017, Electronic noses: Powerful tools in meat quality assessment, *Meat Sci.*, 131, April, 119–131.
- Wulandari, S., 2021, Investment risk management for vanilla agribusiness development in Indonesia, *E3S Web Conf.*, 232, 1–9.
- Yan, J., Guo, X., Duan, S., Jia, P., Wang, L., Peng, C. & Zhang, S., 2015, Electronic Nose Feature Extraction Methods: A Review, *Sensors*, 15, 11, 27804–27831.
- Zhong, J. & Wang, X., 2019, *Evaluation Technologies for Food Quality*.