

## DAFTAR PUSTAKA

AOAC. (1995). *Official Methods of Analysis of The Associaton of Analytical Chemist.*

Washington D. C.

AOAC. (1996). *Official Methods of Analysis of The Associaton of Analytical Chemist.*

Washington D. C.

AOAC. (2005). *Official Methods of Analysis of The Associaton of Analytical Chemist.*

Washington D. C.

AOAC. (2012). *Official Methods of Analysis of The Associaton of Analytical Chemist.*

Washington D. C.

Badan Pusat Statistik. (2015). *Luas Panen, Produksi dan Produktivitas Jagung*

1993 – 2015. Diakses melalui <http://bps.go.id> pada 1 November 2021.

Cielecka-Piontek, J., Dziedziński, M., Szczepaniak, O., Kobus-Cisowska, J.,

Telichowska, A., & Szymanowska, D. (2020). Survival of commercial probiotic

strains and their effect on dark chocolate synbiotic snack with raspberry content

during the storage and after simulated digestion. *Electronic Journal of*

*Biotechnology*, 48, 62–71. <https://doi.org/10.1016/j.ejbt.2020.09.005>.

De Garmo, E., Sullivan, D.G., and Canada, J.R. (1984). *Engineering Economis*. New

York: Mc Millan Publishing Company.

De Man, M. J. (1999). *Principles of Food Chemistry. 3rd Edition*. Aspen Publishers.

Gaithersburg.

Dewettinck, K., Rombaut, R., Thienpont, N., Thien, L.T., Messens, K. And Van Camp,

J. (2008). Nutritional and technological aspect of milk fat globule membrane material. *International Dairy Journal*, 18, 436–457.

FAO/WHO. (2002). *Guidelines for the Evaluation of Probiotics in Food*. pp. 1–11.

FAOSTAT. (2009). *Statistical Data of Food Balance Sheet*. Diakses melalui [www.fao.org](http://www.fao.org) pada 1 November 2021.

Fatsecret Indonesia. (2021). *Penghitungan Kalori*. Diakses melalui <https://www.fatsecret.co.id/> pada 1 November 2021.

Hariyanto, B. (2010). *Peluang Usaha Industri Emping Jagung*. Jakarta: Bentara Cipta Farma.

Kahono, G. A. *et al.* (2019). Agriculture and Biotechnology Preferences and Factors Influencing the Purchase Intention of Healthy Snacks among Millennials in Jakarta. *ICoFAB2018 International Conference on Food*.

Kemsawasd, V., Chaikham, P., & Rattanasena, P. (2016). Survival of immobilized probiotics in chocolate during storage and with an in vitro gastrointestinal model. *Food Bioscience*, 16(September), 37–43.  
<https://doi.org/10.1016/j.fbio.2016.09.001>.

- Kusumawardani, H., Marsono, Y., Murdiati, A., Samsudin, M., Penelitian, B., Kesehatan, P., dan Indonesia, M. (2019). Potensi Tepung Pisang Uter (*Musa Acuminata*) Sebagai Pangan Fungsional Untuk Menurunkan Kolesterol. *Buletin Penelitian Kesehatan*, 47(4).  
<https://doi.org/10.22435/BPK.V47I4.1589>
- Markham, K.R. (1988). *Cara Mengidentifikasi Flavonoid, diterjemahkan oleh Kosasih Padmawinata*, 15. Bandung: Penerbit ITB.
- McKemie, R. J. (2008). *Functionality of sucralose/maltodextrin: isomalt blends in oatmeal and chocolate chip cookies*. University of Georgia.
- Meilgaard, M.C., Civille, D. V., and Carr, B. T. (2016). *Fifth Edition Sensory Evaluation Techniques*. New York: CRC Press.
- Mingioni, M., Mehinagic, E., Siucińska, K., Konopacka, D., Artigas, G., Symoneaux, R., dan Maitre, I. (2017). Sweet and sour discrimination abilities of elderly people compared to those of young adults in apple purée. *Food Quality and Preference*, 59, 59–67. <https://doi.org/10.1016/J.FOODQUAL.2017.02.007>.
- Mondelez. (2020). *2020 Global Consumer Trends Study by: Table of Contents*. Diakses melalui <https://www.mondelezinternational.com/stateofsnacking>, pp. 1–30 pada 1 November 2021.
- Mondelez. (2019). *2019 Global Consumer Snacking Trend Study by: Table Of Contents*. Diakses melalui

<https://Www.Mondelezinternational.Com/Stateofsnacking>, pp. 1–17 pada 1 November 2021.

Nadian, N., Azizi, M. H., Abbastabar Ahangar, H., dan Aarabi, A. (2021). Textural and sensory characteristics of sugar-free biscuit formulated with quinoa flour, isomalt, and maltodextrin. *Food Science and Nutrition*.  
<https://doi.org/10.1002/FSN3.2564/FORMAT/PDF>.

Nur Her Riyadi, I. P., Utami, R., Amalia, R., Teknologi Hasil Pertanian Fakultas Pertanian Universitas Sebelas Maret, J., dan Jurusan Teknologi Hasil Pertanian Fakultas, A. (2011). KAJIAN KARAKTERISTIK FISIKOKIMIA DAN SENSORI SNACKBARS DENGAN BAHAN DASAR TEPUNG TEMPE DAN BUAH NANGKA KERING SEBAGAI ALTERNATIF PANGAN CFGF (CASEIN FREE GLUTEN FREE). *Jurnal Teknologi Hasil Pertanian*, 4(1), 50–57. <https://doi.org/10.20961/JTHP.V0I0.13596>.

Pourmohammadi, K., Abedi, E., Hashemi, S. M. B., & Torri, L. (2018). Effects of sucrose, isomalt and maltodextrin on microstructural, thermal, pasting and textural properties of wheat and cassava starch gel. *International Journal of Biological Macromolecules*, 120, 1935–1943.  
<https://doi.org/10.1016/j.ijbiomac.2018.09.172>

Purnomo dan Heni Purnamawati. (2007). *Budidaya dan Jenis Tanaman Pangan Unggul*. Jakarta: Penebar Swadaya.

- Rahayu, Endang S., Cahyanto, M. N., Mariyatun, M., Sarwoko, M.-A., Haryono, P., dan Windiarti, L. (2016). Effects of consumption of fermented milk containing indigenous probiotic *lactobacillus plantarum dad-13* on the fecal microbiota of healthy indonesian volunteers. *International Journal of Probiotics dan Prebiotics*, 11(2), 91–98
- Rahayu, Endang S., Yogeswara, A., Mariyatun, Windiarti, L., Utami, T., dan Watanabe, K. (2016). Molecular characteristics of indigenous probiotic strains from Indonesia. *International Journal of Probiotics and Prebiotics*, 11(2), 109–116.
- Ramírez-Jiménez, A. K. *et al.* (2018). Functional properties and sensory value of snack bars added with common bean flour as a source of bioactive compounds. *LWT - Food Science and Technology*. 89(141), pp. 674–680. doi: 10.1016/j.lwt.2017.11.043.
- Raosoft, Inc. 2004. *Sample Size Calculator*. Diakses melalui <http://www.raosoft.com/samplesize.html> pada 1 November 2021.
- Sarno, I. P. A., Wulandari, Y., dan Nanik Suhartatik. (2018). Karakteristik *Snack Bars* dengan Variasi Suhu Pemanggangan dan Perbandingan Tepung Milet Kuning (*Panicum sp.*) dengan Tepung Pisang Raja Bandung (*Musa paradisiaca* L). *Jurnal Teknologi Pangan*. 12 (2). Hal. 47-53.

Sarifudin, A., Ekafitri, R., Diki Nanang Surahman, Siti Khudaifanny D. F. A. Putri.

(2015). Pengaruh Penambahan Telur pada Kandungan Proksimat, Karakteristik Aktivitas Air Bebas (aw) dan Tekstural *Snack Bar* Berbasis Pisang (*Musa paradisiaca*). *Agritech*. 35 (1). Hal. 1-8.

Sentko, A., dan Willibald-Ettle, I. (2007). Isomalt. *Sweeteners and Sugar Alternatives in Food Technology*, 177–204. <https://doi.org/10.1002/9780470996003.CH10>.

Sentko, A. and Willibald-ettle, I. (2012). *11 Isomalt*.

Sharif, M. K., Butt, M. S., Sharif, H. R., and Nasir, M. (2017). *Sensory Evaluation and Consumer Acceptability*. Chapter 14.

Shenoy, P., Viau, M., Tammel, K., Innings, F., Fitzpatrick, J., dan Ahrné, L. (2015). Effect of powder densities, particle size and shape on mixture quality of binary food powder mixtures. *Powder Technology*, 272, 165–172. <https://doi.org/10.1016/J.POWTEC.2014.11.023>.

Sudarmadji, S., Haryono dan Suhardi. (1997). *Prosedur Analisa Untuk Bahan Makanan dan Pertanian Edisi Keempat*. Yogyakarta: Liberty.

Sugih, A.K., Muljana, H. and Arbita, A.A., (2011). *Optimasi Kondisi Proses Pada Pembuatan Mentega Dari Bahan Baku Susu Lokal*.

Sousa, M. F., Guimaraes, R. M., Marcos de Oliveira Araujo, Keyla Rezende Barcelos. Nargella Silva Carneiro, Daniele Silva Lima, Daiane Costa Dos

Santos, Karla de Aleluia Batista, Katia Flavia Fernandes, Mayra Conceicao Peixoto Martins Lima, Mariana Buranelo Egea. (2019). Characterization of Corn (*Zea mays* L.) Bran as a New Food Ingredient for Snack Bars. *LWT Food Science and Technology*. 101 (-). Hal. 812-818.

Szczesniak. A.S. (1963). Classification of textural properties. *J. Food Sci.* 28: 386.

Szczesniak, A. S. (2002). Texture is a sensory property. *Food Quality and Preference*, 13(4), 215–225. [https://doi.org/10.1016/S0950-3293\(01\)00039-8](https://doi.org/10.1016/S0950-3293(01)00039-8).

Utami, *et al.* (2019). *Snackbar Berbahan Baku Bungkil Cokelat dan Bahan Lokal Serta Proses Pembuatannya*. Paten. Yogyakarta: Badan Penelitian dan Pengembangan Pertanian.

Wang, R., dan Hartel, R. W. (2021). Caramel stickiness: Effects of composition, rheology, and surface energy. *Journal of Food Engineering*, 289, 110246. <https://doi.org/10.1016/J.JFOODENG.2020.110246>

Wu, X., Onitake, H., Haraguchi, T., Tahara, Y., Yatabe, R., Yoshida, M., Uchida, T., Ikezaki, H., dan Toko, K. (2016). Quantitative prediction of bitterness masking effect of high-potency sweeteners using taste sensor. *Sensors and Actuators B: Chemical*, 235, 11–17. <https://doi.org/10.1016/J.SNB.2016.05.009>.

Ziesenitz, S. C. (1996). Basic structure and metabolism of isomalt. *Advances in Sweeteners*, 109–133. [https://doi.org/10.1007/978-1-4613-1229-1\\_6](https://doi.org/10.1007/978-1-4613-1229-1_6).