

## DAFTAR PUSTAKA

- Absor, M. A. U. (2015), Density-functional theory based calculation of spin-orbit interaction in ZnO, PhD thesis, Kanazawa University.
- Absor, M. A. U. dan Ishii, F. (2020), 'Large band splitting with tunable spin polarization in two-dimensional ferroelectric GaXY (X= Se, Te; Y= Cl, Br, I) family', 045119, 1–10.  
**URL:** <http://arxiv.org/abs/2010.06191>
- Affandi, Y. (2018), Pengaruh Medan Listrik Terhadap Spin Splitting Pada Sistem Wx<sub>2</sub> (x = S, Se, Te) Monolayer : Kajian Komputasional Berbasis Density Functional Theory Dan Analisis Menggunakan Teori Gangguan k.p, Tesis, Universitas Gadjah Mada.
- Anshory, M. dan Absor, M. A. U. (2020), 'Strain-controlled spin-splitting in the persistent spin helix state of two-dimensional SnSe monolayer', *Physica E: Low-Dimensional Systems and Nanostructures* 124(July), 114372.  
**URL:** <https://doi.org/10.1016/j.physe.2020.114372>
- Baibich, M. N., Broto, J. M., Fert, A., Van Dau, F. N., Petroff, F., Etienne, P., Creuzet, G., Friederich, A. dan Chazelas, J. (1988), 'Giant Magnetoresistance of (001)Fe/(001)Cr Magnetic Superlattices', *Phys. Rev. Lett.* 61(21), 2472–2475.  
**URL:** <https://link.aps.org/doi/10.1103/PhysRevLett.61.2472>
- Bertsch, G. F. dan Yabana, K. (2002), DENSITY FUNCTIONAL THEORY, in 'Annu. Rev. Phys. Chem.', Vol. 7, pp. 1–47.  
**URL:** [http://www.worldscientific.com/doi/abs/10.1142/9789812777072\\_0001](http://www.worldscientific.com/doi/abs/10.1142/9789812777072_0001)
- Binasch, G., Grünberg, P., Saurenbach, F. dan Zinn, W. (1989), 'Enhanced magnetoresistance in layered magnetic structures with antiferromagnetic interlayer exchange', *Phys. Rev. B* 39(7), 4828–4830.  
**URL:** <https://link.aps.org/doi/10.1103/PhysRevB.39.4828>
- Birch, F. (1947), 'Finite elastic strain of cubic crystals', *Physical Review* 71(11), 809–824.

- Bonell, F., Goto, M., Sauthier, G., Sierra, J., Isabel, A., Costache, M., Miwa, S., Suzuki, Y. dan Valenzuela, S. O. (2020), 'Control of spin-orbit torques by interface engineering in topological insulator heterostructures'.
- Born, M. dan Oppenheimer, R. (1927), 'ur Quantentheorie der Molekeln', *Annalen Der physik* .
- Chambers, S. A. (2002), *A Potential Role in Spintronics*, number April.
- Choi, W. Y., Kim, H.-j., Chang, J., Han, S. H., About, A., Ben, H., Saidaoui, M., Lee, K.-j. dan Koo, H. C. (2018), 'Ferromagnet-Free All-Electric Spin Hall Transistors'.
- Datta, S. dan Das, B. (2016), 'Electronic analog of the electro-optic modulator', *Appl. Phys. Lett.* 665(1990), 10–13.
- Drasar, C., Ruleova, P., Benes, L. dan Lostak, P. (2012), 'Preparation and transport properties of Bi<sub>2</sub>O<sub>2</sub>Se single crystals', *Journal of Electronic Materials* 41(9), 2317–2321.
- Dresselhaus, G. (1955), 'Spin-Orbit Coupling Effects in Zinc Blende Structures', *Phys. Rev.* 100(2), 580–586.  
**URL:** <https://link.aps.org/doi/10.1103/PhysRev.100.580>
- Fabian, J., Matos-Abiague, A., Ertler, C., Stano, P. dan Žutić, I. (2007), 'Semiconductor spintronics', *Acta Phys. Slovaca. Rev. Tutorials* 57(4-5).
- Galeriu, C. (2005), *kp Theory of Semiconductor Nanostructures*, Technical report, Worcester Polytechnic Institute.
- Ghosh, T., Samanta, M., Vasdev, A., Dolui, K., Ghatak, J., Das, T., Sheet, G. dan Biswas, K. (2019), 'Ultrathin Free-Standing Nanosheets of Bi<sub>2</sub>O<sub>2</sub>Se: Room Temperature Ferroelectricity in Self-Assembled Charged Layered Heterostructure', *Nano Letters* 19(8), 5703–5709.
- Hohenberg, P. dan Kohn, W. (1964), 'Inhomogeneous Electron Gas', *Phys. Rev.* 136(4), 391–402.
- Huang, Y., Yartsev, A., Guan, S., Zhu, L., Zhao, Q., Yao, Z., He, C., Zhang, L., Bai, J., Luo, J. W. dan Xu, X. (2020), 'Hidden spin polarization in the centrosymmetric MoS<sub>2</sub> crystal revealed via elliptically polarized terahertz emission', *Physical Review B* 102(8), 1–6.

Ishizaka, K., Bahramy, M. S., Murakawa, H., Sakano, M., Shimojima, T., Sonobe, T., Koizumi, K., Shin, S., Miyahara, H., Kimura, A., Miyamoto, K., Okuda, T., Namatame, H., Taniguchi, M., Arita, R., Nagaosa, N., Kobayashi, K., Murakami, Y., Kumai, R., Kaneko, Y., Onose, Y. dan Tokura, Y. (2011), 'Giant Rashba-type spin splitting in bulk BiTeI', *Nature Materials* 10(7), 521–526.

URL: <https://doi.org/10.1038/nmat3051>

Kaminow, I. (2004), 'Principles and applications of ferroelectrics and related materials'.

King, P. D. C., Hatch, R. C., Bianchi, M., Ovsyannikov, R., Lupulescu, C., Landolt, G., Slomski, B., Dil, J. H., Guan, D., Mi, J. L., Rienks, E. D. L., Fink, J., Lindblad, A., Svensson, S., Bao, S., Balakrishnan, G., Iversen, B. B., Osterwalder, J., Eberhardt, W., Baumberger, F. dan Hofmann, P. (2011), 'Large Tunable Rashba Spin Splitting of a Two-Dimensional Electron Gas in Bi<sub>2</sub>Se<sub>3</sub>', *Physical Review Letters* 107(9), 096802.

URL: <https://link.aps.org/doi/10.1103/PhysRevLett.107.096802>

Kohn, W. dan Sham, L. (1965), 'Self-Consistent Equations Including Exchange and Correlation Effects', *Phys. Rev.* 140(5), 289–295.

Kotaka, H., Ishii, F. dan Saito, M. (2013), 'Rashba Effect on the Structure of the Bi One-Bilayer Film: Fully Relativistic First-Principles Calculation', *Jpn. J. Appl. Phys.* 52(3R), 35204.

LaShell, S., McDougall, B. A. dan Jensen, E. (1996), 'Spin Splitting of an Au(111) Surface State Band Observed with Angle Resolved Photoelectron Spectroscopy', *Phys. Rev. Lett.* 77(16), 3419–3422.

URL: <https://link.aps.org/doi/10.1103/PhysRevLett.77.3419>

Liu, Q., Zhang, X., Jin, H., Lam, K., Im, J., Freeman, A. J. dan Zunger, A. (2015), 'Search and design of nonmagnetic centrosymmetric layered crystals with large local spin polarization', *Physical Review B - Condensed Matter and Materials Physics* 91(23), 1–11.

Luo, J.-w., Bester, G. dan Zunger, A. (2009), 'Full-Zone Spin Splitting for Electrons and Holes in Bulk GaAs and GaSb', *Phys. Rev. Lett.* 056405(February), 1–4.

- Ma, X., Chang, D., Zhao, C., Li, R., Huang, X. X., Zeng, Z., Huang, X. X. dan Jia, Y. (2018), 'Geometric structures and electronic properties of the Bi<sub>2</sub>X<sub>2</sub>Y (X, y = O, S, Se, and Te) ternary compound family: A systematic DFT study', *Journal of Materials Chemistry C* 6(48), 13241–13249.
- Marin, E. G., Marian, D., Iannaccone, G. dan Fiori, G. (2018), 'Tunnel-Field-Effect Spin Filter from Two-Dimensional Antiferromagnetic Stanene', *Physical Review Applied* 10(1), 1.  
**URL:** <https://doi.org/10.1103/PhysRevApplied.10.044063>
- Martin, R. M. (2004), *Electronic Structure : Basic Theory and Practical Methods*, Cambridge University Press.
- Novoselov, K., Geim, A., Morozov, S., Jiang, D., Zhang, Y., Dubonos, S., Grigorieva, V. dan Firsov, A. (2004), 'Electric Field Effect in Atomically Thin Carbon Films', *Scientific Reports* 306(5696), 666–669.
- Ozaki, T. (2003), 'Variationally optimized atomic orbitals for large-scale electronic structures', *Phys. Rev. B* 67(15), 155108.  
**URL:** <https://link.aps.org/doi/10.1103/PhysRevB.67.155108>
- Ozaki, T. dan Kino, H. (2004), 'Numerical atomic basis orbitals from H to Kr', *Phys. Rev. B* 69(19), 195113.
- Perdew, J. P., Burke, K. dan Ernzerhof, M. (1996), 'Generalized gradient approximation made simple', *Phys. Rev. Lett.* 77(18), 3865–3868.
- Pereira, A. L. J., Santamaría-Pérez, D., Ruiz-Fuertes, J., Manjón, F. J., Cuenca-Gotor, V. P., Vilaplana, R., Gomis, O., Popescu, C., Munoz, A., Rodríguez-Hernández, P., Segura, A., Gracia, L., Beltrán, A., Ruleova, P., Drasar, C. dan Sans, J. A. (2018), 'Experimental and Theoretical Study of Bi<sub>2</sub>O<sub>2</sub>Se under Compression', *J. Phys. Chem. C* 122(16), 8853–8867.
- Shalf, J. M. dan Leland, R. (2015), 'Computing beyond Moore's Law', *Computer (Long. Beach. Calif.)* 48(12), 14–23.  
**URL:** <http://ieeexplore.ieee.org/document/7368023/>
- Tao, L. L. dan Tsymbal, E. Y. (2018), 'Persistent spin texture enforced by symmetry', *Nat. Commun.* 9(1), 2763.  
**URL:** <http://www.nature.com/articles/s41467-018-05137-0>

- Tu, J., Chen, X. B., Ruan, X. Z., Zhao, Y. F., Xu, H. F., Chen, Z. D., Zhang, X. Q., Zhang, X. W., Wu, J., He, L., Zhang, Y., Zhang, R. dan Xu, Y. B. (2020), 'Direct observation of hidden spin polarization in 2H-MoT e<sup>2</sup>', *Physical Review B* 101(3), 1–7.
- Vajna, S., Simon, E., Szilva, A., Palotas, K., Ujfalussy, B. dan Szunyogh, L. (2012), 'Higher-order contributions to the Rashba-Bychkov effect with application to the Bi/Ag(111) surface alloy', *Phys. Rev. B - Condens. Matter Mater. Phys.* 85(7), 1–7.
- Varykhalov, A., Marchenko, D., Scholz, M. R., Rienks, E. D. L., Kim, T. K., Bihlmayer, G., Sánchez-Barriga, J. dan Rader, O. (2012), 'Ir(111) Surface State with Giant Rashba Splitting Persists under Graphene in Air', *Physical Review Letters* 108(6), 066804.  
**URL:** <https://link.aps.org/doi/10.1103/PhysRevLett.108.066804>
- Walser, M. (2013), 'Spin-orbit interaction and the persistent spin helix in two-dimensional electron gases', *PhD Thesis* (21303), 1–139.
- Wu, J., Tan, C., Tan, Z., Liu, Y., Yin, J., Dang, W., Wang, M. dan Peng, H. (2017), 'Controlled Synthesis of High-Mobility Atomically Thin Bismuth Oxyselenide Crystals', *Nano Lett.* 17(5), 3021–3026.
- Wu, M. dan Zeng, X. C. (2017), 'Bismuth Oxychalcogenides: A New Class of Ferroelectric/Ferroelastic Materials with Ultra High Mobility', *Nano Letters* 17(10), 6309–6314.
- Zhang, C. dan Du, A. (2018), 'Predicting the strain-mediated topological phase transition in 3D cubic ThTaN<sub>3</sub>', *Beilstein J. Nanotechnol.* 9, 1399–1404.  
**URL:** <https://www.beilstein-journals.org/bjnano/articles/9/132>
- Zhang, X., Liu, Q., Luo, J. W., Freeman, A. J. dan Zunger, A. (2014), 'Hidden spin polarization in inversion-symmetric bulk crystals', *Nature Physics* 10(5), 387–393.
- Zhang, Y., Zhao, W., Klein, J.-O., Kang, W., Querlioz, D., Zhang, Y., Ravelosona, D. dan Chappert, C. (2014), Spintronics for low-power computing, in 'Des. Autom. Test Eur. Conf. Exhib. (DATE), 2014', IEEE Conference Publications, New Jersey, pp. 1–5.