

DAFTAR PUSTAKA

- Abadin, H., Ashizawa, A., Sevens, Y., Lladós, F., Diamond, G., Sage, G., dkk., 2007, *Toxicological profile for lead*, Agency for Toxic Substances and Disease Registry, Atlanta.
- Abadin, H., Taylor, J., Buser, M., Scinicariello, F., Przbyla, J., dan Klotzbach, J.M., dkk., 2020, *Toxicological profile for lead*, Agency for Toxic Substances and Disease Registry, Atlanta.
- Adie, G.U., Oyebade, E.O., dan Atanda, B.M., 2020, Preliminary study of heavy metals in low-cost jewelry items available in nigerian markets, *J. Health Pollut.*, 10, 201-202.
- Akbas, H.Z., Aydin, Z., Karahan, I.H., Dilsizoglu, T., dan Turgut, S., 2016, *Process control using FT-IR analysis of BaTiO₃ from ultrasonically activated BaCO₃ and TiO₂*, Proceedings of 17th Research World International Conference, Riyadh.
- Alguacil, F.J., Alcaraz, L., García-Díaz, I., dan López, F.A., 2018, Removal of Pb²⁺ in wastewater via adsorption onto an activated carbon produced from winemaking Waste, *Metals*, 8, 1-15.
- Anami, W.R., Maslahat, M., dan Arrisujaya, D., 2020, Presipitasi logam berat limbah cair laboratorium menggunakan natrium sulfida dari belerang alam, *Jurnal Sains Natural*, 2, 61-70.
- Ang, T.P., Law, J.Y., dan Han, Y., 2010, Preparation Characterization of sulfur-doped nanonized TiO₂ and photocatalytic degradation of methylene blue under visible light, *Catal. Lett.*, 139, 77-84.
- Astuti, W., dan Kurniawan, B., 2015, Adsorpsi Pb²⁺ dalam limbah cair artifisial menggunakan sistem adsorpsi kolom dengan bahan isian abu layang batubara serbuk dan granular, *Jurnal Bahan Alam Terbarukan*, 4, 27-33.
- Bergeson, L.L., 2008, The Proposed Lead NAAQS : Is consideration of cost in the clean air act's future?, *Environ. Qual. Manag.*, 18, 79-84.
- Bidaye, P.P., Khushalani, D., dan Fernandes, J.B., 2009, A simple method for synthesis of S-Doped TiO₂ of high photocatalytic activity, *Catal. Lett.*, 134, 169-174.
- Birben, N.C., Uyguner-Demirel, C.S., Sen-Kavurmaci, S., Gurkan, Y.Y., Turkten, N., Kihc, M., Cinar, Z., Bekbolet, M., 2016, Photocatalytic performance of anion doped TiO₂ on the degradation of complex organic matrix, *J. Adv. Oxi. Technol.*, 19, 199-207.
- Boningari, T., Inturi, S.N.R., Suidan, M., dan Panagiotis, S.G., 2018, Novel one-step synthesis of sulfur doped-TiO₂ by flame spray pyrolysis for visible light photocatalytic degradation of acetaldehyde, *Chem. Eng. J.*, 339, 249-258.
- Chainarong, S., Sikong, L., Pavasupree, S., dan Niyomwas, S., 2011, Synthesis and characterization of nitrogen-doped TiO₂ nanomaterials for photocatalytic activities under visible light, *Energy Procedia*, 9, 418-427.

- Chen, X., dan Mao, S.S., 2007, Titanium dioxide nanomaterials: Synthesis, properties, modifications and applications, *Chem. Rev.*, 107, 2891-2959.
- Cotolan, N., Pop, A., Marconi, D., Ponta, O., dan Muresan, L.M., 2015, Corrosion behavior of TiO₂-coated Ti-6Al-7Nb surfaces obtained by anodic oxidation in sulfuric or acetic acid, *Mater. Corros.*, 66, 635-641
- Crisan, M., Braileanu, A., Raileanu, M., Zaharescu, M., Crisan, D., dkk., 2008, Sol-gel S-doped TiO₂ materials for environment protection, *J. Non-Cryst. Solids*, 354, 705-711.
- Cui, X., Xu, W., Xie, Z., Dorman, J.A., Gutierrez-Wing, M.T., Wang, Y., 2013, Effect of dopant concentration on visible light driven photocatalytic activity of Sn_{1-x}Ag_xS₂, *Dalton T.*, 1039, 1-10.
- Devi, L.G., dan Kavitha, R., 2014, Enhanced photocatalytic activity of sulfur doped TiO₂ for the decomposition of phenol : A new insight into the bulk and surface modification, *Mater. Chem. Phys.*, 143, 1300-1308.
- Farghali, A.A., Bahgat, M., Enaiet, A., dan Khedr, M.H., 2013, Adsorption of Pb(II) ions from aqueous solutions using copper oxide nanostructures, *Beni-Suef University Journal of Basic and Applied Sciences*, 2, 61-71.
- Fauriani, R., Aritonang, A.B., dan Harlia, 2019, Sintesis dan karakterisasi TiO₂/Ti terdoping Fe(III) menggunakan metode anodisasi in-situ, *J. Kimia Khatulistiwa*, 8, 73-81.
- Giurlani, W., Zangari, G., Gambinossi, F., Passaponti, M., Salvietti, E., Benedetto, F., dkk., 2018, Electroplating for decorative applications : recent trends in research and development, *Coatings*, 8, 1-25.
- Govindaraj, R., Pandian, M.S., Ramasamy, P., dan Mukhopadhyay, S., 2015, Sol-gel Synthesized mesoporous anatase titanium dioxide nanoparticles for dye sensitized solar cell (DSSC) applications, *B. Mater. Sci.*, 38, 291-296.
- Grivé, M., Domènech, C., Montoya, V., García, D., dan Duro, L., 2010, Determination and assessment of concentration limits to be used in SR-Can, Supplement to TR-06-32, *R-10-5*, 32.
- Haque, F.Z., Nandanwar, R., dan Singh, P., 2017, Evaluating photodegradation properties of anatase and rutile TiO₂ nanoparticles for organic compounds, *Optik*, 128, 191-200.
- Huang, F., Yan, A., dan Zhao, H., 2016, *Semiconductor Photocatalysis - Materials, Mechanisms and Applications*, University of Science and Technology, Beijing, 31-80.
- Kalantari, K., Kalbasi, M., Sohrabi, M., dan Royaei, S.J., 2016, Synthesis and characterization of N-doped TiO₂ nanoparticles and their application in photocatalytic oxidation of dibenzothiophene under visible light, *Ceram. Int.*, 42, 14834-14842.
- Kamyshny, A., 2009, Solubility of cyclooctasulfur in pure water and sea water at different temperatures, *Geochim. Cosmochim. Ac.*, 73, 6022-6028.

- Khodaparast, P., dan Ounaies, Z., 2014, Influence of dispersion states on the performance of polymer-based nanocomposites, *Smart Mater. Struct.*, 23, 1-13.
- Li, W., Liang, R., Hu, A., Huang, Z., dan Zhou, N., 2014, Generation of oxygen vacancies in visible light activated one-dimensional iodine TiO₂, *Rsc Advances*, 4, 36959.
- Lin, Y., Hsueh, H., Chang, C., dan Chu, H., 2016, The visible light-driven photodegradation of dimethyl sulfide on S-doped TiO₂: Characterization, kinetics, and reaction pathways, *Appl. Catal. B-Environ.*, 199, 1-10.
- Makula, P., Pacia, M., dan Macyk, W., 2018, How to correctly determine the band gap energy of modified semiconductor photocatalysts based on UV-Vis spectra, *Journal of Physical Chemistry Letters*, 9, 23, 6814-6817.
- Matos, J., García, A., Zhao, L., dan Titirici, M.M., 2010, Solvothermal carbon-doped TiO₂ photocatalyst for the enhanced methylene blue degradation under visible light, *Appl. Catal. A-Gen.*, 390, 175-182.
- Mikuriya, M., Taniguchi, K., Koyama, Y., Watanabe, H., Yoshioka, D., Mitsuhashi, R., dan Asato, E., 2020, Crystal structure of S₈ molecule from thiourea, *X-ray Structure Analysis Online*, 36, 1-2.
- Munir, S., Shah, S.M., Hussain, H., dan Khan, R.A., 2016, Effect of carrier concentration on the optical band gap of TiO₂ nanoparticles, *Mater. Design*, 92, 64-72.
- Murrini, L., Leyva, G., dan Litter, M.I., 2007, Photocatalytic removal of Pb(II) over TiO₂ and Pt-TiO₂ powders, *Catal. Today*, 129, 127-135.
- Nasirian, M., Lin, Y.P., Bustillo-Lecompte, C.F., dan Mehrvar, M., 2017, Enhancement of photocatalytic activity of titanium dioxide using non-metal doping methods under visible light : a review, *Int. J. Environ. Sci. Te.*, 15, 2009-2032.
- Nishikiori, H., Hayashibe, M., dan Fujii, T., 2013, Visible light-photocatalytic activity of sulfate-doped titanium dioxide prepared by the sol-gel method, *Catalysts*, 3, 363-377.
- Norris, D.J., Elfros, A.L., dan Erwin, S.C., 2008, Doped nanocrystals, *Science*, 319, 1776-1779.
- Pal, M., Pal, U., Jiménez, J.M.G.Y., dan Pérez-Rodríguez, F., 2012, Effect of crystallization and dopant concentration on the emission behavior of TiO₂ : Eu nanophosphors, *Nanoscale Res. Lett.*, 7, 1-12.
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., dkk, 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B-Environ.*, 125, 331-349.
- Piatkowska, A., Janus, M., Szymanski, K., dan Mozia, S., 2021, C-, N-, and S-Doped TiO₂ photocatalyst: A review, *Catalyst*, 11, 144.
- Pjevac, P., Kamysny, A., Dyksma, S., dan Musmann, M., 2014, Microbial consumption of zero-valence sulfur in marine benthic habitats, *Environ. Microbiol.*, 16, 3416-3430.

- Räisänen, J., 2005, Sulfur, *Encyclopedia of analytical science (second edition)*, Wayne State University, Detroit.
- Ramacharyulu, P.V.R.K., Kumar, J.P., Prasad, G.K., dan Sreedhar, B., 2014, Sulphur doped nano TiO₂ : Synthesis, characterization and photocatalytic degradation of a toxic chemical in presence of sunlight, *Mater. Chem. Phys.*, 148, 692-698.
- Ren, Y., Shui, H., Peng, C., Liu, H., dan Hu, Y., 2011, Solubility of elemental sulfur in pure organic solvents and organic solvent-ionic liquid mixtures from 293,15 to 353,15 K, *Fluid Phase Equilibr.*, 312, 31-36.
- Sujatha, G., Shanthakumar, S., dan Chiampo, F., 20020, UV light-irradiated photocatalytic degradation of coffee processing wastewater using TiO₂ as a catalyst, *Environments*, 7, 1-13.
- Sumada, K., 2006, Kajian instalasi pengolahan air limbah industry elektroplating yang efisien, *J. Teknik Kimia*, 1, 26-35.
- Suryani, A., Nirmala, K., dan Djokosetyanto, D., 2018, Akumulasi logam berat (timbal dan tembaga) pada air, sedimen dan ikan bandeng di pertambakan ikan bandeng dukuh tapak, *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*, 8, 271-278.
- Tian, H., Ma, J., Li, K., dan Li, J., 2009, Hydrothermal synthesis of s-doped TiO₂ nanoparticles and their photocatalytic ability for degradation of methyl orange, *Ceram. Int.*, 3, 1289-1292.
- Umebayashi, T., Yamaki, T., Itoh, H., dan Asai, K., 2002, Band gap narrowing of titanium dioxide by sulfur doping, *Appl. Phys. Lett.*, 81, 454-456.
- Wahyuni, E.T., Aprilita, N.H., Hatimah, H., Wulandari, A.M., dan Mudasir, M., 2015, Removal of toxic metal ions in water by photocatalytic method, *American Chemical Science Journal*, 5, 194-201.
- Wahyuni, E.T., Siswanta, D., Kunarti, E.S., Supraba, D., dan Budiraharjo, S., 2019, Removal of Pb(II) ions in the aqueous solution by photo-fenton method, *Global Nest Journal*, 2, 180-186.
- Wahyuni, E.T., Rahmaniati, T., Hafidzah, A.R., Suherman, dan Suratman, A., 2021, Photocatalysis over N-doped TiO₂ driven by visible light for Pb(II) removal from aqueous media, *Catalysts*, 8, 945.
- Wani, A., Ara, A., dan Usmani, J.A., 2015, Lead toxicity : a review, *Interdiscip. Toxicol.*, 8, 55-64.
- Yang, G., Yan, Z., Xiao, T., dan Yang, B., 2013, Low-temperature synthesis of alkalis doped TiO₂ photocatalysts and their photocatalytic performance for degradation of methyl orange, *J. Alloy. Compd.*, 580, 15-22.
- Yang, K., Dai, Y., dan Huang, B., 2007, Understanding photocatalytic activity of S- and P-Doped TiO₂ under visible light from first-principles, *J. Phys. Chem.*, 111, 18985-18994.
- Yu, J.C., Ho, W., Yu, J., Hoyin, Y., Wong, P.K., dan Zhao, J., 2005, Efficient visible-light-induced photocatalytic disinfection on sulfur-doped nanocrystalline titania, *Environ. Sci. Technol.*, 39, 1175-1179.

- Yu, J., Liu, S., Xiu, Z., Yu, W., dan Feng, G., 2009, Synthesis of sulfur-doped TiO₂ by solvothermal method and its visible-light photocatalytic activity, *J. Alloy. Compd.*, 471, 123-125.
- Zheng, R., Guo, Y., Jin, C., Xie, J., Zhu, Y., dan Xie, Y., 2010, Novel thermally stable phosphorus-doped TiO₂ photocatalyst synthesized by hydrolisis of TiCl₄, *J. Mol. Catal. A Chem.*, 319, 46-51.
- Zhu, M., Zhai, C., Qiu, L., Lu, C., Paton, A.S., Du, Y., dan Goh, M.C., 2015, New method to synthesize s-doped TiO₂ with stable and highly efficient photocatalytic performance under indoor sunlight irradiation, *ACS Sustainable Chemical & Engineering*, 3, 3123-3129.