

DAFTAR PUSTAKA

- Ahmed T.A., 2015, *Basic pharmacokinetic Concepts and Some Clinical Applications*, Open access peer-reviewed Edited Volume, Intechopen.
- Aliawati G., 2003, Teknik Analisis Kadar Amilosa Dalam Beras, *Buletin Teknik Pertanian Vol.*, 8 (3), 82–84.
- Arif A. Bin, Budiyanto A. and Hoerudin, 2013, Glicemic Index of Foods and Its Affecting Factors, *J. Litbang Pert*, 32 (2)
- Bae I.Y., An J.S., Oh I.K. and Lee H.G., 2017, Optimized preparation of anthocyanin-rich extract from black rice and its effects on in vitro digestibility, *Food Science and Biotechnology*, 26 (5), 1415–1422.
- Baer-Dubowska W., Szafer H. and Krajka-Kuzniak V., 1998, Inhibition of murine hepatic cytochrome P450 activities by natural and synthetic phenolic compounds., *Xenobiotica*, 28, 735–743.
- Basheer L. and Kerem Z., 2015, Interactions between CYP3A4 and Dietary Polyphenols, *Oxidative Medicine and Cellular Longevity*, 2015
- Basit A. and Fawwad A., 2012, Glimepiride : evidence-based facts , trends , and observations, *Vascular Health and Risk Management*, 8, 463–472.
- Berry I.R. and Nash R.A., 1993, *Pharmaceutical Process Validation*, Marcel Dekker, Inc. USA.
- Bösenberg L.H. and Van Zyl D.G., 2008, The mechanism of action of oral antidiabetic drugs: A review of recent literature, *Journal of Endocrinology, Metabolism and Diabetes of South Africa*, 13 (3), 80–89.
- Budipitojo T., Ariana, Pangestinarsih T.W., Wijayanto H., Kusindarta D.L. and Musana D.K., 2017, Studi Distribusi Glucose Transpoter 4 pada Otot Skelet Ayam Kedu Cemani, *Jurnal Sain Veteriner*, 35 (2), 254–259.
- Canga A.G., Martínez N.F., Prieto A.M.S., Vieitez J.J.G., Liébana M.J.D., Láiz R.D. and Vega M.S., 2010, Dietary fiber and its interaction with drugs, *Nutricion Hospitalaria*, 25 (5), 535–539.
- Cascorbi I., 2012, Drug Interactions—Principles, Examples and Clinical Consequences, *Deutsches Arzteblatt International*, 109 (33–34), 546–556.
- Chahal H., 2013, Comparative Safety and Efficacy of Glibenclamide in the Elderly, Dalam *Insulin and other medicines used for diabetes Comparative*, 19th Expert Committee on the Selection and Use of Essential Medicines, pp. 1–32.
- Choi M.J., Kim H.Y. and Cho E.J., 2012, Anti-aging Effect of Black Rice Against

H₂O₂-induced Premature Senescence, *Journal of Medicinal Plants Research*, 6 (20), 3672–3680.

Choi M.K., Park S.J., Eom S.H. and Kang M.H., 2013, Anti-diabetic and Hypolipidemic Effects of Purple-fleshed potato in Streptozotocin-induced Diabetic Rats, *Food Science and Biotechnology*, 22 (5), 1415–1420.

Coppack S., Lant A., McIntosh C. and Rodgers A., 1990, Pharmacokinetic and pharmacodynamic studies of glibenclamide in non- insulin dependent diabetes mellitus., *British Journal of Clinical Pharmacology*, 29 (6), 673–684.

Czech A., Piątkiewicz P. and Tatoń J., 2009, Cellular glucose transport and glucotransporter 4 expression as a therapeutic target: Clinical and experimental studies, *Archivum Immunologiae et Therapiae Experimentalis*, 57 (6), 467–473.

Darajat A., Sakinah E.. and Hairrudin H., 2019, Efek kandungan serat beras analog terhadap ekspresi GLUT4 otot rangka tikus diabetes, *Jurnal Gizi Klinik Indonesia*, 16 (1), 14.

Davidson M.D., Ballinger K.R. and Khetani S.R., 2016, Long-term exposure to abnormal glucose levels alters drug metabolism pathways and insulin sensitivity in primary human hepatocytes, *Scientific Reports*, 6 (May), 1–11.

Dep Kes RI, 1985, *Cara Pembuatan Simplisia*, Departemen Kesehatan Republik Indonesia, Jakarta.

Dep Kes RI, 2020, *Farmakope Indonesia edisi VI*, Kementrian Kesehatan republik Indonesia, Jakarta.

Dep Kes RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Direktorat Pengawasan Obat Tradisional. Direktorat Jenderal Pengawasan Obat dan Makanan. Departemen Kesehatan RI, Jakarta.

Dep Kes RI, 2005, *Pharmaceutical care untuk penyakit diabetes mellitus*, Direktorat Bina Farmasi Komunitas Dan Klinik Direktorat Jenderal Bina Kefarmasian Dan Alat Kesehatan Departemen Kesehatan, Jakarta.

Derosa G., 2005, Rice Bran And Its Main Components : Potential Role In The Management Of Coronary Risk Factors, *Current Topics in Nutraceutical Research*, 3 (1), 29–46.

Devarajan S., Chatterjee B., Urata H., Zhang B., Ali A., Singh R. and Ganapathy S., 2016, A Blend of Sesame and Rice Bran Oils Lowers Hyperglycemia and Improves the Lipids, *American Journal of Medicine*, 129 (7), 731–739.

Devi R.R. and Arumughan C., 2007, Phytochemical characterization of defatted rice bran and optimization of a process for their extraction and enrichment,

Bioresource Technology, 98 (16), 3037–3043.

Dheer R. and Bhatnagar P., 2010, A study of the antidiabetic activity of *Barleria prionitis* Linn, *Indian J Pharmacol*, 42 (2), 70–73.

Dostalek M., Court M.H., Yan B. and Akhlaghi F., 2011, Significantly reduced cytochrome P450 3A4 expression and activity in liver from humans with diabetes mellitus, *British Journal of Pharmacology*, 163 (5), 937–947.

Dreiseitel A., Schreier P., Oehme A., Locher S., Hajak G. and Sand P.G., 2008, Anthocyanins and their metabolites are weak inhibitors of cytochrome P450 3A4, *Molecular Nutrition and Food Research*, 52 (12), 1428–1433.

Du H., Wu J., Ji K.X., Zeng Q.Y., Bhuiya M.W., Su S., Shu Q.Y., Ren H.X., Liu Z.A. and Wang L.S., 2015, Methylation mediated by an anthocyanin, O-methyltransferase, is involved in purple flower coloration in *Paeonia*, *Journal of Experimental Botany*, 66 (21), 6563–6577.

Engbersen R., Masereeuw R., Van Gestel M.A., Van Der Logt E.M.J., Smits P. and Russel F.G.M., 2005, Glibenclamide depletes ATP in renal proximal tubular cells by interfering with mitochondrial metabolism, *British Journal of Pharmacology*, 145 (8), 1069–1075.

Etuk E.U., 2010, Animals Models for Studying Diabetes Mellitus, *Agriculture and Biology Journal of North America*, 1 (2), 130–134.

Fathurrizqiah R. and Panunggal B., 2015, Kandungan Pati Resistensi, Amilosa, Dan Amilopektin Snack Bar Sorgum Sebagai Alternatif Makanan Selingan Bagi Penderita Diabetes Mellitus Tipe 2, *Journal of Nutrition College*, 4 (2), 562–569.

FDA, 2018, Bioanalytical Method Validation Guidance for Industry, Dalam *Bioanalytical Method Validation*, U.S. Department of Health and Human Services, Food and Drug Administration, pp. 1–25.

Feldman J.M., 1985, Glyburide: A Second-generation Sulfonylurea Hypoglycemic Agent. History, Chemistry, Metabolism, Pharmacokinetics, Clinical Use and Adverse Effects, *Pharmacotherapy*, 5 (2), 43–62.

De Ferrars R.M., Czank C., Zhang Q., Botting N.P., Kroon P.A., Cassidy A. and Kay C.D., 2014, The pharmacokinetics of anthocyanins and their metabolites in humans, *British Journal of Pharmacology*, 171 (13), 3268–3282.

Forbes-Hernández T.Y., Gasparini M., Afrin S., Cianciosi D., González-Paramás A.M., Santos-Buelga C., Mezzetti B., Quiles J.L., Battino M., Giampieri F. and Bompadre S., 2017, Strawberry (cv. Romina) methanolic extract and anthocyanin-enriched fraction improve lipid profile and antioxidant status in HepG2 cells, *International Journal of Molecular Sciences*, 18 (6)

- Forbes J.M. and Cooper M.E., 2013, Mechanisms of Diabetic Complications, *Physiological Reviews*, 93 (1), 137–188.
- Fornasaro S., Ziber L., Gasperotti M., Tramer F., Vrhovšek U., Mattivi F. and Passamonti S., 2016, Determination of cyanidin 3-glucoside in rat brain, liver and kidneys by UPLC / MS-MS and its application to a short-term pharmacokinetic study, *Scientific Report*, 6 (22815), 1–11.
- Francis F. and Markakis P., 1989, Food Colorants: Anthocyanins, *Critical Reviews in Food Science and Nutrition*, 28 (4), 273–313.
- Galuska D., Nolte L.A., Zierath J.R. and Hospital K., 1994, Effect of metformin on insulin-stimulated glucose transport in isolated skeletal muscle obtained from patients with NIDDM, *Diabetologia*, 37, 826–832.
- Galvano F., La Fauci L., Lazzarino G., Fogliano V., Ritieni A., Ciappellano S., Battistini N.C., Tavazzi B. and Galvano G., 2004, Cyanidins: Metabolism and biological properties, *Journal of Nutritional Biochemistry*, 15 (1), 2–11.
- Ghasemzadeh A., Baghdadi A., Jaafar H.Z.E., Swamy M.K. and Megat Wahab P.E., 2018, Optimization of flavonoid extraction from red and brown rice bran and evaluation of the antioxidant properties, *Molecules*, 23 (8)
- Ghasemzadeh A., Karbalaii M.T., Jaafar H.Z.E. and Rahmat A., 2018, Phytochemical constituents, antioxidant activity, and antiproliferative properties of black, red, and brown rice bran, *Chemistry Central Journal*, 12 (1), 1–13.
- Gibaldi M. and Perrier D., 2012, *Pharmacokinetics Second Edition*, Informa healthcare, New York.
- Van Giersbergen P.L.M., Treiber A., Clozel M., Bodin F. and Dingemanse J., 2002, In vivo and in vitro studies exploring the pharmacokinetic interaction between bosentan, a dual endothelin receptor antagonist, and glyburide, *Clinical Pharmacology and Therapeutics*, 71 (4), 253–262.
- Golstein P.E., Boom A., van Geffel J., Jacobs P., Masereel B. and Beauwens R., 1999, P-glycoprotein Inhibition by Glibenclamide and Related Compounds, *Eur J Physiol*, 437, 652–660.
- Graciano M., Valle M., Kowluru A., Curi R. and Carpinelli A., 2011, Regulation of insulin secretion and production of reactive oxygen species by free fatty acids in pancreatic islets, *Islets*, 3 (5), 213–223.
- Guo H., Ling W., Wang Q., Liu C., Hu Y., Xia M., Feng X. and Xia X., 2007, Effect of anthocyanin-rich extract from black rice (*Oryza sativa* L. indica) on hyperlipidemia and insulin resistance in fructose-fed rats, *Plant Foods for Human Nutrition*, 62 (1), 1–6.

- Hakim L., 2010, *Farmakokinetik*, Bursa Ilmu, Yogyakarta.
- Handayani W., Rudijanto A. and Indra M.R., 2009, Soybean Milk Reduces Insulin Resistant in Rattus norvegicus of Type 2 Model Diabetes Mellitus, *Jurnal Kedokteran Brawijaya*, XXV (2), 60–66.
- Harmita K., Harahap Y. and Supandi, 2019, *Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)*, ISFI Penerbitan, Jakarta.
- Hassimotto N.M.A., Genovese M.I. and Lajolo F.M., 2008, Absorption and metabolism of cyanidin-3-glucoside and cyanidin-3-rutinoside extracted from wild mulberry (*Morus nigra* L.) in rats, *Nutrition Research*, 28 (3), 198–207.
- Haupt A., Kausch C., Dahl D., Bachmann O., Stumvoll M., Haring H. and Matthaei S., 2002, Effect of Glimepiride on Insulin-Stimulated Glycogen Synthesis in Cultured Human Skeletal Muscle Cells: A comparison to glibenclamide AXEL, *Diabetes Care*, 25 (12), 2129–2132.
- He A., Liu X., Liu L., Chang Y. and Fang F., 2007, How many signals impinge on GLUT4 activation by insulin?, *Cellular Signalling*, 19, 1–7.
- Hemamalini V., Prakash M.. and Sivaramakrishnan S., 2012, Evaluation of the In Vitro Antioxidant, Anti-Enteropathogenic and Anticancer Efficacy of Natural and Synthetic Hydroxychavicol, *Int.J.Med Res*, 1 (5), 250–254.
- Henry R.R., Wallace P. and Olefsky J.M., 1986, Effects of weight loss on mechanisms of hyperglycemia in obese non-insulin-dependent diabetes mellitus, *Diabetes*, 35 (9), 990–998.
- Hou Z., Qin P. and Ren G., 2010, Effect of anthocyanin-rich extract from black rice (*Oryza sativa* L. Japonica) on chronically alcohol-induced liver damage in rats, *Journal of Agricultural and Food Chemistry*, 58 (5), 3191–3196.
- Hu C., Zawistowski J., Ling W. and Kitts D., 2003, Black Rice (*Oryza sativa* L . indica) Pigmented Fraction Suppresses both Reactive Oxygen Species and Nitric Oxide in Chemical and Biological Model Systems Black Rice (*Oryza sativa* L . indica) Pigmented Fraction Suppresses both Reactive Oxygen Species a, *J. Agric. Food Chem.*, 51, 5271–5277.
- Huang S. and Czech M.P., 2007, Review The GLUT4 Glucose Transporter, *Cell Metabolism*, 5 (April), 237–252.
- ICH, 2005, Validation Of Analytical Procedures : Text And Methodology, Dalam *ICH Harmonised Tripartite Guideline*, International Conference On Harmonisation Of Technical Requirements For Registration Of Pharmaceuticals For Human Use, pp. 1–13.
- Ichikawa H., Ichiyanagi T., Xu B., Yoshii Y., Nakajima M. and Konishi T., 2001,

- Antioxidant activity of anthocyanin extract from purple black rice, *J Med Food*, 4, 211–218.
- Inaguma T., Han J. and Isoda H., 2011, Improvement of insulin resistance by Cyanidin 3-glucoside, anthocyanin from black beans through the up-regulation of GLUT4 gene expression., *BMC proceedings*, 5 (Suppl 8), 21.
- Jang H.H., Park M., Kim H.W., Lee Y.M., Hwang K.A., Park J.H., Park D.S. and Kwon O., 2012, Black Rice (*Oryza sativa* L.) Extract Attenuates Hepatic Steatosis In C57BL/6 J Mice Fed A High-Fat Diet Via Fatty Acid Oxidation, *Nutr. Metab*, 9, 27.
- Jayaprakasam B., Vareed S., Olson K. and Nair M., 2005, Insulin secretion by bioactive anthocyanins and anthocyanidins present in fruits, *Journal of Agricultural and Food Chemistry*, 53, 28–31.
- Jia Y., Wu C., Kim Y.S., Yang S.O., Kim Y., Kim J.S., Jeong M.Y., Lee J.H., Kim B., Lee S., Oh H.S., Kim J., So M.Y., Yoon Y.E., Thach T.T., Park T.H. and Lee S.J., 2020, A dietary anthocyanin cyanidin-3-O-glucoside binds to PPARs to regulate glucose metabolism and insulin sensitivity in mice, *Communications Biology*, 3 (1), 2–11.
- Jiang X., Guo H., Shen T., Tang X., Yang Y. and Ling W., 2015, Cyanidin-3- O - β -glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation, *Journal of Agricultural and Food Chemistry*, 63 (27), 6221–6230.
- Juniarka I.G.A., Lukitaningsih E. and Noegrohati S., 2011, Analisis Aktivitas Antioksidan dan Kandungan Antosianin Total Ekstrak dan Liposom Kelompok Bunga Rosella (*Hibiscus Sabdariffa* L.), *Majalah Obat Tradisional*, 16 (3), 115–123.
- Kabir M., Rizkalla S.W., Champ M., Luo J., Boillot, J., Bruzzo F. and Slama G., 1998, Dietary Amylose-Amylopectin Starch Content Affects Glucose and Lipid Metabolism in Adipocytes of Normal and Diabetic Rats, *The Journal of Nutrition*, 128 (1), 35–43.
- Kaemmerer D., Peter L., Lupp A., Schulz S., Sanger J., Baum R.P., Prasad V. and Hommann M., 2012, Comparing of IRS and Her2 as immunohistochemical scoring schemes in gastroenteropancreatic neuroendocrine tumors, *International Journal of Clinical and Experimental Pathology*, 5 (3), 187–194.
- Kaku K., Inoue Y. and Kaneko T., 1995, Extrapankreatic effects of sulfonylurea drugs, *Diabetes Research and Clinical Practice*, Volume 28, S105–S108.
- Kallen A., 2008, *Computational Pharmacokinetics*, CRC PRESS, Washington.
- Kampmann U., Christensen B., Nielsen T.S., Pedersen S.B., orskov L., Lund S.,

- Møller N. and Jessen N., 2011, GLUT4 and UBC9 protein expression is reduced in muscle from type 2 diabetic patients with severe insulin resistance, *PLoS ONE*, 6 (11), 1–7.
- Karnieli E. and Armoni M., 2008, Transcriptional regulation of the insulin-responsive glucose transporter GLUT4 gene: From physiology to pathology, *American Journal of Physiology - Endocrinology and Metabolism*, 295 (1), 38–45.
- Kashiwagi A., 2001, Complications of Diabetes Mellitus and Oxidative Stress, *Journal of the Japan Medical Association*, 44 (12), 521–528.
- Katzung B.G., 2002, Farmakologi Dasar dan Klinik diterjemahkan oleh Bagian Farmakologi Fakultas Kedokteran Universitas Airlangga, Dalam Penerbit Salemba Medika, Jakarta.
- Kaunang H.C.P. and Wangko S., 2013, GLUT4 Jaringan Adiposa Fungsi Dan Disfungsi, *Jurnal Biomedik (Jbm)*, 2 (3), 140–147.
- Kikuzaki H., Hisamoto M., Hirose K., Akiyama K. and Taniguchi H., 2002, Antioxidant Properties of Ferulic Acid and Its Related Compounds, *Journal of Agricultural and Food Chemistry*, 50 (7), 2161–2168.
- Kong J.M., Chia L.S., Goh N.K., Chia T.F. and Brouillard R., 2003, Analysis and biological activities of anthocyanins, *Phytochemistry*, 64 (5), 923–933.
- Korytkowski M., 2004, Sulfonylurea treatment of type 2 diabetes mellitus: focus on glimepiride., *Pharmacotherapy*, 4, 606–20.
- Kumar N. and Murali R.D., 2020, Black Rice: A Novel Ingredient in Food Processing, *J Nutr Food Sci*, 10 (2), 771.
- Lee J., Rennaker C. and Wrolstad R., 2008, Correlation of two anthocyanin quantification methods: HPLC and spectrophotometric methods, *Food Chem.*, 110(3), 782–786.
- Lee Y.H., Lee B.W., Chun S.W., Cha B.S. and Lee H.C., 2011, Predictive characteristics of patients achieving glycaemic control with insulin after sulfonylurea failure, *International Journal of Clinical Practice*, 65 (10), 1076–1084.
- Lee Y.M., Yoon Y., Yoon H., Park H.M., Song S. and Yeum K.J., 2017, Dietary anthocyanins against obesity and inflammation, *Nutrients*, 9 (10), 1–15.
- Les F., Cásedas G., Gómez C., Moliner C., Valero M.S. and López V., 2020, The role of anthocyanins as antidiabetic agents: from molecular mechanisms to in vivo and human studies, *Journal of Physiology and Biochemistry*, 77 (1), 109–131.

- Li Y., Wei Y., Zhang F., Wang D. and Wu X., 2012, Changes in the pharmacokinetics of glibenclamide in rats with streptozotocin-induced diabetes mellitus, *Acta Pharmaceutica Sinica B*, 2 (2), 198–204.
- Lilja J.J., Niemi M., Fredrikson H. and Neuvonen P.J., 2007, Effects of clarithromycin and grapefruit juice on the pharmacokinetics of glibenclamide, *British Journal of Clinical Pharmacology*, 63 (6), 732–740.
- Lucchesi A.N., Cassettari L.L. and Spadella C.T., 2015, Alloxan-induced diabetes causes morphological and ultrastructural changes in rat liver that resemble the natural history of chronic fatty liver disease in humans, *Journal of Diabetes Research*, 2015
- Luna-Vital D., Weiss M. and Gonzalez de Mejia E., 2017, Anthocyanins from Purple Corn Ameliorated Tumor Necrosis Factor- α -Induced Inflammation and Insulin Resistance in 3T3-L1 Adipocytes via Activation of Insulin Signaling and Enhanced GLUT4 Translocation, *Molecular Nutrition and Food Research*, 61 (12)
- Luna-Vital D.A. and De Mejia E.G., 2018, Anthocyanins from purple corn activate free fatty acid-receptor 1 and glucokinase enhancing in vitro insulin secretion and hepatic glucose uptake, *PLoS ONE*, 13 (7), 1–20.
- Marangoni F. and Poli A., 2010, Phytosterols and cardiovascular health., *Pharmacological research*, 61 (3), 193–9.
- Marchetti P., Gianerelli R., Carlo A. and Navalesi R., 1991, Pharmacokinetic optimization of oral Hypoglykemic Therapy., *Clin. Pharmacokinet*, 21, 308–317.
- Marczylo T.H., Cooke D., Brown K., Steward W.P. and Gescher A.J., 2009, Pharmacokinetics and metabolism of the putative cancer chemopreventive agent cyanidin-3-glucoside in mice, *Cancer Chemotherapy and Pharmacology*, 64 (6), 1261–1268.
- Maritim A.C., Sanders R.A. and Atkins J.B., 2003, Diabetes, oxidative stress, and antioxidants: a review, *J Biochem Mol Toxicol.*, 17(1), 24–38.
- Markakis P., 1982, *Anthocyanins as Food Colors*, Academic Press, New York.
- Miller J. and Miller J., 1991, *Statistika untuk Kimia Analitik edisi 2*, Penerbit ITB, Bandung.
- Mirian C., Oliveira D., Suzuki-Kemmelmeier F. and Bracht A., 2006, The action of glibenclamide on glycogen catabolism and related parameters in the isolated perfused rat liver, *Res Commun Mol Pathol Pharmacol*, 119(1–6), 115–26.
- Moongngarm A., Daomukda N. and Khumpika S., 2012, Chemical Compositions,

Phytochemicals, and Antioxidant Capacity of Rice Bran, Rice Bran Layer, and Rice Germ, *APCBEE Procedia*, 2, 73–79.

Moulana R. and Rohaya S., 2012, Efektivitas Penggunaan Jenis Pelarut Dan Asam Dalam Proses Ekstraksi Pigmen Antosianin Kelopak Bunga Rosella (*Hibiscus Sabdariffa* L), *Jurusan Teknologi Hasil Pertanian, Fakultas Pertanian, Universitas Syiah Kuala, Darussalam, Banda Aceh*, (3), 20–25.

Moure A., Dourado F., Sineiro J., Gama F.M. and Domínguez H., 2004, Physicochemical, functional and structural characterization of fibre from defatted *Rosa rubiginosa* and *Gevuina avellana* seeds, *Journal of the Science of Food and Agriculture*, 84 (14), 1951–1959.

Mulinacci N. and Innocenti M., 1996, Anthocyanins and betalains, Dalam *Natural Food Colorants*, Springer Science Business Media Dordrecht, pp. 757–775.

Naraharisetti S.B., Kirby B.J., Hebert M.F., Easterling T.R. and Unadkat J.D., 2007, Validation of a sensitive LC-MS assay for quantification of glyburide and its metabolite 4-transhydroxy glyburide in plasma and urine: an OPRU Network study, *J Chromatogr B Analyt Technol Biomed Life Sci.*, 860 (1), 34–41.

Naresh G., Jaiswal N., Sukanya P., Srivastava A.K., Tamrakar A.K. and Narender T., 2012, Glucose uptake stimulatory effect of 4-hydroxypipericolic acid by increased GLUT 4 translocation in skeletal muscle cells, *Bioorganic and Medicinal Chemistry Letters*, 22 (17), 5648–5651.

Naritomi Y., Terashita S. and Kagayama A.X., 2004, Identification and relative contributions of human cytochrome P450 isoforms involved in the metabolism of glibenclamide and lansoprazole: evaluation of an approach based on the in vitro substrate disappearance rate, *Xenobiotica*, 34, 415–428.

Nasri H. and Rafieian-Kopaei M., 2015, Diabetes mellitus and renal failure: Prevention and management, *Journal of Research in Medical Sciences*, 20 (11), 1112–1120.

Nassour R., Ayash A. and Al-tameemi K., 2020, Anthocyanin pigments : Structure and biological importance Anthocyanin pigments : Structure and biological importance, *Journal of Chemical and Pharmaceutical Sciences*, 13 (4), 45–57.

Naushad M. and Khan M.R., 2014, *Ultra performance liquid chromatography mass spectrometry: Evaluation and applications in food analysis*, CRC Press Taylor&Francis Group, New York.

Niemi M., Cascorbi I., Timm R., Kroemer H.K., Neuvonen P.J. and Kivistö K.T., 2002, Glyburide and glimepiride pharmacokinetics in subjects with different CYP2C9 genotypes, *Clinical Pharmacology and Therapeutics*, 72 (3), 326–332.

- Niessen W.M., 1995, *Liquid chromatography-mass spectrometry Third Edition*, Taylor and Francis Group, New York.
- Nohara S., Iwase M., Imoto H., Sasaki N., Nakamura U., Uchizono Y., Abe S., Doi Y. and Iida M., 2006, Gastric emptying in patients with Type 2 diabetes mellitus and diabetes associated with mitochondrial DNA 3243 mutation using ¹³C-octanoic acid breath test, *Journal of Diabetes and Its Complication*, 20 (5), 295–301.
- Notari R.E., 1980, *Biopharmaceutics and clinical pharmacokinetics an introduction. 3rd ed*, Marcel Dekker, Inc, New York.
- Nugroho A.E., 2006, Animal Models of Diabetes Mellitus: Pathology and Mechanism of Some Diabetogenics, *Biodiversitas, Journal of Biological Diversity*, 7 (4), 378–382.
- Nugroho A.E., 2012, *Farmakologi Obat-Obat Penting dalam Pembelajaran Ilmu Farmasi dan Dunia Kesehatan*, Pustaka Pelajar, Yogyakarta.
- Nyenwe E.A., Jerkins T.W., Umpierrez G.E. and Kitabchi A.E., 2011, Management of type 2 diabetes: evolving strategies for the treatment of patients with type 2 diabetes, *Metabolism*, 60 (1), 1–23.
- Olivas-Aguirre F.J., Rodrigo-García J., Martínez-Ruiz N. del R., Cárdenas-Robles A.I., Mendoza-Díaz S.O., Álvarez-Parrilla E., González-Aguilar G.A., Rosa L.A. de la, Ramos-Jiménez A. and Wall-Medrano A., 2016, Cyanidin-3-O-glucoside: Physical-Chemistry, Foodomics and Health Effects, *Molecules*, 21 (9), 1–30.
- Paget G., 1970, *Methods in Toxicology*, Blackwell Scientific Publications Oxford and Edinburg, England.
- Palleria C., Di Paolo A., Giofrè C., Caglioti C., Leuzzi G., Siniscalchi A., De Sarro G. and Gallelli L., 2013, Pharmacokinetic drug-drug interaction and their implication in clinical management, *Journal of Research in Medical Sciences*, 18 (7), 600–609.
- Patel S., 2012, Cereal bran: the next super food with significant antioxidant and anticancer potential, *Mediterranean Journal of Nutrition and Metabolism*, 5 (2), 91–104.
- Pedro A.C., Granato D. and Rosso N.D., 2016, Extraction of anthocyanins and polyphenols from black rice (*Oryza sativa* L.) by modeling and assessing their reversibility and stability, *Food Chemistry*, 191, 12–20.
- Pengkumsri N., Chaivasut C., Saenjum C., Sirilun S., Peerajan S., Suwannalert P., Sirisattha S. and Sivamaruthi B.S., 2015, Physicochemical and antioxidative properties of black, brown and red rice varieties of northern Thailand, *Food*

Science and Technology, 35 (2), 331–338.

PERKENI, 2006, *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*,

PERKENI, 2015, *Konsensus Pengelolaan dan Pencegahan Diabetes melitus tipe2 di Indonesia*, PB. PERKENI.

Pervaiz T., Songtao J., Faghihi F., Haider M.S. and Fang J., 2017, Naturally Occurring Anthocyanin, Structure, Functions and Biosynthetic Pathway in Fruit Plants, *Journal of Plant Biochemistry & Physiology*, 05 (02)

Pessin J.E., Thurmond D.C., Elmendorf J.S. and Coker K.J., 1999, Molecular Basis of Insulin- stimulated GLUT4 Vesicle, *The Journal of biological chemistry*, 274 (5), 2593–2596.

Peungvicha P., Thirawarapan S.S. and Watanabe H., 1998, Possible Mechanism of Hypoglycemic Effect of 4-Hydroxybenzoic Acid, a Constituent of Pandanus odoratus Root, *The Japanese Journal of Pharmacology*, 78 (3), 395–398.

Priska M., Peni N., Carvallo L. and Ngapa Y.D., 2018, Antosianin dan Pemanfaatannya, *Cakra Kimia Indonesia*, 6 (2), 79–97.

Pulido N., Romero R., Suárez A.I., Rodrib Guez E., Casanova B. and Rovira A., 1996, Sulfonylureas Stimulate Glucose Uptake through GLUT4 Transporter Translocation in Rat Skeletal Muscle, *Biochem Biophys Res Commun*, 228 (2), 499–504.

Rai A., Eapen C. and Prasanth V.G., 2012, Interaction of Herbs and Glibenclamide: A Review, *ISRN Pharmacology*, 2012, 1–5.

Rambiritch V., Naidoo P. and Pillai G., 2016, Glibenclamide population pharmacokinetic/ pharmacodynamic modeling in South African type 2 diabetic subjects, *Clinical Pharmacology: Advances and Applications*, 8, 141–153.

Ravindran S., 2013, Differences and Similarities in the Metabolism of Glyburide for Various Species: An Analysis by LC-DAD-Q-TRAP-MS/MS, *Journal of Analytical & Bioanalytical Techniques*, 04 (03)

Rescigno A., 2004, *Foundation of Pharmacokinetics*, Kluwer Academic Publishers, New York.

Riddle M., 2000, Combining Sulfonylureas and Other Oral Agents, *American Journal of Medicine*, 108 (6 SUPPL. 1), 15–22.

Riddle M.C., 2018, Standards of Medical Care in Diabetes, *Diabetes Care*, 14 (SUPPL.), 11–16.

- Rose A.J. and Richter E.A., 2005, Skeletal muscle glucose uptake during exercise: How is it regulated?, *Physiology*, (4), 260–270.
- Rózańska D. and Regulska-Ilow B., 2018, The significance of anthocyanins in the prevention and treatment of type 2 diabetes, *Advances in Clinical and Experimental Medicine*, 27 (1), 135–142.
- Rózańska D. and Regulska-Ilow B., 2018, The significance of anthocyanins in the prevention and treatment of type 2 diabetes, *adv Clin Exp Med*, 27 (1), 135–142.
- Sakunthala D.P.R., Gopala R., Rao G.S., Satish, K C.S. V and Boobalan G., 2015, Pharmacokinetic interaction of curcumin and glibenclamide in diabetic rats, *Veterinary World*, 8 (4), 508–511.
- Sand P.G., Dreiseitel A., Stang M., Schreier P., Oehme A., Locher S. and Goeran Hajak, 2010, Cytochrome P450 2C19 Inhibitory Activity of Common Berry Constituents, *Phytotherapy Research*, 24, 304–307.
- Sari D., Rimbun, Yuliawati T., Susanto J., Gunawan A. and Harjanto J., 2014, GLUT 4 in Adipose Tissue, *Indonesian Journal Of Clinical Pathology And Medical Laboratory*, 21 (3), 75–81.
- Schena F.P. and Gesualdo L., 2005, Pathogenetic mechanisms of diabetic nephropathy, *Journal of the American Society of Nephrology*, 16 (3 SUPPL. 1), 30–33.
- Schmeltz L. and Metzger B., 2007, Diabetes/Syndrome X, Dalam *Comprehensive Medicinal Chemistry II Volume 6: Therapeutic Areas I: Central Nervous System, Pain, Metabolic Syndrome, Urology, Gastrointestinal and Cardiovascular*, pp. 433–436.
- Shargel L. and Yu A.B., 2016, *Applied Biopharmaceutics and Pharmacokinetics seventh Edition*, McGraw-Hill Education Pvt. Ltd., New York.
- Sharma N., Sim Y.B., Park S.H., Lim S.M., Kim S.S., Jung J.S., Hong J.S. and Suh H.W., 2015, Effect of Sulfonylureas administered centrally on the blood glucose level in immobilization stress model, *Korean Journal of Physiology and Pharmacology*, 19 (3), 197–202.
- Sharp P. and Jason V., 2001, *The Laboratory rat*, CRC Press, California.
- Sima A.A.F. and Shafrir E., 2005, *Animal Models of Diabetes: A Primer*, Harwood Academic publisher, Amsterdam.
- Singh R.P., Khanna R.K., Mathur A. and Srivastava R., 2000, Isolation of oryzanol concentrate from rice bran oil, *J. Oil Technol. Assoc. India*, 32, 55–58.

- Sipahli S., Mohanlall V. and Mellem J.J., 2017, Stability and Degradation Kinetics of Crude Anthocyanin Extracts from *H. sabdariffa*, *Food Science and Technology*, 37 (2), 209–215.
- Sivamaruthi B., Kesika P. and Chaiyasut C., 2018, A comprehensive review on anti-diabetic property of rice bran, *Asian Pacific Journal of Tropical Biomedicine*, 7 (1), 79–84.
- Skillman T. and Feldman J., 1982, The pharmacology of Sulfonylureas, *The American Journal of Medicine*, 70, 361–372.
- Skillman T.G. and Feldman J.M., 1981, The pharmacology of sulfonylureas, *The American Journal of Medicine*, 70 (2), 361–372.
- Sola D., Rossi L., Schianca G.P.C., Maffioli P., Bigliocca M., Mella R., Corliano F., Paolo Fra G., Bartoli E. and Derosa G., 2015, Sulfonylureas and their use in clinical practice, *Archives of Medical Science*, 11 (4), 840–848.
- Solverson P., 2020, Anthocyanin Bioactivity in Obesity and Diabetes: and Periphery, *cells*, 9, 1–21.
- Sompong R., Siebenhandl-Ehn S., Linsberger-Martin G. and Berghofer E., 2011, Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka, *Food Chemistry*, 124 (1), 132–140.
- Srovnalova A., Svecarova M., Kopečna Zapletalova M., Anzenbacher P., Bachleda P., Anzenbacherova E. and Dvorak Z., 2014, Effects of anthocyanidins and anthocyanins on the expression and catalytic activities of CYP2A6, CYP2B6, CYP2C9, and CYP3A4 in primary human hepatocytes and human liver microsomes, *Journal of Agricultural and Food Chemistry*, 62 (3), 789–797.
- Sukmadjaja A., Lucy S. and Muhammad Q., 2006, Pengembangan Aplikasi Komputer Pengolah Data Konsentrasi Obat Dalam Plasma Untuk Studi Pemodelan Parameter Farmakokinetik, *Pharmaceutical Sciences and Research*, 3 (3)
- Suwannakul N., Punvittayagul C., Jarukamjorn K. and Wongpoomchai R., 2015, Purple rice bran extract attenuates the aflatoxin B1-induced initiation stage of hepatocarcinogenesis by alteration of xenobiotic metabolizing enzymes, *Asian Pacific Journal of Cancer Prevention*, 16 (8), 3371–3376.
- Suwarno A.B., Surono and Harahap Z., 1982, Hubungan Antara Kadar Amilosa Beras dengan Rasa Nasi., *Penelitian Pertanian*, 2(1), 33–35.
- Suzery M., Lestari S. and Cahyono B., 2010, Penentuan Total Antosianin Dari Kelopak Bunga Rosela (*Hibiscus sabdariffa* L.) dengan Metode Maserasi dan Sokhletasi, *Jurnal Sains & Matematika*, 18 (1), 1–6.

- Syafii H., Padauleng N., Nurhidayati and Ekawanti A., 2019, Ekspresi GLUT4 pada Neuron Hipokampus Rattus novvergicus Diabetik yang Diinjeksi Streptozotocin dan Nicotinamide, *Jurnal Kedokteran Brawijaya*, 30 (3), 197–201.
- Szkudelski T., Kandulska K. and Okulicz M., 1998, Alloxan in vivo Doesnt only Exert Deleterious Effect on Pancreas B Cells, *Physiol.Res*, 47, 343–346.
- Tananuwong K. and Tewaruth W., 2010, Extraction and application of antioxidants from black glutinous rice, *LWT - Food Science and Technology*, 43 (3), 476–481.
- Tantipai boonwong P., Pintha K., Chaiwangyen W., Chewonarin T., Pangjit K., Chumphukam O., Kangwan N. and Suttajit M., 2017, Anti-hyperglycaemic and anti-hyperlipidaemic effects of black and red rice in streptozotocin-induced diabetic rats, *ScienceAsia*, 43 (5), 281–288.
- Terayama Y., Kodama Y., Matsuura T. and Ozaki K., 2017, Acute alloxan renal toxicity in the rat initially causes degeneration of thick ascending limbs of Henle, *Journal of Toxicologic Pathology*, 30 (1), 7–13.
- Thao N., Thoa D.T., Thang L., Xi1 T.T., Mai D. and Tram N.T.N., 2015, Effect of Ethanol on the Anthocyanin Extraction from the Purple Rice of Vietnam, *Journal of Food and Nutrition Sciences*, 3 (1), 45.
- Thorens B., 2006, A Toggle for Type 2 Diabetes?, *New England Journal of Medicine*, 354 (15), 1636–1638.
- Tirkkonen T., Heikkilä P., Huupponen R. and Laine K., 2010, Potential CYP2C9-mediated drug-drug interactions in hospitalized type 2 diabetes mellitus patients treated with the sulphonylureas glibenclamide, glimepiride or glipizide: Original Article, *Journal of Internal Medicine*, 268 (4), 359–366.
- Tornio A., Niemi M., Neuvonen P.J. and Backman J.T., 2012, Drug interactions with oral antidiabetic agents: Pharmacokinetic mechanisms and clinical implications, *Trends in Pharmacological Sciences*, 33 (6), 312–322.
- Tsuda T., Shiga K., Ohshima K., Kawakishi S. and Osawa T., 1996, Inhibition of Lipid Peroxidation and the Active Oxygen Radical Scavenging Effect of Anthocyanin Pigments Isolated from Phaseoks vulgaris L ., *Biochemical Pharmacology*, 52 (February), 1033–1039.
- Tsuda T., Horio F. and Osawa T., 1999, Absorption and Metabolism of Cyanidin 3-O-beta-D-Glucoside in Rats, *FEBS Letters*, 449, 179–182.
- Tuck M.K., Chan D.W., Chia D., Godwin A.K., Grizzle W.E., Krueger K.E., Rom W., Sanda M., Sorbara L., Stass S. and Brenner D.E., 2010, Standard Operating Procedures for Serum and Plasma Collection: Early Detection

Research Network Consensus Statement Standard Operating Procedure Integration Working Group, *J Proteome Res*, 8 (1), 113–117.

Turner R.C., Cull C.A., Frighi V. and Holman R., 1999, Glycemic Control With Diet, Sulfonylurea, Metformin, or Insulin in Patients With Type 2 Diabetes Mellitus, *Jama*, 281 (21), 2005.

Vaidyanathan K., 2016, Textbook of Biochemistry for Medical Students, *Textbook of Biochemistry for Medical Students*, (January)

Vrzal R., 2016, Anthocyanidins but not anthocyanins inhibit P-glycoprotein-mediated calcein extrusion - possible implication for orally administered drugs, *Fundamental and Clinical Pharmacology*, 30 (3), 248–252.

Wahyuni A.S., Munawaroh R. and Da'i M., 2016, Antidiabetic mechanism of ethanol extract of black rice bran on diabetic rats, *National Journal of Physiology, Pharmacy and Pharmacology*, 6 (2), 106–110.

Weng J.R., Chen C.Y., Pinzone J.J., Ringel M.D. and Chen C.S., 2006, Beyond peroxisome proliferator-activated receptor γ signaling: The multi-facets of the antitumor effect of thiazolidinediones, *Endocrine-Related Cancer*, 13 (2), 401–413.

Wilcox G., 2005, Insulin and insulin resistance: Review article, *Clin Biochem*, 26 (1), 19–39.

Wild S., Roglic G., Green A., Sicree R. and King H., 2004, Global Prevalence of Diabetes Estimates for the year 2000 and projections for 2030, *Diabetes Care*, 27 (5), 1047–1053.

Yafang S., Gan Z. and Jinsong B., 2011, Total phenolic content and antioxidant capacity of rice grains with extremely small size, , 6 (10), 2289–2293.

Yosmar R., Almasdy D. and Rahma F., 2018, Survei Risiko Penyakit Diabetes Melitus Terhadap Masyarakat Kota Padang, *Jurnal Sains Farmasi & Klinis*, 5 (2), 134.

Yu L., Tsao R. and Shahidi F., 2020, *Cereals and Pulses*, John Wiley & Sons, Ltd., Publication Func, Newfoundland.

Zhang M., Zhang R., Zhang F. and Liu R., 2010, Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties, *J Agric Food Chem*, 58, 7580–7587.

Zhou L., Naraharisetti S., Liu L., Wang H., Lin Y., Isoherranen N., Unadkat J., Hebert M.F. and Mao Q., 2011, Contributions of human cytochrome P450 enzymes to glyburide metabolism, *Biopharm Drug Dispos*, 31 (4), 228–242.

Zhou L., Naraharisetti S.B., Liu L., Wang H., Lin Y.S., Isoherranen N., Unadkat J.D., Hebert M.F. and Mao Q., 2010, Contributions of Human Cytochrome P450 Enzymes to Glyburide Metabolism, *Biopharmaceutics & drug disposition*, 31, 228–242.

Zorzano A., Palacín M. and Gumà A., 2005, Mechanisms regulating GLUT4 glucose transporter expression and glucose transport in skeletal muscle, *Acta Physiologica Scandinavica*, 183 (1), 43–58.