



DAFTAR PUSTAKA

- Adamson, A.W. and Gast, A.P., 1997, *Physical Chemistry of Surface*, 6th ed., John Wiley & Sons Inc, New Jersey.
- Agustina, F. and Alfiah, T., 2019, Perbandingan kemampuan *Sargassum sp.* dan alginat sebagai adsorben logam Cu dengan variasi pH,. In, *Seminar Nasional Sains dan Teknologi Terapan VII.*, Surabaya.
- Anonim, 2011, Lead in drinking-water: background document for development of WHO guidelines for drinking-water quality, World Health Organization, Geneva.
- Anonim, 2013, Lead in drinking water, US EPA.
- Apriyanti, H., Candra, I.N., dan Elvinawati, 2018, Karakteristik isoterm adsorpsi dari ion logam besi (Fe) pada tanah di Kota Bengkulu, *ALOTROP J. Pendidik. dan Ilmu Kim.*, 2, 14–19.
- Aroua, M.K., Leong, S.P.P., Teo, L.Y., Yin, C.Y., and Daud, W.M.A.W., 2008, Real Time Determination of Kinetics of Adsorption of Lead(II) onto Palm Shell-Based Activated Carbon Using Ion Selective Electrode, *Bioresour. Technol.*, 99 (13), 5766-5792.
- Asuquo, E.D., dan Martin, A.D., 2016, Sorption of Cadmium (II) Ion from Aqueous Solution onto Sweet Potato (*Ipomoea Batatas L.*) Peel Adsorbent: Characterisation, Kinetic and Isotherm Studies, *J. Environ. Chem. Eng.*, 4, 4207-4228.
- Atkins, P.W., 1999, *Kimia Fisika*, Edisi 4, Penerbit Erlangga, Jakarta.
- Atkins, P.W., and Julio, D.P., 2006, *Physical Chemistry*, 8th ed, Oxford University Press, Oxford.
- Atykyan, N., Revin, V., and Shutova, V., 2020, Raman and FT-IR Spectroscopy investigation the cellulose structural differences from bacteria *Glucoacetobacter scrofermentans* during the different regimes of cultivation on a molasses media, *AMB Expr*, 10 (84).
- Ayuningtyas, E., 2016, Pelepah Pisang (*Musa Paradisiaca*) Teraktivasi Asam dan Basa sebagai Biosorben Cu(II), *Tesis*, Departemen Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Bai, R., Zhang, Y., Zhao, Z., Liao, Q., Chen, P., Zhao, P., Guo, W., Yang, F., and Li, L., 2018, Rapid and highly selective removal of lead in simulated wastewater of rare-earth industry using diglycolamic-acid functionalized magnetic chitosan adsorbents, *J. Ind. Eng. Chem.*, 59, 416–424.
- Barakat, M.A., 2011, New Trends in Removing Heavy Metals from Industrial Wastewater, *Arabian J. Chem.*, 4(17), 361-377.
- Bono, A., Ying, P.H., Yan, F.Y., Muei, C.L., Sarbatly, R., and Krishnaiah, D., 2009, Synthesis and Characterization o Carboxymethyl Cellulose from Palm Kernel Cake, *Adv. Nat. App. Sci.*, 3(1), 5-11.



- Budavari, S., Heckelman, P.E., Kinneary, J.F., O'Neil, M.J., and Smith, A., 1996, *The Merck Index: an Encyclopaedia of Chemicals, Drugs, and Biologicals*, Whitehouse Station, New Jersey.
- Cahyono, E., Muchalal, Triyono, and Pranowo, H. D., 2010, Cyclisation-Acetylation Kinetic of (R)-(+)-Citronellal By Zn^{2+} -Natural Zeolite As Solid Solvent Catalyst, *Indones. J. Chem.*, 10(2), 196-201.
- Chandrasaha, R., Rajamane, N.P., and Jeyalakshmi, 2014, Development of Cellulose Nanofibres from Coconut Husk, *Int. J. Emerg. Technol.*, 2250-2459 (4), 88-93
- Chang, Y.-H., Huang, C.-F., Hsu, W.-J., and Chang, F.-C., 2007, Removal of Hg^{2+} from aqueous solution using alginate gel containing chitosan, *J. Appl. Polym. Sci.*, 104, 2896–2905.
- Choe, S.R., Haldorai, Y., Jang, S.C., Rethinasabapathy, M., Lee, Y.C., Han, Y.K., Jun, Y.S., Roh, C., and Huh, Y.S., 2018, Fabrication of alginate/humic acid/Fe-aminoclay hydrogel composed of a grafted-network for the efficient removal of strontium ions from aqueous solution, *Environ. Technol. Innov.*, 9, 285–293.
- Crawford, R.L., 1981, *Lignin Biodegradation and Transformation*, John Wiley & Sons Inc, New Jersey.
- Daemi, H., and Barikani, M., 2012, Synthesis and Characterization of Calcium Alginate Nanoparticles, Sodium Homopolymannuronate Salt and its Calcium Nanoparticles, *Scientia Iranica.*, 19(6), 2023-2028.
- Gao, X., Gou, C., Hao, J., Zhao, Z., Long, H., and Li, M., 2020, Adsorption of Heavy Metal Ions by Sodium Alginate based Adsorbent-a review and New Perspectives, *Int. J. Biol. Macromol.*, 164, 4423-4434.
- Gotoh, T., Matsushima, K., and Kikuchi, K.I., 2004, Adsorption of Cu and Mn on covalently cross-linked alginate gel beads, *Chemosphere*, 55, 57–64.
- Gusnita, D., 2012, Pencemaran Logam Berat Timbal (Pb) Di Udara dan Upaya Penghapusan Bensin Bertimbal, *Berita Dirgantara*, 13(3), 95-101.
- Hasanah, A.N., Elyani, Ingghea, Sriwidoo, Muchtaridi, Muhtadi, A., and Musfiroh, I., 2015, Epichlorohydrin as Crosslinking Agent for Synthesis of Carboxymethyl Cellulose Sodium (Na-CMC) as Pharmaceutical Excipient from Water Hyacinth (*Eichornia crassipes L*), *Int. J. Chem. Sci.*, 13(3), 1227-1237.
- Herman, D. Z., 2006, Tinjauan Terhadap Tailing Mengandung Unsur Pencemar Arsen (As), Merkuri (Hg), Timbal (Pb), dan Kadmium (Cd) dari Sisa Pengolahan Biji Logam, *Indonesia Journal on Geoscience*, 1(1), 31-36.
- Ho, Y.S., Wase, D.A.J., Forster, C.F., 1996, Removal of lead ions from aqueous solution using sphagnum moss peat as adsorbent, *Water S.A.*, 22, 219-224.



- Hokkanen, S., Bhatnagar, A., and Sillanpää, M., 2016, A Review on Modification Methods to Cellulose-Based Adsorbents to Improve Adsorption Capacity, *Water Res.*, 91, 156-173.
- Istirokhatun, T., Rokhati, N., Rachmawaty, R., Meriyani, M., Priyanto, S., and Susanto, H., 2015, Cellulose Isolation from Tropical Water Hyacinth for Membrane Preparation, *Procedia Environ. Sci.*, 23, 274-281.
- Jana, Sougata and Jana, Subrata, 2017, Natural polymeric biodegradable nanoblend for macromolecules delivery, Elsevier Ltd.
- Kamel, S., Hassan E.M., dan El-Sakhawy, 2006, Preparation and Application of Acrylonitrile-Grafter Cyanoethyl Cellulose for The Removal of Copper (ii) Ions, *J. Appl. Polym. Sci.*, 100: 329-334.
- Klavins, M. and Eglite, L. 2001, Immobilisation of Humic Substances, *Colloid. Surfaces. A.*, 203 (1): 47-54.
- Klemm, D., Heublein, B., Fink, H., and Bohn, A., 2005, Cellulose: Fascinating Biopolymer and Sustainable Raw Material, *Angew. Chem. Int. Ed.*, 44 (22): 3358-3393.
- Koolman, J., 2001, *Atlas Berwarna dan Teks Biokimia*, Hipokrates, Jakarta.
- Krumm, C., Pfaendtner, J., and Dauenhauer, P.J., 2016, Millisecond Pulsed Films Unify The Mechanism of Cellulose Fragmentation, *Chem. Mater.*, 28 (9) 3108-3114.
- Kulig, D., Zimoch-Korzycka, A., Jarmoluk, A., and Marycz, K., 2016, Study on alginate-chitosan complex formed with different polymers ratio, *Polymers(Basel)*, 8, 1-17.
- Laus, R., Costa, T. G., Szpoganicz, B., and Favere, V. T., 2010, Adsorption and Desorption of Cu(II), Cd(II), and Pb(II) Ions Using Chitosan Crosslinked with Epichlorohydrin-Triphosphate as the Adsorbent, *Journal of Hazardous Materials*, 183(1-3), 233-241
- Lavik, E., and Langer, R., 2004, Tissue Engineering: Current State and Perspective, *Appl. Microbiol. Biotechnol.*, 65 (1): 1-8.
- Lelifajri, 2010, Adsorpsi Ion Logam Cu(II) Menggunakan Lignin dari Limbah Serbuk Kayu Gergaji, *J. Rekayasa Kim.*, 7(3), 126-129.
- Li, Y., Sun, S., Gao, P., Zhang, M., Fan, C., Lu, Q., and Jiang, Y., 2021, Although Chitosan-Alginate Porous Hydrogel Prepared by Simple Foaming Method, *J. Solid State Chem.*, 290, 121797.
- Liu, Q. and Liu, Y., 2003, Distribution of Pb(II) species in aqueous solutions, *J. Colloid Interface Sci.*, 268, 266-269.
- Lv, L., Su, F., and Zhao, X.S., 2006, Synthesis and Characterization of Microporous Titanosilicate ETS-10 With Different Titanium Precursors, *J. Porous. Mater.*, 13: 263-267.



- Lynam, M.M., Kilduff, J.E., and Webber, J.J., 1995, Adsorption of p-nitrophenol from Oilute Aqueous Solution, *J. Chem. Ed.*, 72: 81-81.
- Ma, Z., Kotaki, M., and Ramakrishna, S., 2005, Electrospun Cellulose Nanofiber as Affinity Membrane, *J. Membr. Sci.*, 265, 115-123.
- Mahajan, S.P., 2002, *Pollution Control in Process Industries*, Tata McGraw-Hill Pub. Co. Ltd., New Delhi.
- Mahfoudhi, N., and Boufi, S., 2017, Nanocellulose as a Novel Nanostructured Adsorbent for Environmental Remediation: a Review, *Cellulose* 24, 1171-1197.
- Mall, I.D., Srivastava, V.C., and Agarwal, N.K., 2006, Removal of Orange-G and Methyl Violet dyes by adsorption onto bagasse fly ash - Kinetic study and equilibrium isotherm analyses, *Dye. Pigment.*, 69, 210–223.
- Martina, D., Hastuti, R., dan Widodo, D.S., 2016, Peran Adsorben Selulosa Tongkol Jagung (*Zea may*) dengan Polivinil Alkohol (PVA) untuk Penyerapan Ion Logam Timbal (Pb^{2+}), *Jurnal Kimia Sains dan Aplikasinya*, 19(3), 77-82.
- McDowall, D.J., Gupta, B.S., and Stannet, V.T., 1984, Grafting of Vinyl Monomers to Cellulose by Ceric Ion Initiation. *Prog. Pol. Sci.*, 10 (1): 1-50.
- Mohammed, N., Grishkewich, N., Berry, R.M., and Tam, K.C., 2015, Cellulose Nanocrystal-Alginate Hydrogel Beads as Novel Adsorbents for Organic Dyes in Aqueous Solution, *Cellulose*, 22(6), 3725-3738.
- Mousa, N.E., Simonescu, C.M., Pătescu, R.E., Onose, C., Tardei, C., Culiță, D.C., Oprea, O., Patroi, D., and Lavric, V., 2016, Pb^{2+} removal from aqueous synthetic solutions by calcium alginate and chitosan coated calcium alginate, *React. Funct. Polym.*, 109, 137–150.
- Nastaj, J., Przewłocka, A., and Rajkowska-Myśliwiec, M., 2016, Biosorption of Ni(II), Pb(II) and Zn(II) on calcium alginate beads: Equilibrium, kinetic and mechanism studies, *Polish J. Chem. Technol.*, 18, 81–87.
- O’Connel, D.W., Birkinshaw, C., and O’Dwyer, T.F., 2008, Heavy Metal Adsorbent Prepared From The Modification of Cellulose: A Review, *Bioresour. Technol.*, 99 (15): 6709-6724.
- Okhlopkova, E.A., Serafimov, L.A., and Frolkova, A.V., 2019, Methods of Preparing Epichlorohydrin, *Theor. Found. Chem. Eng.*, 53(5), 864-870.
- Palar, H., 1994, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta
- Papageorgiou, S.K., Katsaros, F.K., Kouvelos, E.P., Nolan, J.W., Le Deit, H., and Kanellopoulos, N.K., 2006, Heavy metal sorption by calcium alginate beads from *Laminaria digitata*, *J. Hazard. Mater.*, 137, 1765–1772.



- Park, H.G., Kim, T.W., Chae, M.Y., and Yoo, I.K., 2007, Activated carbon-containing alginate adsorbent for the simultaneous removal of heavy metals and toxic organics, *Process Biochem.*, 42, 1371–1377.
- Piotrowski, S., Carus, M., 2011, Multi-Criteria Evaluation of Ligno-Cellulosic Niche Crops for Use in Biorefinery Processes, Nova-Institut GmbH, Hurth.
- Putera, R.D.H., 2012, Ekstraksi Serat Selulosa Dari Tanaman Eceng Gondok (*Eichornia crassipes*) dengan Variasi Pelarut, *Skripsi*, Program Studi Teknik Kimia UI, Depok.
- Rahmawati, A., dan Santosa, S.J., 2012, Studi Adsorpsi Logam Pb(II) dan Cd(II) Pada Asam Humat dalam Medium Air, *Alchemy*, 2(1), 46-67.
- Rico, M., Rodríguez-Llamazares, S., Barral, L., Bouza, R., and Montero, B., 2016, Processing Characterization of Polyols Plasticized-Starch Reinforced with Microcrystalline Cellulose, *Carbohydr. Polym.*, 149, 83-93.
- Rigueto, C.V.T., Piccin, J.S., Dettmer, A., Rosseto, M., Dotto, G.L., Schmitz, A.P.de O., Perondi, D., de Freitas, T.S.M., Loss, R.A., dan Geraldi, C.A.Q., 2020, Water Hyacinth, (*Eichhornia Crassipes*) Roots, an Amazon Natural Waste, as an Alternative Biosorbent to Uptake a Reactive Textile Dye from Aqueous Solutions, *Ecol. Eng.*, 150, 105817.
- Rohmatullaili, 2015, Asam Humat Tinja Kuda sebagai Green Adsorben pada Adsorpsi Logam Pb(II) dan Ni(II), *Tesis*, Program Pascasarjana, Departemen Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Roy, D., Semsarilar, M., Guthrie, J.T., and Perrier, S., 2009, Cellulose Modification by Polymer Grafting: a Review, *Chem. Soc. Rev.*, 38, 2046-2064.
- Said, N. I., 2010, Metoda Penghilangan Logam Berat (As, Cd, Cr, Ag, Cu, Pb, Ni dan Zn) Di Dalam Air Limbah Industri, *Jurnal Air Indonesia*, 6(2), 136-148.
- Salisu, A., Sanagi, M.M., Abu Naim, A., Wan Ibrahim, W.A., and Abd Karim, K.J., 2016, Removal of lead ions from aqueous solutions using sodium alginate-graft-poly(methyl methacrylate) beads, *Desalin. Water Treat.*, 57, 15353– 15361.
- Shameem, A., Devendran, P., Siva, V., Venkatesh, K.S., Manikandan, A., Bahadur, S.A., and Nallamuthu, N., 2017, Dielectric Investigation of NaLiS Nanoparticles Loaded on Alginate Polymer Matrix Synthesized by Single Pot Microwave Irradiation, *J. Inorg. Organomet. Polym.*, 28(1),1-8.
- Trache, D., Hussin, M.H., Haafiz, M.K.M., and Thakur, V.K., 2017, Recent Progress in Cellulose Nanocrystals: Sources and Production, *Nanoscale*, 9(5), 1763-1786.



- Trilokesh, C., and Uppuluri, K.B., 2019, Isolation and Characterization of Cellulose Nanocrystal from Jackfruit Peel, *Scientific Report*, 9(1), 16709-16716.
- Tseng, R.L., Wu, F.C., and Juang, R.S., 2010, Characteristics and applications of the Lagergren's first-order equation for adsorption kinetics, *J. Taiwan Inst. Chem. Eng.*, 41, 661–669.
- Umaningrum, D., Santoso, U.T., Nurmasari, R., dan Yunus, R., 2010, Adsorption Kinetics of Pb(II), Cd(II) and Cr(II) on Adsorbent Produced by Protected-Crosslinking of Humid Acid-Chitosan, *Indo. J. Chem.*, 10(1), 80-87.
- Wang, Z., Jin, P., Wang, M., Wu, G., Sun, J., Zhang, Y., Dong, C., and Wu, A., 2018, Highly efficient removal of toxic Pb²⁺ from wastewater by an alginate–chitosan hybrid adsorbent, *J. Chem. Technol. Biotechnol.*, 93, 2691–2700.
- Wang, T., and Zhao, Y., 2021, Optimization of Bleaching Process for Cellulose Extraction from Apple dan Kale Pomace and Evaluation of their Potentials as Film Forming Materials, *Carbohydr. Polym.*, 253, 117225.
- Widowati, W., Astiana, S., dan Raymond, J.R., 2008, *Efek Toksik Logam Pencegahan dan Penanggulangan Pencemaran*, Penerbit Andi, Yogyakarta.
- Yan, Z., Hu, Y., Du, C., Deng, J., Wang, K., and Luo, G., 2020, Tetramethylammonium Neodecanoate as a Recyclable Catalyst for Acidolysis Reaction of Epichlorohydrin with Neodecanoic Acid, *J. Catalyt.*, 385, 44-51.
- Yu, K., Ho, J., McCandlish, E., Buckley, B., Patel, R., Li, Z., and Shapley, N.C., 2013, Copper ion adsorption by chitosan nanoparticles and alginate microparticles for water purification applications, *Colloids Surfaces A Physicochem. Eng. Asp.*, 425, 31–41.
- Zewail, T.M., dan Yousef, N.S., 2015, Kinetic Study if Heavy Metal Ions Removal by Ion Exchange in Batch Conical Air Spouted Bed, *Alex. Eng. J.*, 54(8), 83-90.