

DAFTAR PUSTAKA

- Ahmad, N., Tsuru, K., Munar, M. L., Maruta, M., Matsuya, S., & Ishikawa, K. (2012). Effect of precursor's solubility on the mechanical property of hydroxyapatite formed by dissolution-precipitation reaction of tricalcium phosphate. *Dental Materials Journal*, 31(6), 995–1000. <https://doi.org/10.4012/dmj.2012-176>
- Amjad, Z. (1998). *Calcium Phosphates in Biological and Industrial Systems* (Z. Amjad (ed.)). Kluwer Academic Publishers.
- Aslanturk, O. S. (1989). In Vitro Cytotoxicity and Cell Viability Assays: Principles, Advantages, and Disadvantages. *Intech*, 32, 137–144. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Benov, L. (2019). Effect of growth media on the MTT colorimetric assay in bacteria. *Plos One*, 1–15. <https://doi.org/10.1371/journal.pone.0219713>
- BioTek. (n.d.). *Absorbance*. Retrieved June 3, 2021, from <https://www.biotek.de/de/products/detection-absorbance-technology.html>
- Bogdanov, S. (2016). *Beeswax: Production, Properties, Composition, Control*. www.bee-hexagon.net
- Buchwald, R., Breed, M. D., Bjostad, L., Hibbard, B. E., Greenberg, R., Buchwald, R., Breed, M. D., Bjostad, L., Hibbard, B. E., & Greenberg, A. R. (2009). The role of fatty acids in the mechanical properties of beeswax. *Apid*, 40(5). <https://doi.org/10.1051/apido/2009035>
- Castleman, M., & Lanou, A. J. (2009). *Building Bone Vitality*. MCGraw Hill.
- Charlena, Bikharudin, A., Wahyudi, S. T., & Erizal. (2017). Synthesis and characterization of hydroxyapatite-collagen-chitosan (Ha/Col/Chi) composite by using Ex-situ wet precipitation method. *Rasayan Journal of Chemistry*, 10(3), 766–770. <https://doi.org/10.7324/RJC.2017.1031768>
- Cullity, B. D., & Stock, S. R. (2014). *Elements of X-Ray Diffraction* (3rd Ed. (ed.)). Pearson.
- Dabouineau, L., & Ponsero, A. (2009). Synthesis on biology of Common European Cockle *Cerastoderma edule*. *CCSD*.
- Darus, F., Jaafar, M., & Ahmad, N. (2019). Preparation of carbonate apatite scaffolds using different carbonate solution and soaking time. *Processing and Application of Ceramics*, 13(2), 139–148.

<https://doi.org/10.2298/PAC1902139D>

- Dorati, R., Colonna, C., Genta, I., Modena, T., & Conti, B. (2010). Effect of porogen on the physico-chemical properties and degradation performance of PLGA scaffolds. *Polymer Degradation and Stability*, 95(4), 694–701. <https://doi.org/10.1016/j.polymdegradstab.2009.11.039>
- Dorozhkin, S. V. (2016). *Calcium Orthophosphate-based Bioceramics and Biocomposites*. Wiley-VCH.
- Feng, S., He, F., & Ye, J. (2018). Hierarchically porous structure, mechanical strength and cell biological behaviors of calcium phosphate composite scaffolds prepared by combination of extrusion and porogen burnout technique and enhanced by gelatin. *Materials Science and Engineering C*, 82(May 2017), 217–224. <https://doi.org/10.1016/j.msec.2017.08.039>
- Figueiredo, M., Fernando, A., Martins, G., Freitas, J., Judas, F., & Figueiredo, H. (2010). Effect of the calcination temperature on the composition and microstructure of hydroxyapatite derived from human and animal bone. *Ceramics International*, 36(8), 2383–2393. <https://doi.org/10.1016/j.ceramint.2010.07.016>
- Florencio-Silva, Rinaldo., Sasso, Gisela Rodrigues da Silva., Sasso-Cerri, Estela., Simoes, Manuel Jesus., Cerri, P. S. (2015). Biology of Bone Tissue: Structure, Function, and Factors that Influence Bone Cells. *Biomed Research International*. <https://doi.org/10.115/2015/421746>
- Fratini, F., Cilia, G., Turchi, B., & Felicioli, A. (2016). Beeswax : A minireview of its antimicrobial activity and its application in medicine. *Asian Pacific Journal of Tropical Medicine*, 9(9), 839–843. <https://doi.org/10.1016/j.apjtm.2016.07.003>
- Ganachari*, Sharanabasava V; Bevinakatti, A. A., Yaradoddi, Jayachandra S; Banapurmath, Nagaraj R; Hunashyal, A. M., & Shettar, A. S. (2016). Rapid synthesis , characterization , and studies of hydroxyapatite nanoparticles. *Adv Mater Sci Res*, 1(1), 9–13.
- Gao, C., Zhao, K., Lin, L., Wang, J., Liu, Y., & Zhu, P. (2019). Preparation and characterization of biomimetic hydroxyapatite nanocrystals by using partially hydrolyzed keratin as template agent. *Nanomaterials*, 9(2). <https://doi.org/10.3390/nano9020241>
- Granito, R. N., Renno, A. C. M., Yamamura, H., de Almeida, M. C., Ruiz, P. L. M., & Ribeiro, D. A. (2018). Hydroxyapatite from fish for bone tissue engineering: A promising approach. *International Journal of Molecular and Cellular Medicine*, 7(2), 80–90. <https://doi.org/10.22088/IJMCM.BUMS.7.2.80>

- Griffiths, P. R., & De Haseth, J. A. (2007). Fourier Transform Infrared Spectrometry. In *Fourier Transform Infrared Spectrometry: Second Edition* (2nd ed.). John Wiley. <https://doi.org/10.1002/047010631X>
- Guo, X., Yan, H., Zhao, S., Li, Z., Li, Y., & Liang, X. (2013). Effect of calcining temperature on particle size of hydroxyapatite synthesized by solid-state reaction at room temperature. *Advanced Powder Technology*, 24(6), 1034–1038. <https://doi.org/10.1016/j.apt.2013.03.002>
- Hadrich, A., Lautié, A., & Mhiri, T. (2001). Monoclinic to hexagonal phase transition and hydroxyl motion in calcium-lead hydroxyapatites studied by Raman spectroscopy. *Journal of Raman Spectroscopy*, 32(1), 33–40. [https://doi.org/10.1002/1097-4555\(200101\)32:1<33::AID-JRS663>3.0.CO;2-P](https://doi.org/10.1002/1097-4555(200101)32:1<33::AID-JRS663>3.0.CO;2-P)
- Hayashi, K., Munar, M. L., & Ishikawa, K. (2020). Effects of macropore size in carbonate apatite honeycomb scaffolds on bone regeneration. *Materials Science and Engineering C*, 111. <https://doi.org/10.1016/j.msec.2020.110848>
- Heiman, R. B., & Lehmann, H. D. (2015). *Bioceramic Coating for Medical Implants*. Wiley-VCH Publisher.
- Hepburn, H. R., Bernard, R. T. F., Davidson, B. C., Muller, W. J., Llyod, P., Kurstjens, S. P., & Vincent, S. L. (1991). Synthesis and Secretion of Beeswax honeybees. *Apidologie*, 22, 21–36.
- Hoflinger, G. (2013). *Brief Introduction to Coating Technology for Electron Microscopy*. <https://www.leica-microsystems.com/science-lab/brief-introduction-to-coating-technology-for-electron-microscopy/>
- Hossain, M. E. ., Khan, M. I., Ketata, C., & Rafiqul Islam, M. (2010). Comparative pathway analysis of paraffin wax and beeswax for industrial applications. *Journal of Characterization and Development of Novel Materials*, 1(4), 1–13.
- Huang, L., Doetsch, C., & Pollerberg, C. (2010). Low Temperature Paraffin Phase Change Emulsions. *International Journal of Refrigeration*, 33(8), 1583–1589. <https://doi.org/10.1016/j.ijrefrig.2010.05.016>
- Ishikawa, K. (2016). Carbonate Apatite Bone Replacement. *Handbook of Bioceramics and Biocomposites*, 213–232. <https://doi.org/10.1007/978-3-319-12460-5>
- Ishikawa, K., Munar, M. L., Tsuru, K., & Miyamoto, Y. (2019). Fabrication of carbonate apatite honeycomb and its tissue response. *Society for Biomaterials*, 1014–1020. <https://doi.org/10.1002/jbm.a.36640>

- Ismail, S. A., & Abdullah, H. Z. (2020). Extraction and characterization of natural hydroxyapatite from goat bone for biomedical applications. *Materials Science Forum*, 1010, 573–578. <https://doi.org/10.4028/www.scientific.net/MSF.1010.573>
- Ito, A., Maekawa, K., Tsutsumi, S., Ikazaki, F., & Tateishi, T. (1997). Solubility product of OH-carbonated hydroxyapatite. *Journal of Biomedical Materials Research*, 36(4), 522–528. [https://doi.org/10.1002/\(SICI\)1097-4636\(19970915\)36:4<522::AID-JBM10>3.0.CO;2-C](https://doi.org/10.1002/(SICI)1097-4636(19970915)36:4<522::AID-JBM10>3.0.CO;2-C)
- Jamarun, N., Asril, A., Zilfa, Z., & Septiani, U. (2018). Effect of Hydrothermal Temperature on Synthesis of Hydroxyapatite From Limestone Via Hydrothermal Method. *International Journal of Applied Pharmaceutics*, 10(1), 136. <https://doi.org/10.22159/ijap.2018v10i1.23278>
- Katon, J. E. (1996). Infrared Microspectroscopy. A Review of Fundamentals and Applications. *Micron*, 27(5), 303–314.
- Kattimani, V. S., Kondaka, S., & Lingamaneni, K. P. (2016). Hydroxyapatite—Past, Present, and Future in Bone Regeneration. *Bone and Tissue Regeneration Insights*, 7, 9–19. <https://doi.org/10.4137/btri.s36138>
- Khandelwal, H., & Prakash, S. (2016). Synthesis and Characterization of Hydroxyapatite Powder by Eggshell. *Journal of Minerals and Materials Characterization and Engineering*, 04(02), 119–126. <https://doi.org/10.4236/jmmce.2016.42011>
- Koutsoukos, P. G., & Kontoyannis, C. G. (1984). Precipitation of calcium carbonate in aqueous solutions. *Journal of the Chemical Society, Faraday Transactions 1: Physical Chemistry in Condensed Phases*, 80(5), 1181–1192. <https://doi.org/10.1039/F19848001181>
- Latifi, S. M., Fathi, M. H., & Golozar, M. A. (2012). Preparation and Characterization of Hydroxyapatite-Silica Composite Nanopowders. *International Journal of Modern Physics: Conference Series*, 05, 630–637. <https://doi.org/10.1142/s2010194512002565>
- Lin, K., & Chang, J. (2015). *Structure and properties of hydroxyapatite for biomedical applications*. Elsevier Ltd. <https://doi.org/10.1016/b978-1-78242-033-0.00001-8>
- Ling, H., Chen, B., Kang, A., Lee, J. M., & Chang, M. W. (2013). Transcriptome response to alkane biofuels in *Saccharomyces cerevisiae*: Identification of efflux pumps involved in alkane tolerance. *Biotechnology for Biofuels*, 6(95), 1–10. <https://doi.org/10.1186/1754-6834-6-95>

- Ma, G. (2019). Three common preparation methods of hydroxyapatite. *IOP Conference Series: Materials Science and Engineering*, 688(3). <https://doi.org/10.1088/1757-899X/688/3/033057>
- Ma, Z., Gao, C., Gong, Y., & Shen, J. (2003). *Paraffin Spheres as Porogen to Fabricate Poly (L-Lactic Acid) Scaffolds with Improved Cytocompatibility for Cartilage Tissue Engineering*. 610–617.
- Majeed, S. S., Mohammed, S. A. A., Sulaiman, H. T., & Malak, L. (2015). Synthesis and Characterization of Hydroxyapatite Nanoparticles using Wet Chemical Method. *Eng & Tech Journal*, 33(6), 1154–1157. <https://doi.org/10.29294/ijase.4.2.2017.571-574>
- Mancini, C E; Berndt, C; Sun, L. K. A. (2001). Porosity determinations in thermally sprayed hydroxyapatite coatings. *Annals of Operations Research*, 36, 3891–3896. <https://doi.org/10.1023/A>
- Manikandan, D. (2015). Synthesis , Characterization and Phase Stability of Porous. *IRJET*, 2(9), 2624–2628.
- Mawuntu, V. J., & Yusuf, Y. (2018). Porous-structure engineering of hydroxyapatite-based scaffold synthesized from Pomacea canaliculata shell by using polyethylene oxide as polymeric porogen Porous-structure engineering of hydroxyapatite-based scaffold synthesized from Pomacea canaliculata. *IOP Conference Series: Materials Science and Engineering*, 432. <https://doi.org/10.1088/1757-899X/432/1/012045>
- Meerlo, J. Van., Kaspers, G. J. L., & Cloos, J. (2011). Cell Sensitivity Assays : The MTT Assay. *Methods in Molecular Biology*, 731, 237–245. <https://doi.org/10.1007/978-1-61779-080-5>
- Mehr, N. G., Li, X., Ariganello, M. B., Hoemann, C. D., & Favis, B. D. (2014). Poly(ϵ -caprolactone) scaffolds of highly controlled porosity and interconnectivity derived from co-continuous polymer blends: Model bead and cell infiltration behavior. *Journal of Materials Science: Materials in Medicine*, 25(9), 2083–2093. <https://doi.org/10.1007/s10856-014-5256-7>
- Morgan, D. M. L. (1998). Tetrazolium (MTT) Assay for Cellular Viability and Activity. *Methods in Molecular Biology*, 79(4), 179–183.
- Murphy, C. M., Haugh, M. G., & O'Brien, F. J. (2010). The effect of mean pore size on cell attachment, proliferation and migration in collagen-glycosaminoglycan scaffolds for bone tissue engineering. *Biomaterials*, 31(3), 461–466. <https://doi.org/10.1016/j.biomaterials.2009.09.063>
- Nomura, S., Tsuru, K., Maruta, M., Matsuya, S., Takahashi, I., & Ishikawa, K. (2014). Fabrication of carbonate apatite blocks from set gypsum based on

dissolutionprecipitation reaction in phosphate-carbonate mixed solution. *Dental Materials Journal*, 33(2), 166–172. <https://doi.org/10.4012/dmj.2013-192>

Ozioko, R. E., Ogbonna, I. D., & Ugwu, K. C. (2018). Determination of the Melting Point of Paraffin Wax Using Temperature Variation Test Method. *American Journal of Engineering Research (AJER)*, 7(12), 101–104.

Pawarangan, I., & Yusuf, Y. (2018). Characteristics of hydroxyapatite from buffalo bone waste synthesized by precipitation method. *IOP Conference Series: Materials Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012044>

Peel, N. (2009). Bone remodelling and disorders of bone metabolism. *Surgery*, 27(2), 70–74. <https://doi.org/10.1016/j.mpsur.2008.12.007>

Philips. (1968). Basic XRD Theory. In *Philips*. Philips Analytical. <https://engineering.jhu.edu/labs/wp-content/uploads/sites/76/2016/04/Phillips-Basic-XRD-Theory.pdf>

Piattelli, A. (2017). Bone response to dental implant materials. In *Bone Response to Dental Implant Materials*. Woodhead Publishing Limited. <https://doi.org/10.1016/c2014-0-03473-9>

Pieters, I. Y., Van den Vreken, N. M. F., Declercq, H. A., Cornelissen, M. J., & Verbeeck, R. M. H. (2010). Carbonated apatites obtained by the hydrolysis of monetite: Influence of carbonate content on adhesion and proliferation of MC3T3-E1 osteoblastic cells. *Acta Biomaterialia*, 6(4), 1561–1568. <https://doi.org/10.1016/j.actbio.2009.11.002>

Pinkart, H. C., & White, D. C. (1997). Phospholipid biosynthesis and solvent tolerance in *Pseudomonas putida* strains. *Journal of Bacteriology*, 179(13), 4219–4226. <https://doi.org/10.1128/jb.179.13.4219-4226.1997>

Raghavendra, G. M., Varaprasad, K., & Jayaramudu, T. (2015). Biomaterials: Design, Development and Biomedical Applications. *Nanotechnology Applications for Tissue Engineering*, 21–44. <https://doi.org/10.1016/B978-0-323-32889-0.00002-9>

Rahyussalim, A. J., Supriadi, S., Marsetio, A. F., Pribadi, P. M., & Suharno, B. (2019). The potential of carbonate apatite as an alternative bone substitute material. *Medical Journal of Indonesia*, 28(1), 92–97. <https://doi.org/10.13181/mji.v28i1.2681>

Rartner, B. D., Hoffman, A. S., Schoen, F. J., & Lemons, J. E. (2013). *Biomaterials Sciences: An Introduction to Materials in Medicine* (3rd Ed). Academic Press.

- Rizkayanti, Y., & Yusuf, Y. (2018). Effect of temperature on syntesis of hydroxyapatite from cockle shells (*Anadara Granosa*). *International Journal of Nanoelectronics and Materials*, *11*, 43–50.
- Rogers, K. (2011). *Bone and muscle: structure, force, and motion* (A. Levy, Michael I; Hanson-Harding (ed.); 1st ed.). Britannica Educational Publishing.
- Rueda, J. L., Smaal, A. C., & Scholten, H. (2005). A growth model of the cockle (*Cerastoderma edule* L.) tested in the Oosterschelde estuary (The Netherlands). *Journal of Sea Research*, *54*, 276–298. <https://doi.org/10.1016/j.seares.2005.06.001>
- Ruiz-aguilar, C., Olivares-pinto, U., Drew, R. A. L., Aguilar-reyes, E. A., & Alfonso, I. (2020). Porogen Effect on Structural and Physical Properties of β -TCP Scaffolds for Bone Tissue Regeneration. *IRBM*, *1*, 1–11. <https://doi.org/10.1016/j.irbm.2020.05.007>
- Sari, M., & Yusuf, Y. (2018). Synthesis and characterization of hydroxyapatite based on green mussel shells (*perna viridis*) with the variation of stirring time using the precipitation method. *IOP Conference Series: Materials Science and Engineering*, *432*(1). <https://doi.org/10.1088/1757-899X/432/1/012046>
- Sari, M., Hening, P., Ana, I. D., & Yusuf, Y. (2021). *Bioceramic hydroxyapatite-based scaffold with a porous structure using honeycomb as a natural polymeric Porogen for bone tissue engineering*. *25*(2), 1–13.
- Scalera, F., Gervaso, F., Sanosh, K. P., Sannino, A., & Licciulli, A. (2013). Influence of the calcination temperature on morphological and mechanical properties of highly porous hydroxyapatite scaffolds. *Ceramics International*, *39*(5), 4839–4846. <https://doi.org/10.1016/j.ceramint.2012.11.076>
- Serway, R. A., & Jewett, W. (2010). *Fisika untuk Sains dan Teknik*. Salemba Teknika.
- Smith, B. C. (2011). *Fundamentals of Fourier Transform Infrared Spectroscopy*. CRC Press.
- Su, N., Yang, J., Xie, Y., Du, X., Chen, H., Zhou, H., & Chen, L. (2019). Bone function, dysfunction and its role in diseases including critical illness. *International Journal of Biological Sciences*, *15*(4), 776–787. <https://doi.org/10.7150/ijbs.27063>
- Subramanian, K. S., Janavi, G. J., Marimuthu, S., Kannan, M., Raja, K., HariPriya, S., Sharmita, D. J. S., & Moorthy, P. S. (2018). Scanning Electron Microscopy: Principle, Components and Applications. In *Fundamentals and*

- Applications of Nanotechnology* (pp. 81–92). Daya Publishing House A Division of Astral International.
- Sugiura, Y., Tsuru, K., & Ishikawa, K. (2016). Fabrication of carbonate apatite pseudomorph from highly soluble acidic calcium phosphate salts through carbonation. *Journal of the Ceramic Society of Japan*, *124*(8), 827–832. <https://doi.org/10.2109/jcersj2.16046>
- Syafaat, F. Y., & Yusuf, Y. (2018). Effect of Ca : P Concentration and Calcination Temperature On Hydroxyapatite (HAp) Powders From Quail Eggshell (Coturnix Coturnix). *International Journal of Nanoelectronics and Materials*, *11*, 51–58.
- Thomas, T., & Tiwari, G. (2019). Crushing Behaviour of Honeycomb structure : A Review Crushing behavior of honeycomb structure : a review. *International Journal of Crashworthiness*. <https://doi.org/10.1080/13588265.2018.1480471>
- Turner, W. R., Brown, D. S., & Harrison, D. V. (1955). Properties of Paraffin Waxes: Composition by Mass Spectrometer Analysis. *Industrial and Engineering Chemistry*, *47*(6), 1219–1226.
- Tyler-Walters, H. (2007). *Cerastoderma edule Common cockle*. Plymouth: Marine Biological Association of the United Kingdom. <https://www.marlin.ac.uk/species/detail/1384>
- Wakae, H., Takeuchi, A., Matsuya, S., Munar, M. L., Nakagawa, M., Udoh, K. I., Nakasima, A., & Ishikawa, K. (2008). Effects of hydrothermal treatment temperature on the crystallinity of cancellous bone type carbonate apatite foam. *Key Engineering Materials*, *361–363*, 975–978. <https://doi.org/10.4028/www.scientific.net/kem.361-363.975>
- Was, E., Szczesna, T., & Rybak-chmielewska, H. (2016). Efficiency of GC-MS Method in Detection of Beeswax Adulterated with Paraffin. *De Gruyter*, *60*(1), 145–161. <https://doi.org/10.1515/JAS-2016-0012>
- Waseda, Y., Matsubara, E., Shinoda, K. (2011). *X-Ray Diffraction Crystallography*. Springer.
- Wati, R., & Yusuf, Y. (2019). Carbonated Hydroxyapatite Derived from Cerastoderma edule, Paphia undulata, and Meretrix meretrix Shells. *IOP Conference Series: Materials Science and Engineering*, *546*(4), 1–8. <https://doi.org/10.1088/1757-899X/546/4/042049>
- web.mit.edu. (n.d.). *Intrumentation FTIR Spectrometer*. Retrieved June 3, 2019, from http://web.mit.edu/5.32/www/Appendix_1_Qual_Instrumentation_03.pdf

- White, Tim D; Folkens, P. A. (2005). *The Human Bone Manual*. Elsevier Academic Press.
- Yin, H., Qian, J., Zhang, J., Lin, Z., Li, J., Xu, J., & Li, Z. (2016). Engineering Porous Poly (lactic acid) Scaffolds with High Mechanical Performance via a Solid State Extrusion / Porogen Leaching Approach. *Polymer*, 8(213). <https://doi.org/10.3390/polym8060213>
- Yusop, A. H., Bakir, A. A., Shaharom, N. A., Abdul Kadir, M. R., & Hermawan, H. (2012). Porous biodegradable metals for hard tissue scaffolds: A review. *International Journal of Biomaterials*, 2012. <https://doi.org/10.1155/2012/641430>
- Yusuf, Y., Khasanah, D. U., Syafaat, F. Y., Pawarangan, I., Sari, M., Mawuntu, V. J., & Rizkayanti, Y. (2019). *Hidroksiapatit Berbahan Dasar Biogenik* (Ifan (ed.); Cetakan Pe). Gadjah Mada University Press.
- Zaborowska, M., Bodin, A., Bäckdahl, H., Popp, J., Goldstein, A., & Gatenholm, P. (2010). Microporous bacterial cellulose as a potential scaffold for bone regeneration. *Acta Biomaterialia*, 6(7), 2540–2547. <https://doi.org/10.1016/j.actbio.2010.01.004>
- Zaman, C. T., Takeuchi, A., Matsuya, S., Zaman, Q. H. M. S., & Ishikawa, K. (2008). Fabrication of B-type carbonate apatite blocks by the phosphorization of free- molding gypsum-calcite composite Fabrication of B-type carbonate apatite blocks by the phosphorization of free-molding gypsum-calcite composite. *Dental Materials Journal*, 27(5), 710–715. <https://doi.org/10.4012/dmj.27.710>
- Zeng, J. H., Liu, S. W., Xiong, L., Qiu, P., Ding, L. H., Xiong, S. L., Li, J. T., Liao, X. G., & Tang, Z. M. (2018). Scaffolds for the repair of bone defects in clinical studies: A systematic review. *Journal of Orthopaedic Surgery and Research*, 13(1), 1–14. <https://doi.org/10.1186/s13018-018-0724-2>
- Zhu, N., & Chen, X. (2013). Biofabrication of Tissue Scaffolds. *Advances in Biomaterials Science and Biomedical Applications*. <https://doi.org/10.5772/54125>