



DAFTAR PUSTAKA

- Abeysekera, W. P. K. M., Premakumara, G. A. S., & Ratnasooriya, W. D. (2013). In Vitro Antioxidant Properties of Leaf and Bark Extracts of Ceylon Cinnamon (*Cinnamomum zeylanicum* Blume). *Tropical Agricultural Research*, 24(2), 128–138.
https://www.pgia.ac.lk/files/Annual_congress/journel/w24/Journal-No2/Papers/2-_23_-W.P.K.M.pdf
- Ahmad, M., Ghaffar, A., & Rafiq, M. (2013). Host plants of leaf worm, spodoptera litura (fabricius) (lepidoptera: Noctuidae) in Pakistan. *Asian Journal of Agriculture and Biology*, 1(1), 23–28.
- Ahmad, M., Iqbal Arif, M., & Ahmad, M. (2007). Occurrence of insecticide resistance in field populations of Spodoptera litura (Lepidoptera: Noctuidae) in Pakistan. *Crop Protection*, 26(6), 809–817.
<https://doi.org/10.1016/j.cropro.2006.07.006>
- Ahmad, M., Sayyed, A. H., Saleem, M. A., & Ahmad, M. (2008). Evidence for field evolved resistance to newer insecticides in Spodoptera litura (Lepidoptera: Noctuidae) from Pakistan. *Crop Protection*, 27(10), 1367–1372. <https://doi.org/10.1016/j.cropro.2008.05.003>
- Akpapunam, M. A., & Sefa-Dedeh, S. (1997). Jack bean (*Canavalia ensiformis*): Nutrition related aspects and needed nutrition research. In *Plant Foods for Human Nutrition* (Vol. 50). Kluwer Academic Publishers.



Al-Dhubiab, B. E. (2012). Pharmaceutical applications and phytochemical profile of *Cinnamomum burmannii*. *Pharmacognosy Reviews*, 6(12), 125–131.
<https://doi.org/10.4103/0973-7847.99946>

Al-Sum, B. A. (2013). Antimicrobial Activity of the Aqueous Extract of Mint Plant. *Science Journal of Clinical Medicine*, 2(3), 110.
<https://doi.org/10.11648/j.sjcm.20130203.19>

Alves, L. F. A., Alves, S. B., Pereira, R. M., & Capalbo, D. M. F. (1997). Production of *Bacillus thuringiensis* berliner var. *kurstaki* Grown in alternative media. *Biocontrol Science and Technology*, 7(3), 377–384.
<https://doi.org/10.1080/09583159730785>

Anggraini, D. A., Effendi, H., & Krisanti, M. (2019). Uji toksisitas akut (LC50) limbah pengeboran minyak bumi terhadap *Daphnia magna*. *Jurnal Pengelolaan Lingkungan Berkelanjutan (Journal of Environmental Sustainability Management)*, 3(1), 272–284.
<https://doi.org/10.36813/jplb.3.1.272-284>

Anonim. (2002). WHO monographs on selected medicinal plants - Aetheroleum Menthae Piperitae. In *WHO monographs on selected medicinal plants* (Vol. 2, pp. 188–198).

Anonim. (2015). PM 7/124 (1) *Spodoptera littoralis*, *Spodoptera litura*, *Spodoptera frugiperda*, *Spodoptera eridania*. *EPPO Bulletin*, 45(3), 410–444. <https://doi.org/10.1111/epp.12258>



Anonim. (2021). *EPPO Global Database (Spodoptera litura: distribution)*.

European and Mediterranean Plant Protection Organization Online EPPO Global Database. <https://gd.eppo.int/taxon/PRODLI/distribution>

Arivoli, S., & Tennyson, S. (2020). Antifeedant activity of leaf extracts against *Spodoptera litura* Fabricius 1775 (Lepidoptera : Noctuidae) highlighting the mechanism of action. *London Journal of Research in Science: Natural and Formal*, 20(4), 67–80.

Batt, C. A., & Tortorello, M. lou. (2014). *Encyclopedia of Food Microbiology: Second Edition*.

Bechtel, D. B., & Bulla, L. A. (1976). Electron microscope study of sporulation and parasporal crystal formation in *Bacillus thuringiensis*. *Journal of Bacteriology*, 127(3), 1472–1481. <https://doi.org/10.1128/jb.127.3.1472-1481.1976>

Bedjo. (2017). The potential of various isolates of *Spodoptera litura* nuclear polyhedrosis viruses from east java (Indonesia) to control *Spodoptera litura* on soybean. *Biodiversitas*, 18(2), 582–588.

<https://doi.org/10.13057/biodiv/d180219>

Belder, E. den, & Elderson, J. (2010). *The introduction of Integrated Pest Management in the Ethiopian Horticultural Sector: Bacillus thuringiensis strains and its toxicity*.

Benoit,’, T. G., Wilson, G. R., Bull,’ And, D. L., & Aronson3, A. I. (1990).

Plasmid-Associated Sensitivity of *Bacillus thuringiensis* to UV Light. In *APPLIED AND ENVIRONMENTAL MICROBIOLOGY* (Vol. 56, Issue 8).

Blouch, A., ul Mohsin, A., Naeem, M., & Mahmood, R. (2020). Comparative Efficacy of *Bacillus thuringiensis* Commercial Formulations against Leaf Worm, *Spodoptera litura* Fabricius under Laboratory Conditions. *Pakistan Journal of Zoology*, 52(2), 609–616.

<https://doi.org/10.17582/journal.pjz/20180619100621>

Bragard, C., Dehnen-Schmutz, K., di Serio, F., Gonthier, P., Jacques, M. A., Jaques Miret, J. A., Justesen, A. F., Magnusson, C. S., Milonas, P., Navas-Cortes, J. A., Parnell, S., Potting, R., Reignault, P. L., Thulke, H. H., van der Werf, W., Vicent Civera, A., Yuen, J., Zappalà, L., Malumphy, C., ... MacLeod, A. (2019). Pest categorisation of *Spodoptera litura*. *EFSA Journal*, 17(7). <https://doi.org/10.2903/j.efsa.2019.5765>

Bravo, A., Likitvivatanavong, S., Gill, S. S., & Soberón, M. (2011). *Bacillus thuringiensis*: A story of a successful bioinsecticide. *Insect Biochemistry and Molecular Biology*, 41(7), 423–431.

<https://doi.org/10.1016/j.ibmb.2011.02.006>

Cantwell, G. E., & Franklin, B. A. (1966). Inactivation by irradiation of spores of *Bacillus thuringiensis* var. *thuringiensis*. *Journal of Invertebrate Pathology*, 8(2), 256–258. [https://doi.org/10.1016/0022-2011\(66\)90139-X](https://doi.org/10.1016/0022-2011(66)90139-X)



Capecka, E., Mareczek, A., & Leja, M. (2005). Antioxidant activity of fresh and dry herbs of some Lamiaceae species. *Food Chemistry*, 93(2), 223–226.

<https://doi.org/10.1016/j.foodchem.2004.09.020>

Cardona, E. V. Jr., Ligat, C. S., & Subang, M. P. (2007). LIFE HISTORY OF COMMON CUTWORM, *Spodoptera litura* Fabricius (Noctuidae: Lepidoptera) IN BENGUET. *Benguet State University Research Journal*, 56(69), 69–80.

Cheema, H. K., Kang, B. K., Jindal, V., Kaur, S., & Gupta, V. K. (2020). Biochemical mechanisms and molecular analysis of fenvalerate resistant population of *Spodoptera litura* (Fabricius). *Crop Protection*, 127(September 2019), 104951. <https://doi.org/10.1016/j.cropro.2019.104951>

Chi', H. (1988). *Life-Table Analysis Incorporating Both Sexes and Variable Development Rates Among Individuals*.

<https://academic.oup.com/ee/article/17/1/26/338126>

de Maagd, R. A., Bravo, A., Berry, C., Crickmore, N., & Schnepf, H. E. (2003). Structure, Diversity, and Evolution of Protein Toxins from Spore-Forming Entomopathogenic Bacteria. *Annual Review of Genetics*, 37, 409–433.

<https://doi.org/10.1146/annurev.genet.37.110801.143042>

Desneux, N., Decourtey, A., & Delpuech, J. M. (2007). The sublethal effects of pesticides on beneficial arthropods. In *Annual Review of Entomology* (Vol. 52, pp. 81–106). <https://doi.org/10.1146/annurev.ento.52.110405.091440>



- Dunkle, R. L., & Shasha, B. S. (1989). Response of Starch-Encapsulated *Bacillus thuringiensis* Containing Ultraviolet Screens to Sunlight . *Environmental Entomology*, 18(6), 1035–1041. <https://doi.org/10.1093/ee/18.6.1035>
- Etman, A. A. M., & Hooper, G. H. S. (1980). DEVELOPMENTAL AND REPRODUCTIVE BIOLOGY OF SPODOPTERA LITURA (F.) (LEPIDOPTERA: NOCTUIDAE). *Australian Journal of Entomology*, 18(4), 363–372. <https://doi.org/10.1111/j.1440-6055.1979.tb00868.x>
- Fand, B. B., Sul, N. T., Bal, S. K., & Minhas, P. S. (2015). Temperature Impacts the Development and Survival of Common Cutworm (*Spodoptera litura*): Simulation and Visualization of Potential Population Growth in India under Warmer Temperatures through Life Cycle Modelling and Spatial Mapping. *PLOS ONE*, 10(4), e0124682. <https://doi.org/10.1371/journal.pone.0124682>
- Fattah, A., Sjam, S., Daud, I. D., Dewi, V. S., & Ilyas, A. (2020). Impact of armyworm *spodoptera litura* (Lepidoptera: Noctuidae) attack: Damage and loss of yield of three soybean varieties in South Sulawesi, Indonesia. *Journal of Crop Protection*, 9(3), 483–495.
- Fern, K. (2014). *Cinnamomum burmannii*. *Useful Tropical Plants Database*, Skolmen 1960, 2. <http://tropical.theferns.info/viewtropical.php?id=Cinnamomum+burmannii>
- Finney, D. J. (1947). *Probit Analysis*. Cambridge University Press.
- Fraser, J. (1919). *Herbarium Mentha Piperita*.
<http://specimens.kew.org/herbarium/K000494834>

Ganguly, S., & Srivastava, C. P. (2020). COMPARATIVE BIOLOGY OF SPODOPTERA LITURA FABRICIUS ON DIFFERENT FOOD SOURCES UNDER CONTROLLED CONDITIONS. *Journal of Experimental Zoology*, 23(1), 681–684. <https://www.researchgate.net/publication/360411110>

Gomez, K. A., & Gomez, A. A. (1984). *Statistical procedures for agricultural research*. John Wiley & Sons.

Griego, V. M., & Spence, K. D. (1978). Inactivation of *Bacillus thuringiensis* spores by ultraviolet and visible light. *Applied and Environmental Microbiology*, 35(5), 906–910. <https://doi.org/10.1128/aem.35.5.906-910.1978>

Gupta, D. (2013). UV Absorbing Properties of Some Plant Derived Extracts. *Research Journal of Chemical and Environmental Sciences*, 1(2), 34–36.

Gupta, G. P., Rani, S., Birah, A., & Raghuraman, M. (2005). Improved artificial diet for mass rearing of the tobacco caterpillar, *Spodoptera litura* (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, 25(1), 55–58. <https://doi.org/10.1079/IJT200551>

Hardik, P., & Dolly, K. (2020). Effect of Abiotic Factors on the Life Cycle of *Spodoptera litura* Fabricius, 1775 (Lepidoptera: Noctuidae). *Applied Ecology and Environmental Sciences*, 8(3), 87–91. <https://doi.org/10.12691/aees-8-3-3>

Herro, E., & Jacob, S. E. (2010). *Mentha piperita* (Peppermint). *Dermatitis*, 21(6), 327–329. <https://doi.org/10.2310/6620.2011.10080>

Hestiana, A., Yasin, N., Hariri, A. M., & Subeki. (2014). AKTIVITAS ANTIFIDAN EKSTRAK DAUN MINT (*Mentha arvensis L.*) DAN BUAH LADA HITAM (*Piper nigrum L.*) TERHADAP ULAT KROP KUBIS (*Crocidolompa pavonana F.*). *Jurnal Agrotek Tropika*, 2(1), 124–129.

Holloway, J. D. (1989). The moths of Borneo: family Noctuidae, trifine subfamilies: Noctuinae, Heliothinae, Hadeninae, Acronictinae, Amphipyrinae, Agaristinae. *Malayan Nature Journal*, 42(2–3), 57–228.
https://www.mothsofborneo.com/part-12/amphipyrinae/amphipyrinae_11_7.php

Ibrahim, M. A., Griko, N., Junker, M., & Bulla, L. A. (2010). *Bacillus thuringiensis A* genomics and proteomics perspective. *Bioengineered Bugs*, 1(1), 31–50. <https://doi.org/10.4161/bbug.1.1.10519>

Idris, H., & Mayura, E. (2019). Teknologi Budidaya Dan Pasca Panen Kayu Manis. *Kementerian Pertanian, Balai Penelitian Tanaman Rempah Dan Obat*, 1.

Integrated Taxonomic Information System. (2021). *Mentha X piperita L. (pro. sp.).*
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32275

Jadhav, R. S., Yadav, D. S., Amala, U., Ghule, S., & Sawant, I. S. (2015). Morphological, biological and molecular description of *Spodoptera litura* infesting grapevines in tropical climate of Maharashtra, India. *Current Biotica*, 9(3), 207–220.



Kakde, A. M., Patel, K. G., & Tayade, S. (2014). *Role of Life Table in Insect Pest Management-A Review* (Vol. 7, Issue 1). www.iosrjournals.org

Keller, M., Sneh, B., Strizhov, N., Prudovsky, E., Regev, A., Koncz, C., Schell, J., & Zilberstein, A. (1996). Digestion of δ -endotoxin by gut proteases may explain reduced sensitivity of advanced instar larvae of *Spodoptera littoralis* to CryIC. *Insect Biochemistry and Molecular Biology*, 26(4), 365–373.
[https://doi.org/10.1016/0965-1748\(95\)00102-6](https://doi.org/10.1016/0965-1748(95)00102-6)

Khetan, S. (2000). Microbial Pest Control. In *Soil Biochemistry: Vol. I*. CRC Press.
<https://doi.org/10.1201/9781482270631>

Lee, K. P., Behmer, S. T., Simpson, S. J., & Raubenheimer, D. (2002). A geometric analysis of nutrient regulation in the generalist caterpillar *Spodoptera littoralis* (Boisduval). *Journal of Insect Physiology*, 48, 655–665.
www.elsevier.com/locate/jinsphys

Lestari, S., Ambarningrum, T. B., & Pratiknyo, H. (2013). Tabel Hidup *Spodoptera litura* Fabr. dengan Pemberian Pakan Buatan yang Berbeda. *Jurnal Sain Veteriner*, 31(2), 166–179.

Lima-Pérez, J., López-Pérez, M., Viniegra-González, G., & Loera, O. (2019). Solid-state fermentation of *Bacillus thuringiensis* var *kurstaki* HD-73 maintains higher biomass and spore yields as compared to submerged fermentation using the same media. *Bioprocess and Biosystems Engineering*, 42(9), 1527–1535. <https://doi.org/10.1007/s00449-019-02150-5>



Loolaie, M., Moasefi, N., Rasouli, H., & Adibi, H. (2017). Peppermint and Its Functionality: A Review. *Archives of Clinical Microbiology*, 08(04:54).

López-y-López, V. E., & de la Torre, M. (2005). Redirection of metabolism during nutrient feeding in fed-batch cultures of *Bacillus thuringiensis*. *Applied Microbiology and Biotechnology*, 67(2), 254–260.
<https://doi.org/10.1007/s00253-004-1724-1>

Lord, J. C., & Undeen, A. H. (1990). Inhibition of the *Bacillus thuringiensis* var. *israelensis* Toxin by Dissolved Tannins. In *Environ. Entomol* (Vol. 19, Issue 5). <https://academic.oup.com/ee/article/19/5/1547/354737>

Maghsoudi, S., & Jalali, E. (2017). Noble UV protective agent for *Bacillus thuringiensis* based on a combination of graphene oxide and olive oil. *Scientific Reports*, 7(1), 7–12. <https://doi.org/10.1038/s41598-017-11080-9>

Mia, A., Javier-Hila, V., Caoili, B. L., & Journal, P. (2020). Cross-infectivity of a Putative *Spodoptera picta* Nucleopolyhedrovirus to *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae). In *Science* (Vol. 149).

Mimica-Dukic, N., & Bozin, B. (2008). *Mentha* L. Species (Lamiaceae) as Promising Sources of Bioactive Secondary Metabolites. *Current Pharmaceutical Design*, 14(29), 3141–3150.
<https://doi.org/10.2174/138161208786404245>

Muhammad, D. R. A., Tuenter, E., Patria, G. D., Foubert, K., Pieters, L., & Dewettinck, K. (2021). Phytochemical composition and antioxidant activity of *Cinnamomum burmannii* Blume extracts and their potential application in



white chocolate. *Food Chemistry*, 340(September 2020), 127983.

<https://doi.org/10.1016/j.foodchem.2020.127983>

Myasnik, M., Manasherob, R., Ben-Dov, E., Zaritsky, A., Margalith, Y., & Barak, Z. (2001). Comparative sensitivity to UV-B radiation of two *Bacillus thuringiensis* subspecies and other *Bacillus* sp. *Current Microbiology*, 43(2), 140–143. <https://doi.org/10.1007/s002840010276>

Navon, A., Klein, M., & Braun, S. (1990). *Bacillus thuringiensis* potency bioassays against *Heliothis armigera*, *Earias insulana*, and *Spodoptera littoralis* larvae based on standardized diets. *Journal of Invertebrate Pathology*, 55(3), 387–393. [https://doi.org/10.1016/0022-2011\(90\)90082-H](https://doi.org/10.1016/0022-2011(90)90082-H)

Nobre, R., & Fonseca, A. P. (2016). Determination Of Sun Protection Factor By Uv-Vis Spectrophotometry. *Health Care : Current Reviews*, 4(2).
<https://doi.org/10.4172/hccr.1000108>

Poinar, G. O., & Thomas, G. M. (1978). Diagnostic Manual for the Identification of Insect Pathogens. In *Bulletin of the Entomological Society of America* (Vol. 25, Issue 1). Springer US. <https://doi.org/10.1007/978-1-4684-2439-3>

Pramila D. M. (2012). Phytochemical analysis and antimicrobial potential of methanolic leaf extract of peppermint (*Mentha piperita*: Lamiaceae). *Journal of Medicinal Plants Research*, 6(3). <https://doi.org/10.5897/jmpr11.1232>

Prasad, K. N., Yang, B., Dong, X., Jiang, G., Zhang, H., Xie, H., & Jiang, Y. (2009). Flavonoid contents and antioxidant activities from *Cinnamomum*



species. *Innovative Food Science and Emerging Technologies*, 10(4), 627–632. <https://doi.org/10.1016/j.ifset.2009.05.009>

Priana, A. M. (2020). *EFEKTIVITAS BUAH NAGA MERAH (Hylocereus polirhizus (F.A.C Weber) Britton & Rose) SEBAGAI PROTEKTAN FUSAN Bacillus thuringiensis PENGENDALI Spodoptera litura Fabricius, 1775.* Universitas Gadjah Mada.

Purohit, H., & Kumar, D. (2020). Influence of biotic factor on the life cycle of *Spodoptera litura fabricius* , 1775 (Lepidoptera : Noctuidae). *Journal of Entomology and Zoology Studies*, 8(1), 1494–1498.

Puszta, M., Fast, P., Gringorten, L., Kaplan, H., Lessard, T., & Carey, P. R. (1991). The mechanism of sunlight-mediated inactivation of *Bacillus thuringiensis* crystals. *Biochemical Journal*, 273(1), 43–47. <https://doi.org/10.1042/bj2730043>

Rabinovitch, L., Vivoni, A. M., Machado, V., Knaak, N., Berlitz, D. L., Polanczyk, R. A., & Fiuzza, L. M. (2017). *Bacillus thuringiensis Characterization: Morphology, Physiology, Biochemistry, Pathotype, Cellular, and Molecular Aspects*. In L. M. Fiuzza, R. A. Polanczyk, & N. Crickmore (Eds.), *Bacillus thuringiensis and Lysinibacillus sphaericus* (1st ed., pp. 1–18). Springer International Publishing. https://doi.org/10.1007/978-3-319-56678-8_1

Ramaiah, M., & Maheswari, T. U. (2018). Biology studies of tobacco caterpillar , *Spodoptera litura* Fabricius. *Journal of Entomology and Zoology Studies*, 6(5), 2284–2289.

Revathi, K., Chandrasekaran, R., Thanigaivel, A., Arunachalam Kirubakaran, S.,

& Senthil-Nathan, S. (2014). Biocontrol efficacy of protoplast fusants between *Bacillus thuringiensis* and *Bacillus subtilis* against *Spodoptera litura* Fabr. *Archives of Phytopathology and Plant Protection*, 47(11), 1365–1375.
<https://doi.org/10.1080/03235408.2013.840999>

Riachi, L. G., & de Maria, C. A. B. (2015). Peppermint antioxidants revisited.

Food Chemistry, 176, 72–81.
<https://doi.org/10.1016/j.foodchem.2014.12.028>

Salama, H. S., Foda, M. S., El-Sharaby, A., Matter, M., & Khalafallahs, M. (1981). Development of Some Lepidopterous Cotton Pests as Affected by Exposure to Sublethal Levels of Endotoxins of *Bacillus thuringiensis* for Different Periods. In *JOURNAL OF INVERTEBRATE PATHOLOGY* (Vol. 38).

Samarth, R. M., & Kumar, A. (2003). *Mentha piperita* (Linn.) leaf extract provides protection against radiation induced chromosomal damage in bone marrow of mice. *Indian Journal of Experimental Biology*, 41(3), 229–237.
<http://www.ncbi.nlm.nih.gov/pubmed/15267153>

Sari, D. M., Priani, S. E., & Darusman, F. (2015). Uji Aktivitas Tabir Surya Fraksi Kulit Batang Kayu Manis (*Cinnamomun Burmanni* Nees Ex Bl.) Secara In Vitro. In *Prosiding Penelitian Spesia*.

Saxena, D., Ben-Dov, E., Manasherob, R., Barak, Z., Boussiba, S., & Zaritsky, A. (2002). A UV tolerant mutant of *Bacillus thuringiensis* subsp. *kurstaki*



producing melanin. *Current Microbiology*, 44(1), 25–30.

<https://doi.org/10.1007/s00284-001-0069-6>

Schnepf, E., Crickmore, N., van Rie, J., Lereclus, D., Baum, J., Feitelson, J., Zeigler, D. R., & Dean, D. H. (1998). *Bacillus thuringiensis* and its pesticidal crystal proteins. *Microbiology and Molecular Biology Reviews : MMBR*, 62(3), 775–806. <https://doi.org/10.1590/s1519-69842010000500018>

Schünemann, R., Knaak, N., & Fiúza, L. M. (2014). Mode of Action and Specificity of *Bacillus thuringiensis* Toxins in the Control of Caterpillars and Stink Bugs in Soybean Culture . *ISRN Microbiology*, 2014, 1–12.

<https://doi.org/10.1155/2014/135675>

Shan, B., Cai, Y. Z., Brooks, J. D., & Corke, H. (2007). Antibacterial properties and major bioactive components of cinnamon stick (*Cinnamomum burmannii*): Activity against foodborne pathogenic bacteria. *Journal of Agricultural and Food Chemistry*, 55(14), 5484–5490.

<https://doi.org/10.1021/jf070424d>

Shapiro, M., el Salamouny, S., & Shepard, B. M. (2009). Plant extracts as ultraviolet radiation protectants for the beet armyworm (Lepidoptera: Noctuidae) Nucleopolyhedrovirus: Screening of Extracts. *Journal of Agricultural and Urban Entomology*, 26(2), 47–61.

<https://doi.org/10.3954/1523-5475-26.2.47>

Shi, L., Li, W., Dong, Y., Shi, Y., Zhou, Y., & Liao, X. (2021). NADPH-cytochrome P450 reductase potentially involved in indoxacarb resistance in



Spodoptera litura. *Pesticide Biochemistry and Physiology*, 173(December 2020), 104775. <https://doi.org/10.1016/j.pestbp.2021.104775>

Shorey, H. H. (1963). A simple artificial rearing medium for the cabbage looper. *Journal of Economic Entomology*, 56(4), 536–537.

Sisa, M., Bonnet, S. L., Ferreira, D., & van der Westhuizen, J. H. (2010). Photochemistry of flavonoids. In *Molecules* (Vol. 15, Issue 8, pp. 5196–5245). <https://doi.org/10.3390/molecules15085196>

Sneh, B., & Schuster, S. (1981). Recovery of *Bacillus thuringiensis* and other bacteria from larvae of *Spodoptera littoralis* previously fed *B. thuringiensis*-treated leaves. *Journal of Invertebrate Pathology*, 37(3), 295–303. [https://doi.org/10.1016/0022-2011\(81\)90090-2](https://doi.org/10.1016/0022-2011(81)90090-2)

Suhartati, T. (2017). *DASAR-DASAR SPEKTROFOTOMETRI UV-VIS DAN SPEKTROMETRI MASSA UNTUK PENENTUAN STRUKTUR SENYAWA ORGANIK*. AURA.

Sukirno, S., Lukmawati, D., Hanum, S. S. L., Ameliya, V. F., Sumarmi, S., Purwanto, H., Suparmin, S., Sudaryadi, I., Soesilohadi, R. C. H., & Aldawood, A. S. (2021). The effectiveness of *Samia ricini* Drury (Lepidoptera: Saturniidae) and *Attacus atlas* L. (Lepidoptera: Saturniidae) cocoon extracts as ultraviolet protectants of *Bacillus thuringiensis* for controlling *Spodoptera litura* Fab. (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, Tampubolon 2013. <https://doi.org/10.1007/s42690-021-00540-5>



Sukirno, S., Tufail, M., Rasool, K. G., Salamouny, S. el, Sutanto, K. D., & Aldawood, bdulrahman S. (2018). The Efficacy and Persistence of *Spodoptera littoralis* Nucleopolyhedrovirus (SpliMNPV) Applied in UV Protectants against the Beet Armyworm, *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae) under Saudi Field Conditions. *Pakistan Journal of Zoology*, 50(5), 1895–1902.
<https://doi.org/10.17582/journal.pjz/2018.50.5.1895.1902>

Sumarmi, S., Arlinda, M., & Sukirno, S. (2020). The Effectiveness of Red Spinach (*Amaranthus tricolor* L.) and Green Spinach (*Amaranthus hybridus* L.) Extracts for *Bacillus thuringiensis* var. *kurstaki* Protectant against UVB Radiation for the Control of Armyworm (*Spodoptera litura* Fab.). *Journal of Tropical Biodiversity and Biotechnology*, 5(2), 143–148.
<https://doi.org/10.22146/jtbb.53004>

Susanti, E., Wahjuningrum, D., Nuryati, S., & Setiawati, M. (2021). The effectiveness of cinnamon powder and cinnamon leaf extract to prevent *Aeromonas hydrophila* infection on striped catfish *Pangasianodon hypophthalmus*. *Jurnal Akuakultur Indonesia*, 20(2), 163–173.
<https://doi.org/10.19027/jai.20.2.163-173>

Sutanto, K. D., el Salamouny, S., Tufail, M., Ghulam Rasool, K., Sukirno, S., Shepard, M., Shapiro, M., & Saad Aldawood, A. (2017). Evaluation of Natural Additives to Enhance the Persistence of *Spodoptera littoralis* (Lepidoptera: Noctuidae) Nucleopolyhedrovirus (SpliMNPV) Under Field



UNIVERSITAS
GADJAH MADA

Efektivitas Ekstrak Daun Mint (*Mentha piperita L.*) dan Kayu Manis (*Cinnamomum burmannii* (Nees & T.Neess) Blume) sebagai Protektan *Bacillus thuringiensis kurstaki* Agensi Pengendali Ulat Grayak (*Spodoptera litura* Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Conditions in Saudi Arabia. *Journal of Economic Entomology*, 110(3), 924–930. <https://doi.org/10.1093/jee/tox085>

Tarigan, A., Sumarmi, S., & Sukirno. (2020). Effectiveness of Aloe (Aloe vera L.) as a protectant of *Bacillus thuringiensis* var *kurstaki* against ultraviolet light and biological control agent of (*Spodoptera litura* Fab.). *AIP Conference Proceedings*, 2260, 030003. <https://doi.org/10.1063/5.0015743>

Taufika, R., Sumarmi, S., & Hartatie, D. (2022). Pemeliharaan ulat grayak (*Spodoptera litura* Fabricius) (Lepidoptera: Noctuidae) menggunakan pakan buatan pada skala laboratorium. *AGROMIX*, 13(1), 47–54. <https://doi.org/10.35891/agx.v13i1.2866>

Tavares, C. S., Santos-Amaya, O. F., Oliveira, E. E., Paula-Moraes, S. v., & Pereira, E. J. G. (2021). Facing Bt toxins growing up: Developmental changes of susceptibility to Bt corn hybrids in fall armyworm populations and the implications for resistance management. *Crop Protection*, 146, 105664. <https://doi.org/10.1016/j.cropro.2021.105664>

Teng, L. W. (2020). *Mentha × piperita f. citrata* “Chocolate.” <https://www.nparks.gov.sg/florafaunaweb/flora/5/5/5512>

Thermo Fisher Scientific. (2021a). *Dehydrated Culture Media: Brain Heart Infusion Agar.* http://www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=CM1136&cc=UK&lang=EN



Thermo Fisher Scientific. (2021b). *Laboratory Preparation/Biological Extracts*:

Ringer Solution 1/4 Strength Ringer Solution Tablets.

http://www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=BR0052&c=UK&lang=EN

Thomas, P., Sekhar, A. C., Upreti, R., Mujawar, M. M., & Pasha, S. S. (2015).

Optimization of single plate-serial dilution spotting (SP-SDS) with sample anchoring as an assured method for bacterial and yeast cfu enumeration and single colony isolation from diverse samples. *Biotechnology Reports*, 8, 45–55. <https://doi.org/10.1016/j.btre.2015.08.003>

Trisyono, Y. A., & Rahayu, S. T. S. (2004). BIOACTIVITY OF A BACILLUS THURINGIENSIS CRY1AC TOXIN TO SPODOPTERA LITURA. *Jurnal Perlindungan Tanaman Indonesia*, 10(1), 53–62.

Vilani, A., Lozano, E. R., Potrich, M., Alves, L. F. A., Maia, F. M. C., Dall Agnol De Lima, J., & de Gouvea, A. (2017). Activity of plant aqueous extracts on *Bacillus thuringiensis* and their interactions on *Anticarsia gemmatalis* (Lepidoptera: Erebinae). *Semina: Ciencias Agrarias*, 38(2), 1051–1058. <https://doi.org/10.5433/1679-0359.2017v38n2p1051>

Wan, P., Wu, K., Huang, M., Yu, D., & Wu, J. (2008). Population dynamics of *Spodoptera litura* (Lepidoptera: Noctuidae) on Bt cotton in the Yangtze River valley of China. *Environmental Entomology*, 37(4), 1043–1048. [https://doi.org/10.1603/0046-225X\(2008\)37\[1043:PDOSLL\]2.0.CO;2](https://doi.org/10.1603/0046-225X(2008)37[1043:PDOSLL]2.0.CO;2)



Wang, R., Wang, R., & Yang, B. (2009). Extraction of essential oils from five cinnamon leaves and identification of their volatile compound compositions.

Innovative Food Science and Emerging Technologies, 10(2), 289–292.
<https://doi.org/10.1016/j.ifset.2008.12.002>

Windrati, W. S., Nafi, A., & Augustine, P. D. (2010). SIFAT NUTRISIONAL PROTEIN RICH FLOUR (PRF) KORO PEDANG (*Canavalia ensiformis* L.). *AGROTEK*, 4(1), 18–26.

Wunderlin, R. P., Hansen, B. F., Franck, A. R., & Essig, F. B. (2021). *Atlas of Florida Plants*. <https://cdn.plantatlas.org/img/specimens/USF/216398.jpg>

Wuu-Kuang, S. (2011). Taxonomic revision of *Cinnamomum* (Lauraceae) in Borneo. *Blumea: Journal of Plant Taxonomy and Plant Geography*, 56(3), 241–264. <https://doi.org/10.3767/000651911X615168>

Xu, L., Mei, Y., Liu, R., Chen, X., Li, D., & Wang, C. (2020). Transcriptome analysis of *Spodoptera litura* reveals the molecular mechanism to pyrethroids resistance. *Pesticide Biochemistry and Physiology*, 169, 104649. <https://doi.org/10.1016/j.pestbp.2020.104649>